



# All SPEC CPU2017 Integer Rates Results Published by SPEC

These results have been submitted to SPEC; see [the disclaimer](#) before studying any results.

[Search published CPU2017 results](#)

Last update: 2019-04-08t11:19

## CPU2017 Integer Rates (2661):

[\[Search in CPU2017 Integer Rates results\]](#)

Test Sponsor	System Name	Base Copies	Processor		Results		Energy		
			Enabled Cores	Enabled Chips	Enabled Threads/ Core	Base	Peak	Base	Peak
ASUSTeK Computer Inc.	ASUS WS C621E SAGE Server System (3.00 GHz, Intel Xeon Gold 6154) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	224	237	--	--
ASUSTeK Computer Inc.	ASUS RS700-E9(Z11PP-D24) Server System (2.70 GHz, Intel Xeon Gold 6150) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	216	228	--	--
ASUSTeK Computer Inc.	ASUS RS700-E9(Z11PP-D24) Server System (2.10 GHz, Intel Xeon Platinum 8176) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	273	291	--	--
ASUSTeK Computer Inc.	ASUS RS700-E9(Z11PP-D24) Server System (2.70 GHz, Intel Xeon Gold 6150)	72	36	2	2	213	223	--	--

Test Sponsor	System Name	Base Copies	Processor		Results		Energy		
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
ASUSTeK Computer Inc.	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> ASUS RS700-E9(Z11PP-D24) Server System (2.10 GHz, Intel Xeon Platinum 8176)	112	56	2	2	274	292	--	--
ASUSTeK Computer Inc.	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> ASUS WS C621E SAGE Server System (2.50 GHz, Intel Xeon Platinum 8180)	112	56	2	2	303	326	--	--
ASUSTeK Computer Inc.	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> ASUS RS700A-E9(Z11PP-D24) Server System (2.20 GHz, AMD EPYC 7601)	128	64	2	2	281	310	--	--
ASUSTeK Computer Inc.	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> ASUS RS720Q-E9(Z11PH-D12) Server System (2.70 GHz, Intel Xeon Gold 6150)	72	36	2	2	218	231	--	--
ASUSTeK Computer Inc.	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> ASUS RS720Q-E9(Z11PH-D12) Server System (2.10 GHz, Intel Xeon Platinum 8176)	112	56	2	2	277	296	--	--
ASUSTeK Computer Inc.	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> ASUS RS720Q-E9(Z11PH-D12) Server System (3.50 GHz, Intel Xeon Gold 6144)	32	16	2	2	120	126	--	--
ASUSTeK Computer Inc.	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> ASUS RS720Q-E9(Z11PH-D12) Server System (2.4 GHz, Intel Xeon Gold 6148)	80	40	2	2	221	236	--	--
ASUSTeK Computer Inc.	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> ASUS RS720Q-E9(Z11PH-D12) Server System (2.00 GHz, Intel Xeon Gold 6138)	80	40	2	2	200	214	--	--
ASUSTeK Computer Inc.	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> ASUS RS720Q-E9(Z11PH-D12) Server System (3.40 GHz, Intel Xeon Gold 6128)	24	12	2	2	85.5	90.6	--	--
Test Sponsor	System Name	Base	Processor		Results		Energy		

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
ASUSTeK Computer Inc.	ASUS RS720-E9(Z11PP-D24) Server System (2.50 GHz, Intel Xeon Platinum 8180) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	304	327	--	--
ASUSTeK Computer Inc.	ASUS RS720Q-E9(Z11PH-D12) Server System (2.60 GHz, Intel Xeon Gold 6126) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	149	158	--	--
ASUSTeK Computer Inc.	ASUS RS720Q-E9(Z11PH-D12) Server System (3.20 GHz, Intel Xeon Gold 6134) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	113	120	--	--
ASUSTeK Computer Inc.	ASUS RS720Q-E9(Z11PH-D12) Server System (3.00 GHz, Intel Xeon Gold 6136) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	162	171	--	--
ASUSTeK Computer Inc.	ASUS RS720Q-E9(Z11PH-D12) Server System (3.20 GHz, Intel Xeon Gold 6146) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	168	179	--	--
ASUSTeK Computer Inc.	ASUS RS720A-E9(KNPP-D32) Server System (2.20 GHz, AMD EPYC 7601) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	2	2	282	310	--	--
ASUSTeK Computer Inc.	ASUS RS720Q-E9(Z11PH-D12) Server System (2.20 GHz, Intel Xeon Silver 4114) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	97.5	103	--	--
ASUSTeK Computer Inc.	ASUS RS720Q-E9(Z11PH-D12) Server System (2.30 GHz, Intel Xeon Gold 6140) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	195	206	--	--
ASUSTeK Computer Inc.	ASUS RS720Q-E9(Z11PH-D12) Server System (2.40 GHz, Intel Xeon Gold 5115) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	105	112	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
ASUSTeK Computer Inc.	ASUS RS720Q-E9(Z11PH-D12) Server System (2.20 GHz, Intel Xeon Gold 5120) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	139	147	--	--
ASUSTeK Computer Inc.	ASUS RS720Q-E9(Z11PH-D12) Server System (2.10 GHz, Intel Xeon Gold 6130T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	171	181	--	--
ASUSTeK Computer Inc.	ASUS RS720Q-E9(Z11PH-D12) Server System (2.00 GHz, Intel Xeon Platinum 8153) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	147	155	--	--
ASUSTeK Computer Inc.	ASUS RS720Q-E9(Z11PH-D12) Server System (2.60 GHz, Intel Xeon Gold 6132) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	165	175	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
ASUSTeK Computer Inc.	ASUS RS300-E10(P11C-C/4L) Server System (3.80 GHz, Intel Xeon E-2186G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	6	1	2	43.8	46.8	--	--
ASUSTeK Computer Inc.	ASUS RS500A-E9(KNPA-U16) Server System (2.20 GHz, AMD EPYC 7601 32-Core) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	1	2	142	156	--	--
Acer Incorporated	Altos R380 F4 (Intel Xeon Silver 4110) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	1	2	37.4	Not Run	--	--
Acer Incorporated	Altos R380 F4 (Intel Xeon Silver 4110) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	73.4	Not Run	--	--
Acer Incorporated	Altos R380 F4 (Intel Xeon Silver 4110) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	72.7	Not Run	--	--
Cisco Systems	Cisco UCS C480 M5 (Intel Xeon Platinum 8180, 2.50GHz)	224	112	4	2	573	Not	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>							Run	
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Platinum 8180, 2.50GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	300	319	--	--
Cisco Systems	Cisco UCS B200 M5 (Intel Xeon Platinum 8158, 3.00GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	154	163	--	--
Cisco Systems	Cisco UCS B200 M5 (Intel Xeon Gold 6132, 2.60GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	162	171	--	--
Cisco Systems	Cisco UCS B200 M5 (Intel Xeon Platinum 8176, 2.10GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	255	272	--	--
Cisco Systems	Cisco UCS B200 M5 (Intel Xeon Gold 6150, 2.70GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	201	213	--	--
Cisco Systems	Cisco UCS C480 M5 (Intel Xeon Platinum 8158, 3.00GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	308	324	--	--
Cisco Systems	Cisco UCS B200 M5 (Intel Xeon Gold 5120, 2.20GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	136	143	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Cisco Systems	Cisco UCS B200 M5 (Intel Xeon Gold 6146, 3.20GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	159	167	--	--
Cisco Systems	Cisco UCS C480 M5 (Intel Xeon Platinum 8170, 2.10GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	208	104	4	2	491	523	--	--
Cisco Systems	Cisco UCS B200 M5 (Intel Xeon Gold 6154, 3.00GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	209	221	--	--
Cisco Systems	Cisco UCS B480 M5 (Intel Xeon Gold 5115, 2.40GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	4	2	206	216	--	--
Cisco Systems	Cisco UCS B480 M5 (Intel Xeon Gold 5118, 2.30GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	240	253	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/ Core	Base	Peak	Base	Peak
Cisco Systems	Cisco UCS C220 M5 (Intel Xeon Gold 6134M, 3.20GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	110	115	--	--
Cisco Systems	Cisco UCS C220 M5 (Intel Xeon Platinum 8180M, 2.50GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	288	309	--	--
Cisco Systems	Cisco UCS B200 M5 (Intel Xeon Gold 6130, 2.10GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	164	172	--	--
Cisco Systems	Cisco UCS C220 M5 (Intel Xeon Gold 6142M, 2.60GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	187	197	--	--
Cisco Systems	Cisco UCS C220 M5 (Intel Xeon Platinum 8176M, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	261	280	--	--
Cisco Systems	Cisco UCS C220 M5 (Intel Xeon Platinum 8160M, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	239	255	--	--
Cisco Systems	Cisco UCS C480 M5 (Intel Xeon Platinum 8170M, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	208	104	4	2	481	511	--	--
Cisco Systems	Cisco UCS B200 M5 (Intel Xeon Silver 4112, 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	44.5	47.1	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/ Core	Base	Peak	Base	Peak
Cisco Systems	Cisco UCS B480 M5 (Intel Xeon Gold 6146, 3.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	311	328	--	--
Cisco Systems	Cisco UCS C220 M5 (Intel Xeon Platinum 8170M, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	255	272	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Cisco Systems	Cisco UCS C220 M5 (Intel Xeon Gold 6140M, 2.30 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	194	206	--	--
Cisco Systems	Cisco UCS B200 M5 (Intel Xeon Gold 6136, 3.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	150	158	--	--
Cisco Systems	Cisco UCS B200 M5 (Intel Xeon Silver 4110, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	74.2	77.4	--	--
Cisco Systems	Cisco UCS C220 M5 (Intel Xeon Silver 4116, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	109	115	--	--
Cisco Systems	Cisco UCS C220 M5 (Intel Xeon Silver 4114, 2.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	95.4	99.2	--	--
Cisco Systems	Cisco UCS C220 M5 (Intel Xeon Silver 4110, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	74.2	77.3	--	--
Cisco Systems	Cisco UCS B200 M5 (Intel Xeon Gold 5115, 2.40 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	105	109	--	--
Cisco Systems	Cisco UCS B200 M5 (Intel Xeon Gold 6128, 3.40 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	24	12	2	2	82.6	88.0	--	--
Cisco Systems	Cisco UCS C220 M5 (Intel Xeon Silver 4112, 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	44.0	46.9	--	--
Cisco Systems	Cisco UCS B480 M5 (Intel Xeon Gold 6136, 3.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	292	308	--	--
Cisco Systems	Cisco UCS B200 M5 (Intel Xeon Gold 6126, 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	139	144	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Cisco Systems	Cisco UCS B200 M5 (Intel Xeon Gold 6142, 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	178	187	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Cisco Systems	Cisco UCS B200 M5 (Intel Xeon Gold 6134, 3.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	109	113	--	--
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Gold 6146, 3.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	165	174	--	--
Cisco Systems	Cisco UCS B200 M5 (Intel Xeon Gold 5122, 3.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	56.1	59.3	--	--
Cisco Systems	Cisco UCS B480 M5 (Intel Xeon Gold 6152, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	176	88	4	2	414	440	--	--
Cisco Systems	Cisco UCS B200 M5 (Intel Xeon Silver 4116, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	110	115	--	--
Cisco Systems	Cisco UCS C220 M5 (Intel Xeon Gold 6152, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	88	44	2	2	217	230	--	--
Cisco Systems	Cisco UCS B200 M5 (Intel Xeon Gold 6134M, 3.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	109	114	--	--
Cisco Systems	Cisco UCS B200 M5 (Intel Xeon Platinum 8180M, 2.50 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	287	308	--	--
Cisco Systems	Cisco UCS B200 M5 (Intel Xeon Silver 4114, 2.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	95.5	99.4	--	--
Cisco Systems	Cisco UCS C220 M5 (Intel Xeon Bronze 3104, 1.70 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	12	2	1	34.1	34.9	--	--
Cisco Systems	Cisco UCS B200 M5 (Intel Xeon Gold 6136, 3.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	149	157	--	--
Cisco Systems	Cisco UCS B200 M5 (Intel Xeon Bronze 3106, 1.70 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	16	2	1	45.5	46.6	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak



Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Cisco Systems	Cisco UCS C220 M5 (Intel Xeon Bronze 3106, 1.70 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	16	2	1	45.4	46.4	--	--
Cisco Systems	Cisco UCS C220 M5 (Intel Xeon Gold 6150, 2.70 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	204	217	--	--
Cisco Systems	Cisco UCS B200 M5 (Intel Xeon Silver 4108, 1.80 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	66.9	69.4	--	--
Cisco Systems	Cisco UCS C220 M5 (Intel Xeon Silver 4108, 1.80 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	66.6	69.2	--	--
Cisco Systems	Cisco UCS B480 M5 (Intel Xeon Gold 6144, 3.50 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	4	2	229	242	--	--
Cisco Systems	Cisco UCS B480 M5 (Intel Xeon Gold 6148, 2.40 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	160	80	4	2	398	422	--	--
Cisco Systems	Cisco UCS B480 M5 (Intel Xeon Platinum 8176, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	501	537	--	--
Cisco Systems	Cisco UCS B480 M5 (Intel Xeon Gold 6138, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	160	80	4	2	372	393	--	--
Cisco Systems	Cisco UCS B480 M5 (Intel Xeon Gold 6130, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	315	332	--	--
Cisco Systems	Cisco UCS B200 M5 (Intel Xeon Platinum 8153, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	143	150	--	--
Cisco Systems	Cisco UCS B200 M5 (Intel Xeon Gold 6138, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	189	199	--	--
Cisco Systems	Cisco UCS B480 M5 (Intel Xeon Platinum 8164, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	208	104	4	2	460	490	--	--

Test Sponsor	System Name	Base Copies	Processor		Results		Energy		
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Cisco Systems	Cisco UCS B480 M5 (Intel Xeon Platinum 8160, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	96	4	2	447	474	--	--

Test Sponsor	System Name	Base Copies	Processor		Results		Energy		
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Cisco Systems	Cisco UCS B480 M5 (Intel Xeon Platinum 8153, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	286	300	--	--
Cisco Systems	Cisco UCS B200 M5 (Intel Xeon Gold 6144, 3.50 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	117	122	--	--
Cisco Systems	Cisco UCS B200 M5 (Intel Xeon Platinum 8168, 2.70 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	258	275	--	--
Cisco Systems	Cisco UCS B200 M5 (Intel Xeon Platinum 8180, 2.50 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	285	306	--	--
Cisco Systems	Cisco UCS B200 M5 (Intel Xeon Gold 6140, 2.30 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	188	198	--	--
Cisco Systems	Cisco UCS B200 M5 (Intel Xeon Platinum 8170, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	246	262	--	--
Cisco Systems	Cisco UCS B200 M5 (Intel Xeon Gold 6148, 2.40 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	203	214	--	--
Cisco Systems	Cisco UCS B480 M5 (Intel Xeon Platinum 8170, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	208	104	4	2	486	520	--	--
Cisco Systems	Cisco UCS B200 M5 (Intel Xeon Platinum 8160, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	228	241	--	--

Test Sponsor	System Name	Base Copies	Processor		Results		Energy		
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Cisco Systems	GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	236	251	--	--
	Cisco UCS B200 M5 (Intel Xeon Platinum 8164, 2.00 GHz)								
Cisco Systems	GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	230	244	--	--
	Cisco UCS B200 M5 (Intel Xeon Platinum 8160M, 2.10 GHz)								
Cisco Systems	GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	12	2	1	33.4	34.8	--	--
	Cisco UCS B200 M5 (Intel Xeon Bronze 3104, 1.70 GHz)								
Cisco Systems	GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	180	190	--	--
	Cisco UCS B200 M5 (Intel Xeon Gold 6142M, 2.60 GHz)								

Test Sponsor	System Name	Base Copies	Processor		Results		Energy		
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Cisco Systems	GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	4	2	271	286	--	--
	Cisco UCS B480 M5 (Intel Xeon Gold 5120, 2.20 GHz)								
Cisco Systems	GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	253	269	--	--
	Cisco UCS B200 M5 (Intel Xeon Platinum 8176M, 2.10 GHz)								
Cisco Systems	GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	247	264	--	--
	Cisco UCS B200 M5 (Intel Xeon Platinum 8170M, 2.10 GHz)								
Cisco Systems	GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	366	386	--	--
	Cisco UCS B480 M5 (Intel Xeon Gold 6140, 2.30 GHz)								
Cisco Systems	GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	187	198	--	--
	Cisco UCS B200 M5 (Intel Xeon Gold 6140M, 2.30 GHz)								

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Cisco Systems	Cisco UCS B200 M5 (Intel Xeon Platinum 8156, 3.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	56.2	59.5	--	--
Cisco Systems	Cisco UCS B480 M5 (Intel Xeon Gold 6154, 3.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	419	445	--	--
Cisco Systems	Cisco UCS B480 M5 (Intel Xeon Platinum 8168, 2.70 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	96	4	2	508	541	--	--
Cisco Systems	Cisco UCS B480 M5 (Intel Xeon Platinum 8156, 3.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	4	2	113	120	--	--
Cisco Systems	Cisco UCS C125 (AMD EPYC 7501) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	2	2	269	Not Run	--	--
Cisco Systems	Cisco UCS C125 (AMD EPYC 7601) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	1	2	139	Not Run	--	--
Cisco Systems	Cisco UCS B480 M5 (Intel Xeon Platinum 8180M, 2.50 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	551	Not Run	--	--
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Gold 5117, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	121	126	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Cisco Systems	Cisco UCS C125 (AMD EPYC 7281) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	150	162	--	--
Cisco Systems	Cisco UCS C125 (AMD EPYC 7351) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	165	181	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Cisco Systems	Cisco UCS C125 (AMD EPYC 7401) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	223	244	--	--
Cisco Systems	Cisco UCS C125 (AMD EPYC 7301) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	157	171	--	--
Cisco Systems	Cisco UCS C125 (AMD EPYC 7251) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	84.7	92.1	--	--
Cisco Systems	Cisco UCS C125 (AMD EPYC 7261, <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	88.8	96.0	--	--
Cisco Systems	Cisco UCS B480 M5 (Intel Xeon Gold 6132 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	4	2	320	342	--	--
Cisco Systems	Cisco UCS B480 M5 (Intel Xeon Gold 6150 2.70 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	394	414	--	--
Cisco Systems	Cisco UCS C480 M5 (Intel Xeon Platinum 8164 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	208	104	4	2	465	481	--	--
Cisco Systems	Cisco UCS B480 M5 (Intel Xeon Gold 6142M 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	347	357	--	--
Cisco Systems	Cisco UCS B480 M5 (Intel Xeon Gold 6134 3.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	4	2	214	228	--	--
Cisco Systems	Cisco UCS C220 M5 (Intel Xeon Platinum 8164, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	234	234	--	--
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Gold 6152 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	88	44	2	2	216	214	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Gold 6134M, 3.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	109	109	--	--

Test Sponsor	System Name	Base Copies	Processor		Results		Energy		
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Platinum 8168, 2.70 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	267	267	--	--
Cisco Systems	Cisco UCS C220 M5 (Intel Xeon Platinum 8168, 2.70 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	261	261	--	--
Cisco Systems	Cisco UCS C480 M5 (Intel Xeon Platinum 8160 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	96	4	2	444	469	--	--
Cisco Systems	Cisco UCS B480 M5 (Intel Xeon Gold 6128 3.40 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	4	2	165	174	--	--
Cisco Systems	Cisco UCS B480 M5 (Intel Xeon Gold 6142 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	356	376	--	--
Cisco Systems	Cisco UCS B480 M5 (Intel Xeon Gold 6126 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	274	291	--	--
Cisco Systems	Cisco UCS B480 M5 (Intel Xeon Gold 5122 3.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	4	2	110	117	--	--
Cisco Systems	Cisco UCS B480 M5 (Intel Xeon Gold 6134M 3.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	4	2	216	230	--	--
Cisco Systems	Cisco UCS B480 M5 (Intel Xeon Platinum 8176M, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	492	509	--	--
Cisco Systems	Cisco UCS B480 M5 (Intel Xeon Platinum 8160M, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	96	4	2	453	468	--	--
Cisco Systems	Cisco UCS C480 M5 (Intel Xeon Gold 6148 2.40 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	160	80	4	2	400	420	--	--
Cisco Systems	Cisco UCS B480 M5 (Intel Xeon Platinum 8170M, 2.10 GHz)	208	104	4	2	489	520	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								
Test Sponsor	System Name	Base Copies	Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Cisco Systems	Cisco UCS B480 M5 (Intel Xeon Gold 6140M, 2.30 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	366	385	--	--
Cisco Systems	Cisco UCS B480 M5 (Intel Xeon Platinum 8158, 3.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	304	323	--	--
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Gold 6134 3.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	109	116	--	--
Cisco Systems	Cisco UCS C480 M5 (Intel Xeon Platinum 8153, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	283	297	--	--
Cisco Systems	Cisco UCS C480 M5 (Intel Xeon Gold 6152 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	176	88	4	2	412	432	--	--
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Platinum 8153, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	146	151	--	--
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Gold 6154 3.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	221	232	--	--
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Platinum 8168 2.70 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	270	285	--	--
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Gold 6130 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	169	176	--	--
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Gold 6126 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	142	150	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Gold 6142 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	186	195	--	--
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Gold 6132 2600 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	166	177	--	--
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Gold 6136 3.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	155	164	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Gold 6128 3.40 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	24	12	2	2	84.0	88.8	--	--
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Gold 5120 2.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	139	147	--	--
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Gold 6144 3.50 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	118	124	--	--
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Gold 6150 2.70 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	205	214	--	--
Cisco Systems	Cisco UCS C480 M5 (Intel Xeon Gold 6144 3.50 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	4	2	228	242	--	--
Cisco Systems	Cisco UCS C480 M5 (Intel Xeon Gold 6130 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	316	332	--	--
Cisco Systems	Cisco UCS C480 M5 (Intel Xeon Gold 6146 3.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	311	331	--	--
Cisco Systems	Cisco UCS C480 M5 (Intel Xeon Gold 6150, 2.70 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	405	424	--	--
Cisco Systems	Cisco UCS C480 M5 (Intel Xeon Platinum 8168, 2.70 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	96	4	2	513	546	--	--



Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Cisco Systems	Cisco UCS C480 M5 (Intel Xeon Platinum 8156, 3.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	4	2	113	119	--	--
Cisco Systems	Cisco UCS C480 M5 (Intel Xeon Gold 6154, 3.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	428	450	--	--
Cisco Systems	Cisco UCS C220 M5 (Intel Xeon Gold 6126, 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	140	148	--	--
Cisco Systems	Cisco UCS C220 M5 (Intel Xeon Gold 6132, 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	163	174	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Cisco Systems	Cisco UCS C220 M5 (Intel Xeon Gold 6142, 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	181	189	--	--
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Gold 6142M 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	185	194	--	--
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Platinum 8176M 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	266	281	--	--
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Silver 4110 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	73.3	78.2	--	--
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Silver 4114 2.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	93.1	101	--	--
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Silver 4116 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	112	118	--	--
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Bronze 3106 1.70 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	16	2	1	45.1	47.0	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Silver 4112 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	44.1	46.7	--	--
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Platinum 8170M 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	251	264	--	--
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Silver 4108 1.80 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	67.4	71.1	--	--
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Gold 6140 2.30 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	194	203	--	--
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Bronze 3104 1.70 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	12	2	1	33.4	34.8	--	--
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Gold 5122 3.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	56.7	59.9	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Gold 5118 2.30 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	123	130	--	--
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Gold 5115 2.40 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	101	110	--	--
Cisco Systems	Cisco UCS C220 M5 (Intel Xeon Gold 6130 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	163	171	--	--
Cisco Systems	Cisco UCS C220 M5 (Intel Xeon Gold 5118 2.30 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	123	131	--	--
Cisco Systems	Cisco UCS C220 M5 (Intel Xeon Gold 6154 3.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	217	228	--	--
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Gold 6148 2.40 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	210	219	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Cisco Systems	Cisco UCS C220 M5 (Intel Xeon Gold 6138 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	189	197	--	--
Cisco Systems	Cisco UCS C220 M5 (Intel Xeon Gold 6146 3.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	159	168	--	--
Cisco Systems	Cisco UCS C220 M5 (Intel Xeon Gold 6148 2.40 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	205	213	--	--
Cisco Systems	Cisco UCS C220 M5 (Intel Xeon Platinum 8153, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	145	151	--	--
Cisco Systems	Cisco UCS C220 M5 (Intel Xeon Gold 6140 2.30 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	188	197	--	--
Cisco Systems	Cisco UCS C220 M5 (Intel Xeon Gold 6136 3.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	151	160	--	--
Cisco Systems	Cisco UCS C220 M5 (Intel Xeon Gold 6144 3.50 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	116	122	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Cisco Systems	Cisco UCS C480 M5 (Intel Xeon Gold 6142, 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	357	379	--	--
Cisco Systems	Cisco UCS C480 M5 (Intel Xeon Gold 6140, 2.30 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	370	387	--	--
Cisco Systems	Cisco UCS C480 M5 (Intel Xeon Gold 6136, 3.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	299	318	--	--
Cisco Systems	Cisco UCS C480 M5 (Intel Xeon Gold 6126, 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	275	292	--	--
Cisco Systems	Cisco UCS C480 M5 (Intel Xeon Gold 5118, 2.30 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	243	258	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Cisco Systems	Cisco UCS C480 M5 (Intel Xeon Gold 6134, 3.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	4	2	218	231	--	--
Cisco Systems	Cisco UCS C480 M5 (Intel Xeon Gold 5120, 2.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	4	2	273	291	--	--
Cisco Systems	Cisco UCS C480 M5 (Intel Xeon Gold 6128, 3.40 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	4	2	167	177	--	--
Cisco Systems	Cisco UCS C220 M5 (Intel Xeon Gold 5115 2.40 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	105	111	--	--
Cisco Systems	Cisco UCS C220 M5 (Intel Xeon Platinum 8156 3.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	56.9	59.9	--	--
Cisco Systems	Cisco UCS C220 M5 (Intel Xeon Gold 5122 3.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	56.6	59.7	--	--
Cisco Systems	Cisco UCS C220 M5 (Intel Xeon Gold 6134 3.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	110	116	--	--
Cisco Systems	Cisco UCS C220 M5 (Intel Xeon Gold 6128 3.40 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	24	12	2	2	83.9	88.5	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Cisco Systems	Cisco UCS C220 M5 (Intel Xeon Gold 5120 2.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	138	146	--	--
Cisco Systems	Cisco UCS C220 M5 (Intel Xeon Platinum 8176 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	253	266	--	--
Cisco Systems	Cisco UCS C220 M5 (Intel Xeon Platinum 8170 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	248	262	--	--
Cisco Systems	Cisco UCS C220 M5 (Intel Xeon Platinum 8160 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	229	240	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Cisco Systems	Cisco UCS C220 M5 (Intel Xeon Platinum 8158 3.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	155	164	--	--
Cisco Systems	Cisco UCS C220 M5 (Intel Xeon Platinum 8180 2.50 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	289	306	--	--
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Platinum 8180M, 2.50 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	290	307	--	--
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Platinum 8170, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	256	270	--	--
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Platinum 8164, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	243	256	--	--
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Gold 6140M, 2.30 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	196	205	--	--
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Platinum 8176, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	261	277	--	--
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Platinum 8158, 3.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	156	165	--	--
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Platinum 8156, 3.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	56.8	59.8	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Platinum 8160M, 2.10 GHz)	96	48	2	2	240	252	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
	GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Gold 6138, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	194	203	--	--
Cisco Systems	Cisco UCS C480 M5 (Intel Xeon Gold 5115, 2.40 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	4	2	202	219	--	--
Cisco Systems	Cisco UCS C480 M5 (Intel Xeon Gold 6138, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	160	80	4	2	363	379	--	--
Cisco Systems	Cisco UCS C480 M5 (Intel Xeon Gold 5122, 2.40 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	4	2	112	119	--	--
Cisco Systems	Cisco UCS C480 M5 (Intel Xeon Gold 6140M, 2.30 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	370	388	--	--
Cisco Systems	Cisco UCS C480 M5 (Intel Xeon Platinum 8176, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	502	531	--	--
Cisco Systems	Cisco UCS C480 M5 (Intel Xeon Platinum 8176M, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	498	526	--	--
Cisco Systems	Cisco UCS C480 M5 (Intel Xeon Gold 6142M, 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	358	379	--	--
Cisco Systems	Cisco UCS C480 M5 (Intel Xeon Gold 6134M, 3.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	4	2	218	232	--	--
Cisco Systems	Cisco UCS C480 M5 (Intel Xeon Gold 6132, 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	4	2	326	347	--	--
Cisco Systems	Cisco UCS C480 M5 (Intel Xeon Platinum 8160M, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	96	4	2	459	483	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Platinum 8280, 2.70GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	1	2	172	Not Run	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Cisco Systems	Cisco UCS C480 M5 (Intel Xeon Platinum 8280, 2.70GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	670	Not Run	--	--
Cisco Systems	Cisco UCS C240 M5 (Intel Xeon Platinum 8280, 2.70GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	340	Not Run	--	--
Dell Inc.	PowerEdge R930 (Intel Xeon E7-8890 v4, 2.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	96	4	2	318	Not Run	0	--
Dell Inc.	PowerEdge R940 (Intel Xeon Gold 6144, 3.50 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	4	2	230	245	--	--
Dell Inc.	PowerEdge R440 (Intel Xeon Gold 6130, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	161	Not Run	--	--
Dell Inc.	PowerEdge R940 (Intel Xeon Platinum 8164, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	208	104	4	2	471	501	--	--
Dell Inc.	PowerEdge R740 (Intel Xeon Platinum 8180, 2.50 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	296	Not Run	--	--
Dell Inc.	PowerEdge R940 (Intel Xeon Platinum 8180, 2.50 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	580	Not Run	--	--
Dell Inc.	PowerEdge R940 (Intel Xeon Platinum 8156, 3.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	4	2	111	118	--	--
Dell Inc.	PowerEdge R940 (Intel Xeon Platinum 8158, 3.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	306	318	--	--
Dell Inc.	PowerEdge R940 (Intel Xeon Platinum 8160, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	96	4	2	453	480	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge R940 (Intel Xeon Platinum 8153, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	281	295	--	--
Dell Inc.	PowerEdge R940 (Intel Xeon Platinum 8168, 2.70 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	96	4	2	509	542	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge R940 (Intel Xeon Platinum 8170, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	208	104	4	2	481	514	--	--
Dell Inc.	PowerEdge R940 (Intel Xeon Platinum 8176, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	506	543	--	--
Dell Inc.	PowerEdge R940 (Intel Xeon Gold 6132, 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	4	2	318	335	--	--
Dell Inc.	PowerEdge R940 (Intel Xeon Gold 6126, 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	273	285	--	--
Dell Inc.	PowerEdge R940 (Intel Xeon Gold 6134, 3.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	4	2	213	226	--	--
Dell Inc.	PowerEdge R940 (Intel Xeon Gold 6128, 3.40 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	4	2	164	175	--	--
Dell Inc.	PowerEdge R940 (Intel Xeon Gold 6136, 3.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	304	318	--	--
Dell Inc.	PowerEdge R940 (Intel Xeon Gold 6130, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	321	339	--	--
Dell Inc.	PowerEdge R940 (Intel Xeon Gold 6138, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	160	80	4	2	368	390	--	--
Dell Inc.	PowerEdge R940 (Intel Xeon Gold 6140, 2.30 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	368	389	--	--



Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge R940 (Intel Xeon Gold 6142, 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	349	368	--	--
Dell Inc.	PowerEdge R940 (Intel Xeon Gold 6148, 2.40 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	160	80	4	2	407	430	--	--
Dell Inc.	PowerEdge R940 (Intel Xeon Gold 6150, 2.70 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	396	419	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge R940 (Intel Xeon Gold 6152, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	176	88	4	2	416	441	--	--
Dell Inc.	PowerEdge R940 (Intel Xeon Gold 6154, 3.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	425	451	--	--
Dell Inc.	PowerEdge R940 (Intel Xeon Gold 5122, 3.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	4	2	111	118	--	--
Dell Inc.	PowerEdge R940 (Intel Xeon Gold 5120, 2.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	4	2	268	281	--	--
Dell Inc.	PowerEdge R940 (Intel Xeon Gold 5118, 2.30 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	238	250	--	--
Dell Inc.	PowerEdge R940 (Intel Xeon Gold 5115, 2.40 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	4	2	205	215	--	--
Dell Inc.	PowerEdge R440 (Intel Xeon Bronze 3104, 1.70 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	12	2	1	33.3	Not Run	--	--
Dell Inc.	PowerEdge R440 (Intel Xeon Bronze 3106, 1.70 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	16	2	1	44.4	Not Run	--	--
Dell Inc.	PowerEdge R440 (Intel Xeon Silver 4108, 1.80 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	65.3	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge R440 (Intel Xeon Silver 4109T, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	70.1	Not Run	--	--
Dell Inc.	PowerEdge R440 (Intel Xeon Silver 4110, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	72.6	Not Run	--	--
Dell Inc.	PowerEdge R440 (Intel Xeon Silver 4112, 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	43.7	Not Run	--	--
Dell Inc.	PowerEdge R440 (Intel Xeon Silver 4114, 2.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	93.1	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge R440 (Intel Xeon Silver 4116, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	108	Not Run	--	--
Dell Inc.	PowerEdge R440 (Intel Xeon Gold 5115, 2.40 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	102	Not Run	--	--
Dell Inc.	PowerEdge R440 (Intel Xeon Gold 5120, 2.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	134	Not Run	--	--
Dell Inc.	PowerEdge R440 (Intel Xeon Gold 5122, 3.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	55.2	Not Run	--	--
Dell Inc.	PowerEdge R440 (Intel Xeon Gold 6126, 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	134	Not Run	--	--
Dell Inc.	PowerEdge R440 (Intel Xeon Gold 6128, 3.40 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	24	12	2	2	82.4	Not Run	--	--
Dell Inc.	PowerEdge R440 (Intel Xeon Gold 6140, 2.30 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	183	Not Run	--	--
Dell Inc.	PowerEdge R440 (Intel Xeon Gold 6130, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	155	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge R440 (Intel Xeon Gold 6152, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	88	44	2	2	201	Not Run	--	--
Dell Inc.	PowerEdge R440 (Intel Xeon Gold 6132, 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	156	Not Run	--	--
Dell Inc.	PowerEdge R540 (Intel Xeon Bronze 3104, 1.70 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	12	2	1	33.3	Not Run	--	--
Dell Inc.	PowerEdge R440 (Intel Xeon Gold 6134, 3.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	104	Not Run	--	--
Dell Inc.	PowerEdge R540 (Intel Xeon Bronze 3106, 1.70 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	16	2	1	44.4	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge R440 (Intel Xeon Gold 6138, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	181	Not Run	--	--
Dell Inc.	PowerEdge R540 (Intel Xeon Silver 4108, 1.80 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	65.1	Not Run	--	--
Dell Inc.	PowerEdge R540 (Intel Xeon Silver 4109T, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	70.0	Not Run	--	--
Dell Inc.	PowerEdge R540 (Intel Xeon Silver 4110, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	72.6	Not Run	--	--
Dell Inc.	PowerEdge R440 (Intel Xeon Silver 4112, 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	43.8	Not Run	--	--
Dell Inc.	PowerEdge R540 (Intel Xeon Silver 4114, 2.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	92.9	Not Run	--	--
Dell Inc.	PowerEdge R540 (Intel Xeon Gold 5115, 2.40 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	101	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge R440 (Intel Xeon Gold 5118, 2.30 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	119	Not Run	--	--
Dell Inc.	PowerEdge R440 (Intel Xeon Gold 5120, 2.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	134	Not Run	--	--
Dell Inc.	PowerEdge R540 (Intel Xeon Gold 6126, 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	136	Not Run	--	--
Dell Inc.	PowerEdge R540 (Intel Xeon Gold 6128, 3.40 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	24	12	2	2	82.2	Not Run	--	--
Dell Inc.	PowerEdge R540 (Intel Xeon Gold 6130, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	155	Not Run	--	--
Dell Inc.	PowerEdge R540 (Intel Xeon Gold 6138, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	183	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge T440 (Intel Xeon Bronze 3104, 1.70 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	12	2	1	33.3	Not Run	--	--
Dell Inc.	PowerEdge T440 (Intel Xeon Bronze 3106, 1.70 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	16	2	1	44.3	Not Run	--	--
Dell Inc.	PowerEdge T440 (Intel Xeon Silver 4108, 1.80 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	65.1	Not Run	--	--
Dell Inc.	PowerEdge T440 (Intel Xeon Silver 4109T, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	70.1	Not Run	--	--
Dell Inc.	PowerEdge T440 (Intel Xeon Silver 4110, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	72.6	Not Run	--	--
Dell Inc.	PowerEdge R440 (Intel Xeon Silver 4112, 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	43.7	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge T440 (Intel Xeon Silver 4114, 2.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	93.0	Not Run	--	--
Dell Inc.	PowerEdge R440 (Intel Xeon Silver 4116, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	108	Not Run	--	--
Dell Inc.	PowerEdge T440 (Intel Xeon Gold 5115, 2.40 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	102	Not Run	--	--
Dell Inc.	PowerEdge T440 (Intel Xeon Gold 5118, 2.30 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	119	Not Run	--	--
Dell Inc.	PowerEdge T440 (Intel Xeon Gold 5120, 2.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	134	Not Run	--	--
Dell Inc.	PowerEdge R440 (Intel Xeon Gold 5122, 3.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	55.6	Not Run	--	--
Dell Inc.	PowerEdge R940 (Intel Xeon Platinum 8180, 2.50 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	582	623	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge R740xd (Intel Xeon Platinum 8153, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	142	Not Run	--	--
Dell Inc.	PowerEdge R740xd (Intel Xeon Gold 6132, 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	164	Not Run	--	--
Dell Inc.	PowerEdge R740xd (Intel Xeon Gold 6140, 2.30 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	190	202	--	--
Dell Inc.	PowerEdge R740xd (Intel Xeon Gold 6144, 3.50 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	117	Not Run	--	--
Dell Inc.	PowerEdge R740xd (Intel Xeon Gold 5120, 2.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	135	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge R740xd (Intel Xeon Silver 4112, 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	43.8	46.5	--	--
Dell Inc.	PowerEdge R740xd (Intel Xeon Silver 4116, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	110	115	--	--
Dell Inc.	PowerEdge R740xd (Intel Xeon Gold 5115, 2.40 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	103	Not Run	--	--
Dell Inc.	PowerEdge R740xd (Intel Xeon Silver 4114, 2.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	94.3	99.0	--	--
Dell Inc.	PowerEdge R740xd (Intel Xeon Gold 6154, 3.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	220	233	--	--
Dell Inc.	PowerEdge R740xd (Intel Xeon Gold 6142, 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	177	187	--	--
Dell Inc.	PowerEdge R740xd (Intel Xeon Silver 4109T, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	70.5	Not Run	--	--
Dell Inc.	PowerEdge R740xd (Intel Xeon Gold 6152, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	88	44	2	2	213	227	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge R740xd (Intel Xeon Gold 5118, 2.30 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	121	126	--	--
Dell Inc.	PowerEdge R740xd (Intel Xeon Silver 4110, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	72.8	77.7	--	--
Dell Inc.	PowerEdge R740xd (Intel Xeon Gold 6136, 3.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	152	159	--	--
Dell Inc.	PowerEdge R740xd (Intel Xeon Gold 6138, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	189	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge R740xd (Intel Xeon Gold 6128, 3.40 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	24	12	2	2	82.5	Not Run	--	--
Dell Inc.	PowerEdge R740xd (Intel Xeon Bronze 3104, 1.70 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	12	2	1	33.2	34.6	--	--
Dell Inc.	PowerEdge R740xd (Intel Xeon Bronze 3106, 1.70 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	16	2	1	44.2	46.0	--	--
Dell Inc.	PowerEdge R740xd (Intel Xeon Platinum 8170, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	245	Not Run	--	--
Dell Inc.	PowerEdge R740xd (Intel Xeon Silver 4108, 1.80 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	65.6	69.8	--	--
Dell Inc.	PowerEdge R740 (Intel Xeon Platinum 8168, 2.70 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	258	Not Run	--	--
Dell Inc.	PowerEdge R740 (Intel Xeon Platinum 8160, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	228	Not Run	--	--
Dell Inc.	PowerEdge R740 (Intel Xeon Platinum 8164, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	237	Not Run	--	--
Dell Inc.	PowerEdge R740xd (Intel Xeon Gold 6150, 2.70 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	203	215	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge R740xd (Intel Xeon Gold 6134, 3.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	108	114	--	--
Dell Inc.	PowerEdge R740xd (Intel Xeon Gold 6130, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	164	172	--	--
Dell Inc.	PowerEdge R740xd (Intel Xeon Gold 5122, 3.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	55.5	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge T640 (Intel Xeon Silver 4116, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	107	112	--	--
Dell Inc.	PowerEdge T640 (Intel Xeon Silver 4114, 2.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	93.6	98.2	--	--
Dell Inc.	PowerEdge R7425 (AMD EPYC 7601, 2.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	2	2	272	297	--	--
Dell Inc.	PowerEdge C6420 (Intel Xeon Gold 5122, 3.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	55.6	Not Run	--	--
Dell Inc.	PowerEdge C6420 (Intel Xeon Gold 6142, 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	177	Not Run	--	--
Dell Inc.	PowerEdge C6420 (Intel Xeon Platinum 8180, 2.50 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	269	Not Run	--	--
Dell Inc.	PowerEdge C6420 (Intel Xeon Gold 6130, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	154	161	--	--
Dell Inc.	PowerEdge C6420 (Intel Xeon Bronze 3104, 1.70 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	12	2	1	33.3	Not Run	--	--
Dell Inc.	PowerEdge C6420 (Intel Xeon Gold 6130, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	155	Not Run	--	--
Dell Inc.	PowerEdge C6420 (Intel Xeon Gold 5120, 2.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	132	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge C6420 (Intel Xeon Gold 6138T, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	141	Not Run	--	--
Dell Inc.	PowerEdge C6420 (Intel Xeon Gold 6134, 3.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	107	Not Run	--	--



Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge C6420 (Intel Xeon Gold 6126, 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	116	Not Run	--	--
Dell Inc.	PowerEdge C6420 (Intel Xeon Silver 4112, 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	43.6	Not Run	--	--
Dell Inc.	PowerEdge C6420 (Intel Xeon Bronze 3106, 1.70 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	16	2	1	43.9	Not Run	--	--
Dell Inc.	PowerEdge C6420 (Intel Xeon Platinum 8164, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	231	Not Run	--	--
Dell Inc.	PowerEdge C6420 (Intel Xeon Gold 6144, 3.50 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	113	Not Run	--	--
Dell Inc.	PowerEdge C6420 (Intel Xeon Platinum 8180M, 2.50 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	209	Not Run	--	--
Dell Inc.	PowerEdge C6420 (Intel Xeon Gold 6154, 3.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	150	Not Run	--	--
Dell Inc.	PowerEdge C6420 (Intel Xeon Gold 6152, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	88	44	2	2	211	Not Run	--	--
Dell Inc.	PowerEdge C6420 (Intel Xeon Gold 6140, 2.30 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	187	Not Run	--	--
Dell Inc.	PowerEdge C6420 (Intel Xeon Gold 6136, 3.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	150	Not Run	--	--
Dell Inc.	PowerEdge C6420 (Intel Xeon Gold 6132, 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	136	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge C6420 (Intel Xeon Gold 5118, 2.30 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	118	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge FC640 (Intel Xeon Platinum 8164, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	230	Not Run	--	--
Dell Inc.	PowerEdge FC640 (Intel Xeon Silver 4109T, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	70.5	Not Run	--	--
Dell Inc.	PowerEdge FC640 (Intel Xeon Platinum 8153, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	140	Not Run	--	--
Dell Inc.	PowerEdge FC640 (Intel Xeon Silver 4110, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	65.9	Not Run	--	--
Dell Inc.	PowerEdge FC640 (Intel Xeon Bronze 3106, 1.70 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	16	2	1	44.5	Not Run	--	--
Dell Inc.	PowerEdge FC640 (Intel Xeon Silver 4108, 1.80 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	65.4	Not Run	--	--
Dell Inc.	PowerEdge FC640 (Intel Xeon Gold 5115, 2.40 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	102	Not Run	--	--
Dell Inc.	PowerEdge FC640 (Intel Xeon Gold 6140, 2.30 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	185	Not Run	--	--
Dell Inc.	PowerEdge FC640 (Intel Xeon Gold 6144, 3.50 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	111	Not Run	--	--
Dell Inc.	PowerEdge FC640 (Intel Xeon Gold 6148, 2.40 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	199	Not Run	--	--
Dell Inc.	PowerEdge FC640 (Intel Xeon Gold 6150, 2.70 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	188	Not Run	--	--
Dell Inc.	PowerEdge FC640 (Intel Xeon Gold 5120, 2.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	135	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge FC640 (Intel Xeon Gold 6128, 3.40 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	24	12	2	2	82.7	Not Run	--	--
Dell Inc.	PowerEdge FC640 (Intel Xeon Bronze 3104, 1.70 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	12	2	1	33.3	Not Run	--	--
Dell Inc.	PowerEdge FC640 (Intel Xeon Silver 4112, 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	43.7	Not Run	--	--
Dell Inc.	PowerEdge FC640 (Intel Xeon Silver 4114, 2.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	93.4	Not Run	--	--
Dell Inc.	PowerEdge FC640 (Intel Xeon Silver 4116, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	109	Not Run	--	--
Dell Inc.	PowerEdge FC640 (Intel Xeon Gold 5118, 2.30 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	120	Not Run	--	--
Dell Inc.	PowerEdge FC640 (Intel Xeon Gold 6128, 3.40 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	24	12	2	2	81.9	Not Run	--	--
Dell Inc.	PowerEdge FC640 (Intel Xeon Gold 6132, 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	158	Not Run	--	--
Dell Inc.	PowerEdge FC640 (Intel Xeon Gold 6136, 3.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	142	Not Run	--	--
Dell Inc.	PowerEdge FC640 (Intel Xeon Gold 6138, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	186	Not Run	--	--
Dell Inc.	PowerEdge FC640 (Intel Xeon Gold 6142, 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	176	Not Run	--	--
Dell Inc.	PowerEdge FC640 (Intel Xeon Gold 6146, 3.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	155	Not Run	--	--
Dell Inc.	PowerEdge FC640 (Intel Xeon Gold 5122, 3.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	55.8	Not Run	--	--

Test Sponsor

System Name

Base

Processor

Results

Energy

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge FC640 (Intel Xeon Platinum 8160, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	218	Not Run	--	--
Dell Inc.	PowerEdge FC640 (Intel Xeon Platinum 8164, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	230	Not Run	--	--
Dell Inc.	PowerEdge FC640 (Intel Xeon Platinum 8168, 2.70 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	231	Not Run	--	--
Dell Inc.	PowerEdge FC640 (Intel Xeon Gold 6152, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	88	44	2	2	208	Not Run	--	--
Dell Inc.	PowerEdge M640 (Intel Xeon Platinum 8170, 2.10Ghz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	231	Not Run	--	--
Dell Inc.	PowerEdge M640 (Intel Xeon Silver 4114, 2.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	93.3	Not Run	--	--
Dell Inc.	PowerEdge M640 (Intel Xeon Silver 4112, 2.60Ghz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	43.9	Not Run	--	--
Dell Inc.	PowerEdge M640 (Intel Xeon Platinum 8168, 2.70Ghz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	250	Not Run	--	--
Dell Inc.	PowerEdge M640 (Intel Xeon Silver 4110, 2.10Ghz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	72.5	Not Run	--	--
Dell Inc.	PowerEdge M640 (Intel Xeon Platinum 8164, 2.00Ghz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	227	Not Run	--	--
Dell Inc.	PowerEdge M640 (Intel Xeon Silver 4109T, 2.00Ghz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	70.4	Not Run	--	--
Dell Inc.	PowerEdge M640 (Intel Xeon Platinum 8153, 2.00Ghz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	138	Not Run	--	--
Dell Inc.	PowerEdge M640 (Intel Xeon Silver 4108, 1.80Ghz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	65.4	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge M640 (Intel Xeon Gold 6152, 2.10Ghz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	88	44	2	2	200	Not Run	--	--
Dell Inc.	PowerEdge M640 (Intel Xeon Bronze 3106, 1.70Ghz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	16	2	1	44.2	Not Run	--	--
Dell Inc.	PowerEdge M640 (Intel Xeon Gold 6150, 2.70Ghz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	194	Not Run	--	--
Dell Inc.	PowerEdge M640 (Intel Xeon Bronze 3104, 1.70Ghz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	12	2	1	33.2	Not Run	--	--
Dell Inc.	PowerEdge M640 (Intel Xeon Gold 6148, 2.40Ghz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	200	Not Run	--	--
Dell Inc.	PowerEdge C6420 (Intel Xeon Platinum 8164, 2.00Ghz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	194	Not Run	--	--
Dell Inc.	PowerEdge M640 (Intel Xeon Gold 6146, 3.20Ghz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	153	Not Run	--	--
Dell Inc.	PowerEdge M640 (Intel Xeon Gold 6144, 3.50Ghz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	112	Not Run	--	--
Dell Inc.	PowerEdge M640 (Intel Xeon Gold 6142, 2.60Ghz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	175	Not Run	--	--
Dell Inc.	PowerEdge M640 (Intel Xeon Gold 6138, 2.00Ghz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	178	Not Run	--	--
Dell Inc.	PowerEdge M640 (Intel Xeon Gold 6136, 3.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	148	Not Run	--	--
Dell Inc.	PowerEdge M640 (Intel Xeon Gold 6134, 3.20Ghz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	103	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge M640 (Intel Xeon Gold 6132, 2.60Ghz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	156	Not Run	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge M640 (Intel Xeon Gold 6128, 3.40Ghz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	24	12	2	2	81.8	Not Run	--	--
Dell Inc.	PowerEdge C6420 (Intel Xeon Gold 6144, 3.50 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	16	2	1	94.0	96.8	--	--
Dell Inc.	PowerEdge FC640 (Intel Xeon Platinum 8170, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	233	250	--	--
Dell Inc.	PowerEdge C6420 (Intel Xeon Platinum 8153, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	139	147	--	--
Dell Inc.	PowerEdge C6420 (Intel Xeon Silver 4110, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	72.4	75.7	--	--
Dell Inc.	PowerEdge C6420 (Intel Xeon Platinum 8176, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	56	2	1	223	234	--	--
Dell Inc.	PowerEdge C6420 (Intel Xeon Silver 4116, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	24	24	2	1	88.3	91.0	--	--
Dell Inc.	PowerEdge C6420 (Intel Xeon Platinum 8160, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	228	244	--	--
Dell Inc.	PowerEdge M640 (Intel Xeon Platinum 8176, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	244	262	--	--
Dell Inc.	PowerEdge FC640 (Intel Xeon Platinum 8176, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	240	258	--	--
Dell Inc.	PowerEdge C6420 (Intel Xeon Platinum 8168, 2.70 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	245	261	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge C6420 (Intel Xeon Silver 4109T, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	69.7	73.0	--	--
Dell Inc.	PowerEdge C6420 (Intel Xeon Gold 6146, 3.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	159	168	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge C6420 (Intel Xeon Gold 6128, 3.40 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	12	2	1	66.5	69.9	--	--
Dell Inc.	PowerEdge C6420 (Intel Xeon Platinum 8170, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	52	52	2	1	206	205	--	--
Dell Inc.	PowerEdge M640 (Intel Xeon Gold 6130, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	158	168	--	--
Dell Inc.	PowerEdge C6420 (Intel Xeon Silver 4114, 2.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	92.8	97.3	--	--
Dell Inc.	PowerEdge M640 (Intel Xeon Gold 6140, 2.30 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	178	190	--	--
Dell Inc.	PowerEdge C6420 (Intel Xeon Gold 6150, 2.70 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	195	208	--	--
Dell Inc.	PowerEdge C6420 (Intel Xeon Gold 6132, 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	28	28	2	1	132	138	--	--
Dell Inc.	PowerEdge C6420 (Intel Xeon Silver 4108, 1.80 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	16	2	1	53.5	54.8	--	--
Dell Inc.	PowerEdge C6420 (Intel Xeon Gold 6148, 2.40 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	40	2	1	172	180	--	--
Dell Inc.	PowerEdge C6420 (Intel Xeon Gold 5120, 2.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	28	28	2	1	110	113	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge M640 (Intel Xeon Bronze 3104, 1.70 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	12	2	1	33.0	34.4	--	--
Dell Inc.	PowerEdge C6420 (Intel Xeon Gold 5115, 2.40 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	101	107	--	--
Dell Inc.	PowerEdge R6415 (AMD EPYC 7251, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	1	2	42.5	Not Run	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge R6415 (AMD EPYC 7261, 2.50 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	1	2	45.1	47.4	--	--
Dell Inc.	PowerEdge R7415 (AMD EPYC 7451, 2.30 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	1	2	117	128	--	--
Dell Inc.	PowerEdge R6415 (AMD EPYC 7401P, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	1	2	100	109	--	--
Dell Inc.	PowerEdge R7415 (AMD EPYC 7601, 2.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	1	2	139	154	--	--
Dell Inc.	PowerEdge R6415 (AMD EPYC 7551P, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	1	2	131	144	--	--
Dell Inc.	PowerEdge R7415 (AMD EPYC 7551P, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	1	2	134	148	--	--
Dell Inc.	PowerEdge R6415 (AMD EPYC 7601, 2.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	1	2	135	149	--	--
Dell Inc.	PowerEdge R7415 (AMD EPYC 7261, 2.50 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	1	2	44.9	47.4	--	--
Dell Inc.	PowerEdge R6415 (AMD EPYC 7451, 2.30 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	1	2	117	128	--	--



Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge R7415 (AMD EPYC 7401P, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	1	2	105	115	--	--
Dell Inc.	PowerEdge R6415 (AMD EPYC 7351P, 2.40 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	1	2	83.3	89.6	--	--
Dell Inc.	PowerEdge R7415 (AMD EPYC 7251, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	1	2	42.7	45.5	--	--
Dell Inc.	PowerEdge R6415 (AMD EPYC 7281, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	1	2	71.5	76.8	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge R7425 (AMD EPYC 7551, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	2	2	264	Not Run	--	--
Dell Inc.	PowerEdge R7415 (AMD EPYC 7281, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	1	2	74.6	Not Run	--	--
Dell Inc.	PowerEdge R7425 (AMD EPYC 7501, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	2	2	253	278	--	--
Dell Inc.	PowerEdge R7415 (AMD EPYC 7351P, 2.40 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	1	2	84.1	90.0	--	--
Dell Inc.	PowerEdge R7425 (AMD EPYC 7401, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	204	221	--	--
Dell Inc.	PowerEdge R7425 (AMD EPYC 7301, 2.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	151	162	--	--
Dell Inc.	PowerEdge R7425 (AMD EPYC 7251, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	82.5	87.7	--	--
Dell Inc.	PowerEdge R7425 (AMD EPYC 7261, 2.50 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	89.5	94.2	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge R7425 (AMD EPYC 7281, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	145	156	--	--
Dell Inc.	PowerEdge R7425 (AMD EPYC 7351, 2.40 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	166	179	--	--
Dell Inc.	PowerEdge R7425 (AMD EPYC 7451, 2.30 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	234	255	--	--
Dell Inc.	PowerEdge R7425 (AMD EPYC 7601, 2.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	2	2	275	302	--	--
Dell Inc.	PowerEdge R840 (Intel Xeon Gold 6138, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	186	197	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge R840 (Intel Xeon Gold 6138, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	160	80	4	2	362	380	--	--
Dell Inc.	PowerEdge R840 (Intel Xeon Gold 6140, 2.30 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	185	196	--	--
Dell Inc.	PowerEdge R840 (Intel Xeon Gold 6142, 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	340	358	--	--
Dell Inc.	PowerEdge R840 (Intel Xeon Gold 6144, 3.50 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	4	2	214	225	--	--
Dell Inc.	PowerEdge R840 (Intel Xeon Gold 6146, 3.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	301	316	--	--
Dell Inc.	PowerEdge R840 (Intel Xeon Gold 6148, 2.40GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	201	215	--	--
Dell Inc.	PowerEdge R840 (Intel Xeon Gold 6148, 2.40 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	160	80	4	2	392	414	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge R840 (Intel Xeon Gold 6150, 2.70 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	197	209	--	--
Dell Inc.	PowerEdge R840 (Intel Xeon Gold 6150, 2.70 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	386	408	--	--
Dell Inc.	PowerEdge R840 (Intel Xeon Platinum 8153, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	141	148	--	--
Dell Inc.	PowerEdge R840 (Intel Xeon Platinum 8153, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	280	293	--	--
Dell Inc.	PowerEdge R840 (Intel Xeon Platinum 8160, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	221	237	--	--
Dell Inc.	PowerEdge R840 (Intel Xeon Platinum 8160, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	96	4	2	435	463	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge R840 (Intel Xeon Platinum 8164, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	231	247	--	--
Dell Inc.	PowerEdge R840 (Intel Xeon Platinum 8164, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	208	104	4	2	440	468	--	--
Dell Inc.	PowerEdge R840 (Intel Xeon Platinum 8168, 2.70 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	257	276	--	--
Dell Inc.	PowerEdge R840 (Intel Xeon Platinum 8176, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	251	269	--	--
Dell Inc.	PowerEdge R840 (Intel Xeon Gold 5115, 2.40 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	101	106	--	--
Dell Inc.	PowerEdge R840 (Intel Xeon Gold 5115, 2.40 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	4	2	200	211	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/ Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge R840 (Intel Xeon Gold 5118, 2.30 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	120	125	--	--
Dell Inc.	PowerEdge R840 (Intel Xeon Gold 5118, 2.30 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	237	248	--	--
Dell Inc.	PowerEdge R840 (Intel Xeon Gold 5120, 2.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	4	2	264	278	--	--
Dell Inc.	PowerEdge R840 (Intel Xeon Gold 5122, 3.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	4	2	110	117	--	--
Dell Inc.	PowerEdge R840 (Intel Xeon Gold 6126, 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	269	282	--	--
Dell Inc.	PowerEdge R840 (Intel Xeon Gold 6128, 3.40 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	24	12	2	2	82.0	87.3	--	--
Dell Inc.	PowerEdge R840 (Intel Xeon Gold 6128, 3.40 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	4	2	163	173	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/ Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge R840 (Intel Xeon Gold 6130, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	154	162	--	--
Dell Inc.	PowerEdge R840 (Intel Xeon Gold 6134, 3.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	4	2	210	220	--	--
Dell Inc.	PowerEdge R840 (Intel Xeon Gold 6136, 3.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	285	297	--	--
Dell Inc.	PowerEdge R840 (Intel Xeon Gold 6152, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	176	88	4	2	401	425	--	--
Dell Inc.	PowerEdge R840 (Intel Xeon Gold 5120, 2.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	134	141	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge R840 (Intel Xeon Gold 6126, 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	137	144	--	--
Dell Inc.	PowerEdge R840 (Intel Xeon Gold 6130, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	319	335	--	--
Dell Inc.	PowerEdge R840 (Intel Xeon Platinum 8180, 2.50 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	278	298	--	--
Dell Inc.	PowerEdge R840 (Intel Xeon Platinum 8170, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	208	104	4	2	468	499	--	--
Dell Inc.	PowerEdge R840 (Intel Xeon Gold 5122, 3.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	54.4	57.6	--	--
Dell Inc.	PowerEdge R840 (Intel Xeon Platinum 8170, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	240	256	--	--
Dell Inc.	PowerEdge R840 (Intel Xeon Gold 6134, 3.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	107	112	--	--
Dell Inc.	PowerEdge R840 (Intel Xeon Gold 6144, 3.50 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	115	120	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge R840 (Intel Xeon Gold 6152, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	88	44	2	2	203	219	--	--
Dell Inc.	PowerEdge R840 (Intel Xeon Gold 6146, 3.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	155	166	--	--
Dell Inc.	PowerEdge R840 (Intel Xeon Gold 6142, 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	171	184	--	--
Dell Inc.	PowerEdge R840 (Intel Xeon Gold 6132, 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	161	170	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge R840 (Intel Xeon Gold 6136, 3.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	148	156	--	--
Dell Inc.	PowerEdge R840 (Intel Xeon Gold 6154, 3.00GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	210	227	--	--
Dell Inc.	PowerEdge R840 (Intel Xeon Platinum 8180, 2.50 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	570	576	--	--
Dell Inc.	PowerEdge R840 (Intel Xeon Platinum 8176, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	491	Not Run	--	--
Dell Inc.	PowerEdge R840 (Intel Xeon Gold 6154, 3.00GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	421	Not Run	--	--
Dell Inc.	PowerEdge R840 (Intel Xeon Platinum 8180, 2.50GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	577	Not Run	--	--
Dell Inc.	PowerEdge R740 (Intel Xeon Gold 6137, 3.90GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	117	Not Run	--	--
Dell Inc.	PowerEdge R840 (Intel Xeon Platinum 8180, 2.50GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	293	Not Run	--	--
Dell Inc.	PowerEdge MX740c (Intel Xeon Silver 4110 CPU, 2.10GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	73.3	76.4	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge MX740c (Intel Xeon Silver 4112 CPU, 2.60GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	43.5	45.4	--	--
Dell Inc.	PowerEdge MX740c (Intel Xeon Silver 4114 CPU, 2.20GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	92.5	97.6	--	--

Test Sponsor	System Name	Base Copies	Processor		Results		Energy		
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge MX740c (Intel Xeon Gold 6152 CPU, 2.10GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	88	44	2	2	204	220	--	--
Dell Inc.	PowerEdge MX840c (Intel Xeon Gold 5118 CPU, 2.30GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	236	247	--	--
Dell Inc.	PowerEdge MX840c (Intel Xeon Gold 5120 CPU, 2.20GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	4	2	265	279	--	--
Dell Inc.	PowerEdge MX840c (Intel Xeon Gold 5122 CPU, 3.60GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	4	2	111	117	--	--
Dell Inc.	PowerEdge MX840c (Intel Xeon Gold 6130 CPU, 2.10GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	312	329	--	--
Dell Inc.	PowerEdge MX740c (Intel Xeon Platinum 8180 CPU, 2.50GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	273	291	--	--
Dell Inc.	PowerEdge MX740c (Intel Xeon Silver 4108 CPU, 1.80GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	64.8	67.9	--	--
Dell Inc.	PowerEdge MX740c (Intel Xeon Gold 5120 CPU, 2.20GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	133	140	--	--
Dell Inc.	PowerEdge MX840c (Intel Xeon Gold 6148 CPU, 2.40GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	160	80	4	2	399	423	--	--
Dell Inc.	PowerEdge R740 (Intel Xeon Gold 6148, 2.40GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	205	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor		Results		Energy		
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge MX740c (Intel Xeon Platinum 8160 CPU, 2.10GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	227	244	--	--

Test Sponsor	System Name	Base Copies	Processor		Results		Energy		
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge MX840c (Intel Xeon Platinum 8156 CPU, 3.60GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	4	2	110	116	--	--
Dell Inc.	PowerEdge MX840c (Intel Xeon Platinum 8160 CPU, 2.10GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	96	4	2	438	469	--	--
Dell Inc.	PowerEdge MX840c (Intel Xeon Platinum 8168 CPU, 2.70GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	96	4	2	493	526	--	--
Dell Inc.	PowerEdge MX840c (Intel Xeon Platinum 8176 CPU, 2.10GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	495	530	--	--
Dell Inc.	PowerEdge MX840c (Intel Xeon Platinum 8180 CPU, 2.50GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	529	568	--	--
Dell Inc.	PowerEdge MX740c (Intel Xeon Gold 6130 CPU, 2.10GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	157	167	--	--
Dell Inc.	PowerEdge MX840c (Intel Xeon Gold 6152 CPU, 2.10GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	176	88	4	2	403	429	--	--
Dell Inc.	PowerEdge R740 (Intel Xeon Gold 6126, 2.60GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	141	Not Run	--	--



Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge R740xd (Intel Xeon Platinum 8176, 2.10GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	262	Not Run	--	--
Dell Inc.	PowerEdge R740xd (Intel Xeon Gold 6146, 3.20GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	160	Not Run	--	--
Dell Inc.	PowerEdge MX740c (Intel Xeon Gold 5122 CPU, 3.60GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	55.7	58.2	--	--
Dell Inc.	PowerEdge R740 (Intel Xeon Gold 5117, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	120	122	--	--
Dell Inc.	PowerEdge MX740c (Intel Xeon Bronze 3104 CPU, 1.70GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	12	2	1	33.1	34.5	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge MX740c (Intel Xeon Bronze 3106 CPU, 1.70GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	16	2	1	44.2	45.2	--	--
Dell Inc.	PowerEdge MX740c (Intel Xeon Gold 5117 CPU, 2.00GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	120	125	--	--
Dell Inc.	PowerEdge MX740c (Intel Xeon Gold 5118 CPU, 2.30GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	119	125	--	--
Dell Inc.	PowerEdge MX840c (Intel Xeon Gold 6134, 3.20GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	4	2	214	224	--	--
Dell Inc.	PowerEdge MX840c (Intel Xeon Gold 6154, 3.00GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	352	400	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge MX740c (Intel Xeon Gold 6146, 3.20GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	141	151	--	--
Dell Inc.	PowerEdge MX740c (Intel Xeon Platinum 8168, 2.70GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	248	268	--	--
Dell Inc.	PowerEdge MX740c (Intel Xeon Platinum 8176, 2.10GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	250	267	--	--
Dell Inc.	PowerEdge MX740c (Intel Xeon Silver 4116, 2.10GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	107	113	--	--
Dell Inc.	PowerEdge MX740c (Intel Xeon Gold 6134, 3.20GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	106	111	--	--
Dell Inc.	PowerEdge MX740c (Intel Xeon Gold 6144, 3.50GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	113	118	--	--
Dell Inc.	PowerEdge MX840c (Intel Xeon Gold 6146, 3.20GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	266	279	--	--
Dell Inc.	PowerEdge MX840c (Intel Xeon Gold 6144, 3.50GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	4	2	227	238	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge R7425 (AMD EPYC 7351, 2.40 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	166	178	--	--
Dell Inc.	PowerEdge R7425 (AMD EPYC 7601, 2.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	2	2	279	307	--	--
Dell Inc.	PowerEdge R7425 (AMD EPYC 7251, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	85.0	90.5	--	--
Dell Inc.	PowerEdge R7425 (AMD EPYC 7261, 2.50 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	89.0	93.8	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge R7425 (AMD EPYC 7281, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	151	162	--	--
Dell Inc.	PowerEdge R7425 (AMD EPYC 7401, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	225	245	--	--
Dell Inc.	PowerEdge R7425 (AMD EPYC 7301, 2.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	157	168	--	--
Dell Inc.	PowerEdge R7425 (AMD EPYC 7501, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	2	2	258	282	--	--
Dell Inc.	PowerEdge R7425 (AMD EPYC 7551, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	2	2	268	295	--	--
Dell Inc.	PowerEdge R740xd2 (Intel Xeon Gold 6140, 2.30GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	177	Not Run	--	--
Dell Inc.	PowerEdge R740xd2 (Intel Xeon Gold 6130, 2.10GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	152	Not Run	--	--
Dell Inc.	PowerEdge R740xd2 (Intel Xeon Gold 5120, 2.20GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	133	Not Run	--	--
Dell Inc.	PowerEdge R740xd2 (Intel Xeon Gold 5118, 2.30GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	118	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge R740xd2 (Intel Xeon Gold 6152, 2.10GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	88	44	2	2	199	Not Run	--	--
Dell Inc.	PowerEdge R740xd2 (Intel Xeon Gold 5117, 2.00GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	116	Not Run	--	--
Dell Inc.	PowerEdge R740xd2 (Intel Xeon Silver 4116, 2.10GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	107	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge R740xd2 (Intel Xeon Gold 5115, 2.40GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	101	Not Run	--	--
Dell Inc.	PowerEdge R740xd2 (Intel Xeon Silver 4114, 2.20GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	90.1	Not Run	--	--
Dell Inc.	PowerEdge R740xd2 (Intel Xeon Silver 4110, 2.10GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	70.2	Not Run	--	--
Dell Inc.	PowerEdge R740xd2 (Intel Xeon Bronze 3104, 1.70GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	12	2	1	31.7	Not Run	--	--
Dell Inc.	PowerEdge R6415 (AMD EPYC 7251, 2.10GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	1	2	42.9	45.6	--	--
Dell Inc.	PowerEdge R6415 (AMD EPYC 7261, 2.50GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	1	2	44.8	47.0	--	--
Dell Inc.	PowerEdge R6415 (AMD EPYC 7281, 2.10GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	1	2	71.7	77.0	--	--
Dell Inc.	PowerEdge R6415 (AMD EPYC 7351P, 2.40GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	1	2	83.5	89.7	--	--
Dell Inc.	PowerEdge R6415 (AMD EPYC 7401P, 2.00GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	1	2	113	123	--	--
Dell Inc.	PowerEdge R7415 (AMD EPYC 7251, 2.10GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	1	2	43.0	45.5	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge R7415 (AMD EPYC 7261, 2.50GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	1	2	44.8	47.2	--	--
Dell Inc.	PowerEdge R7415 (AMD EPYC 7281, 2.70GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	1	2	76.2	81.9	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge R7415 (AMD EPYC 7451, 2.30GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	1	2	118	128	--	--
Dell Inc.	PowerEdge R7415 (AMD EPYC 7351P, 2.40GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	1	2	83.8	89.3	--	--
Dell Inc.	PowerEdge R7415 (AMD EPYC 7551P, 2.00GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	1	2	135	148	--	--
Dell Inc.	PowerEdge R7415 (AMD EPYC 7601, 2.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	1	2	141	155	--	--
Dell Inc.	PowerEdge R7425 (AMD EPYC 7601, 2.20GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	2	2	280	308	--	--
Dell Inc.	PowerEdge R6415 (AMD EPYC 7551P, 2.00GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	1	2	134	148	--	--
Dell Inc.	PowerEdge R6415 (AMD EPYC 7601, 2.20GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	1	2	139	153	--	--
Dell Inc.	PowerEdge R940xa (Intel Xeon Gold 6138, 2.00GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	160	80	4	2	382	407	--	--
Dell Inc.	PowerEdge R940xa (Intel Xeon Gold 6148, 2.40GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	160	80	4	2	413	Not Run	--	--
Dell Inc.	PowerEdge R940xa (Intel Xeon Gold 6152, 2.10GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	176	88	4	2	424	Not Run	--	--
Dell Inc.	PowerEdge R940xa (Intel Xeon Gold 6154, 3.00GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	433	Not Run	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge R240 (Intel Xeon E-2176G, 3.70GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	6	1	2	41.3	43.0	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge R340 (Intel Xeon E-2176G, 3.70GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	6	1	2	40.2	41.8	--	--
Dell Inc.	PowerEdge R340 (Intel Xeon E-2186G, 3.80GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	6	1	2	42.0	43.7	--	--
Dell Inc.	PowerEdge T140 (Intel Xeon E-2146G, 3.50GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	6	1	2	39.5	41.2	--	--
Dell Inc.	PowerEdge T140 (Intel Xeon E-2186G, 3.80GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	6	1	2	40.8	42.7	--	--
Dell Inc.	PowerEdge T340 (Intel Xeon E-2146G, 3.50GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	6	1	2	40.0	41.7	--	--
Dell Inc.	PowerEdge T340 (Intel Xeon E-2186G, 3.80GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	6	1	2	40.8	42.6	--	--
Dell Inc.	PowerEdge R6415 (AMD EPYC 7451, 2.30GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	1	2	118	128	--	--
Dell Inc.	PowerEdge R240 (Intel Xeon E-2186G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	6	1	2	42.1	43.9	--	--
Dell Inc.	PowerEdge T340 (Intel Xeon E-2174G, 3.80GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	30.6	31.6	--	--
Dell Inc.	PowerEdge T340 (Intel Xeon E-2144G, 3.60GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	30.1	31.1	--	--
Dell Inc.	PowerEdge T140 (Intel Xeon E-2174G, 3.80GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	30.5	31.5	--	--
Dell Inc.	PowerEdge T140 (Intel Xeon E-2144G, 3.60GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	29.8	30.9	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak

Test Sponsor	System Name	Base Copies	Processor		Results		Energy		
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge R340 (Intel Xeon E-2174G, 3.80GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	30.6	31.5	--	--
Dell Inc.	PowerEdge R340 (Intel Xeon E-2146G, 3.50GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	6	1	2	39.8	41.4	--	--
Dell Inc.	PowerEdge R340 (Intel Xeon E-2144G, 3.60GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	30.1	30.9	--	--
Dell Inc.	PowerEdge R240 (Intel Xeon E-2174G, 3.80GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	30.5	31.5	--	--
Dell Inc.	PowerEdge R240 (Intel Xeon E-2144G, 3.60GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	30.0	31.0	--	--
Dell Inc.	PowerEdge R6415 (AMD EPYC 7401P, 2.00GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	1	2	113	123	--	--
Dell Inc.	PowerEdge R740 (Intel Xeon Silver 4108, 1.80GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	65.4	Not Run	--	--
Dell Inc.	PowerEdge R840 (Intel Xeon Gold 5117, 2.00GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	4	2	237	Not Run	--	--
Dell Inc.	PowerEdge R940xa (Intel Xeon Gold 5117, 2.00GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	4	2	237	Not Run	--	--
Dell Inc.	PowerEdge R940xa (Intel Xeon Gold 6140, 2.30GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	362	383	--	--
Dell Inc.	PowerEdge R840 (Intel Xeon Gold 6140, 2.30GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	362	383	--	--
Dell Inc.	PowerEdge R940xa (Intel Xeon Gold 6132, 2.60GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	4	2	304	320	--	--
Dell Inc.	PowerEdge R940xa (Intel Xeon Platinum 8176, 2.10GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	492	526	--	--

Test Sponsor

System Name

Base

Processor

Results

Energy

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
		Copies	Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge R940xa (Intel Xeon Platinum 8170, 2.10GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	208	104	4	2	468	499	--	--
Dell Inc.	PowerEdge R940xa (Intel Xeon Platinum 8180, 2.50GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	453	488	--	--
Dell Inc.	PowerEdge R940xa (Intel Xeon Platinum 8168, 2.70GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	96	4	2	468	499	--	--
Dell Inc.	PowerEdge R940xa (Intel Xeon Platinum 8164, 2.00GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	208	104	4	2	440	468	--	--
Dell Inc.	PowerEdge R940xa (Intel Xeon Platinum 8160, 2.10GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	96	4	2	435	463	--	--
Dell Inc.	PowerEdge R940xa (Intel Xeon Platinum 8156, 3.60GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	4	2	110	117	--	--
Dell Inc.	PowerEdge R940xa (Intel Xeon Platinum 8153, 2.00GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	280	293	--	--
Dell Inc.	PowerEdge R940xa (Intel Xeon Gold 6150, 2.70GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	386	408	--	--
Dell Inc.	PowerEdge R940xa (Intel Xeon Gold 6146, 3.20GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	301	316	--	--
Dell Inc.	PowerEdge R940xa (Intel Xeon Gold 6144, 3.50GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	4	2	214	225	--	--
Dell Inc.	PowerEdge R940xa (Intel Xeon Gold 6142, 2.60GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	340	358	--	--
Dell Inc.	PowerEdge R940xa (Intel Xeon Gold 6136, 3.00GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	285	297	--	--
Dell Inc.	PowerEdge R940xa (Intel Xeon Gold 6134, 3.20GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	4	2	210	220	--	--



Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge R940xa (Intel Xeon Gold 6130, 2.10GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	304	317	--	--
Dell Inc.	PowerEdge R940xa (Intel Xeon Gold 6128, 3.40GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	4	2	163	173	--	--
Dell Inc.	PowerEdge R940xa (Intel Xeon Gold 6126, 2.60GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	269	282	--	--
Dell Inc.	PowerEdge R940xa (Intel Xeon Gold 5122, 3.60GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	4	2	110	117	--	--
Dell Inc.	PowerEdge R940xa (Intel Xeon Gold 5115, 2.40GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	4	2	200	211	--	--
Dell Inc.	PowerEdge R940xa (Intel Xeon Gold 5120, 2.20GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	4	2	264	278	--	--
Dell Inc.	PowerEdge R940xa (Intel Xeon Gold 5118, 2.30GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	237	248	--	--
Dell Inc.	PowerEdge R240 (Intel Xeon E-2136, 3.30GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	6	1	2	39.4	41.1	--	--
Dell Inc.	PowerEdge R340 (Intel Xeon E-2134, 3.50GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	30.0	31.0	--	--
Dell Inc.	PowerEdge R340 (Intel Xeon E-2136, 3.30GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	6	1	2	40.2	41.8	--	--
Dell Inc.	PowerEdge T140 (Intel Xeon E-2134, 3.50GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	29.8	30.9	--	--
Dell Inc.	PowerEdge T140 (Intel Xeon E-2136, 3.30GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	6	1	2	39.9	41.6	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge T340 (Intel Xeon E-2134, 3.50GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	30.1	31.0	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge T340 (Intel Xeon E-2136, 3.50GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	6	1	2	39.7	41.5	--	--
Dell Inc.	PowerEdge R940xa (Intel Xeon Platinum 8160, 2.10GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	96	4	2	468	502	--	--
Dell Inc.	PowerEdge R240 (Intel Xeon E-2126G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	6	6	1	1	35.5	36.4	--	--
Dell Inc.	PowerEdge R240 (Intel Xeon E-2134) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	29.9	30.9	--	--
Dell Inc.	PowerEdge R340 (Intel Xeon E-2126G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	6	6	1	1	35.6	36.4	--	--
Dell Inc.	PowerEdge T140 (Intel Xeon E-2124G, 3.40GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	24.8	25.8	--	--
Dell Inc.	PowerEdge T340 (Intel Xeon E-2124G, 3.40GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	24.9	25.9	--	--
Dell Inc.	PowerEdge R740 (Intel Xeon Gold 5122, 3.60GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	55.4	58.4	--	--
Dell Inc.	PowerEdge R740 (Intel Xeon Platinum 8160, 2.10GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	227	243	--	--
Dell Inc.	PowerEdge R740 (Intel Xeon Platinum 8168, 2.70GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	259	276	--	--
Dell Inc.	PowerEdge T140 (Intel Xeon E-2124, 3.30GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	23.9	24.9	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/ Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge T340 (Intel Xeon E-2124, 3.30GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	23.9	24.5	--	--
Dell Inc.	PowerEdge R7425 (AMD EPYC 7601, 2.20GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	2	2	301	319	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/ Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge R7425 (AMD EPYC 7551, 2.00GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	2	2	290	306	--	--
Dell Inc.	PowerEdge R940 (Intel Xeon Platinum 8280, 2.70GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	653	688	--	--
Dell Inc.	PowerEdge R7425 (AMD EPYC 7351, 2.40GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	179	186	--	--
Dell Inc.	PowerEdge R7425 (AMD EPYC 7281, 2.10GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	163	170	--	--
Dell Inc.	PowerEdge R7425 (AMD EPYC 7401, 2.00GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	245	256	--	--
Dell Inc.	PowerEdge R7425 (AMD EPYC 7301, 2.20GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	169	176	--	--
Dell Inc.	PowerEdge R740xd (Intel Xeon Platinum 8280, 2.70GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	342	359	--	--
Dell Inc.	PowerEdge R240 (Intel Xeon E-2124) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	23.8	24.8	--	--
Dell Inc.	PowerEdge R340 (Intel Xeon E-2124) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	23.9	24.8	--	--
Dell Inc.	PowerEdge T140 (Intel Xeon E-2126G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	6	6	1	1	35.1	36.3	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Dell Inc.	PowerEdge T340 (Intel Xeon E-2126G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	6	6	1	1	35.6	36.5	--	--
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 820 RA1 (Intel Xeon Silver 4112, 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	44.3	46.9	--	--
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 820 RA1 (Intel Xeon Silver 4110, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	73.8	76.1	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 210 RA1 (Intel Xeon Silver 4110, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	74.0	78.7	--	--
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 210 RA1 (Intel Xeon Silver 4112, 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	44.3	47.0	--	--
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 210 RA1 (Intel Xeon Gold 5122, 3.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	55.8	59.1	--	--
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 210 RA1 (Intel Xeon Gold 6134, 3.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	108	114	--	--
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 210 RA1 (Intel Xeon Platinum 8160, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	223	235	--	--
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 220 RA1 (Intel Xeon Silver 4110, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	74.1	77.3	--	--
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 220 RA1 (Intel Xeon Silver 4112, 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	44.1	46.9	--	--
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 220 RA1 (Intel Xeon Gold 5122, 3.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	55.9	59.1	--	--
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 220 RA1 (Intel Xeon Gold 6134, 3.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	108	114	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/ Core	Base	Peak	Base	Peak
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 220 RA1 (Intel Xeon Platinum 8160, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	221	235	--	--
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 210 RA1 (Intel Xeon Silver 4108, 1.80 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	66.1	68.5	--	--
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 210 RE1 (Intel Xeon Silver 4109T, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	69.6	72.9	--	--
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 210 RA1 (Intel Xeon Silver 4109T, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	71.0	73.9	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/ Core	Base	Peak	Base	Peak
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 220 RA1 (Intel Xeon Silver 4108, 1.80 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	66.0	69.9	--	--
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 223 RE1 (Intel Xeon Silver 4108, 1.80 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	66.3	68.2	--	--
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 220 RA1 (Intel Xeon Silver 4109T, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	71.0	75.4	--	--
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 223 RE1 (Intel Xeon Silver 4109T, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	71.1	73.5	--	--
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 820 RA1 (Intel Xeon Silver 4108, 1.80 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	66.1	67.9	--	--
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 223 RE1 (Intel Xeon Silver 4110, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	73.6	76.1	--	--
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 820 RA1 (Intel Xeon Silver 4109T, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	71.1	73.2	--	--
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 210 RE1 (Intel Xeon Silver 4108, 1.80 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	64.7	67.6	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 210 RE1 (Intel Xeon Silver 4110, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	71.9	75.5	--	--
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 210 RE1 (Intel Xeon Silver 4112, 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	43.8	45.4	--	--
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 210 RE1 (Intel Xeon Gold 5122, 3.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	55.6	57.6	--	--
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 210 RE1 (Intel Xeon Gold 6134, 3.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	106	111	--	--
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 115 RE1 (Intel Xeon Silver 4108, 1.80 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	1	2	33.7	34.5	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 115 RE1 (Intel Xeon Silver 4109T, 2.00 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	1	2	36.4	37.1	--	--
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 115 RE1 (Intel Xeon Silver 4110, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	1	2	37.8	38.6	--	--
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 223 RE1 (Intel Xeon Silver 4112, 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	44.2	46.8	--	--
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 223 RE1 (Intel Xeon Gold 5122, 3.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	55.6	59.0	--	--
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 115 RE1 (Intel Xeon Silver 4112, 2.60 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	22.7	23.8	--	--
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 210 RE1 (Intel Xeon Silver 4108, 1.80 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	61.8	65.5	--	--
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 210 RE1 (Intel Xeon Silver 4108, 1.80 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	65.5	67.6	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 220 RF0 Type1/Type4 (Intel Xeon E5-2620 v4, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	58.8	61.6	--	--
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 220 RF0 Type2 (Intel Xeon E5-2620 v4, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	58.7	62.8	--	--
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 220 RF0 Type3 (Intel Xeon E5-2620 v4, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	66.6	71.6	--	--
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 215 RE1 (Intel Xeon Gold 5118, 2.30 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	119	124	--	--
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 220 RA1 (Intel Xeon Silver 4114, 2.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	93.6	96.9	--	--
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 225 RE1 (Intel Xeon Gold 5118, 2.30 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	118	124	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 210 RA1 (Intel Xeon Silver 4114, 2.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	93.4	97.0	--	--
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 220 RA1 (Intel Xeon Silver 4116, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	108	112	--	--
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 225 RE1 (Intel Xeon Silver 4114, 2.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	20	10	1	2	48.3	49.4	--	--
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 215 RE1 (Intel Xeon Silver 4114, 2.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	20	10	1	2	48.2	49.3	--	--
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 210 RA1 (Intel Xeon Gold 5120, 2.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	133	140	--	--
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 220 RA1 (Intel Xeon Gold 5120, 2.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	132	138	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/ Core	Base	Peak	Base	Peak
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 210 RA1 (Intel Xeon Gold 6140, 2.30 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	174	183	--	--
Epsilon Sp. z o.o. Sp. Komandytowa	eterio 220 RA1 (Intel Xeon Gold 6140, 2.30 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	178	188	--	--
Format sp. z o.o.	ASUS RS500-E8-RS4 v2 <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	65.2	Not Run	--	--
Format sp. z o.o.	ASUS RS500-E8-RS4 v2 <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	65.5	Not Run	--	--
Format sp. z o.o.	Intel R1304WT2GSR (Intel Xeon E5-2620 v4, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	65.9	Not Run	--	--
Format sp. z o.o.	Intel R1304WT2GSR (Intel Xeon E5-2620 v4, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	66.5	Not Run	--	--
Format sp. z o.o.	Intel R1304WT2GSR (Intel Xeon E5-2620 v4, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	66.7	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/ Core	Base	Peak	Base	Peak
Format sp. z o.o.	Intel R1304WT2GSR (Intel Xeon E5-2620 v4, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	64.9	Not Run	--	--
Format sp. z o.o.	ASUS RS500-E8-RS4 v2 <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	64.1	Not Run	--	--
Fujitsu	PRIMERGY RX2560 M2, Intel Xeon E5-2699A v4, 2.40GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	88	44	2	2	164	Not Run	0	--
Fujitsu	PRIMEQUEST 3800B, Intel Xeon Platinum 8180, 2.50GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	447	224	8	2	1180	Not Run	--	--



Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Fujitsu	PRIMERGY RX2540 M4, Intel Xeon Platinum 8180, 2.50GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	297	Not Run	--	--
Fujitsu	PRIMERGY RX2540 M4, Intel Xeon Gold 6148, 2.40GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	210	Not Run	--	--
Fujitsu	PRIMERGY TX1330 M3, Intel Xeon E3-1225 v6, 3.3 GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	21.7	Not Run	--	--
Fujitsu	PRIMERGY TX1330 M3, Intel Xeon E3-1220 v6, 3.0 GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	20.7	Not Run	--	--
Fujitsu	PRIMEQUEST 3800E, Intel Xeon Platinum 8180, 2.50GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	447	224	8	2	1170	Not Run	--	--
Fujitsu	Fujitsu SPARC M12-2S <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	1	1	8	7.90	9.85	--	--
Fujitsu	Fujitsu SPARC M12-2S <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	12	1	8	76.2	93.5	--	--
Fujitsu	Fujitsu SPARC M12-2S <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	24	2	8	152	187	--	--
Fujitsu	Fujitsu SPARC M12-2S <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	384	48	4	8	304	372	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Fujitsu	Fujitsu SPARC M12-2 <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	24	2	8	141	172	--	--
Fujitsu	Fujitsu SPARC M12-1 <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	6	1	8	31.2	38.5	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Fujitsu	Fujitsu SPARC M12-2S <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	768	96	8	8	604	739	--	--
Fujitsu	Fujitsu SPARC M12-2S <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	1536	192	16	8	1180	1420	--	--
Fujitsu	Fujitsu SPARC M12-2S <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	3072	384	32	8	2090	2610	--	--
Fujitsu	PRIMERGY TX2550 M4, Intel Xeon Silver 4114, 2.20GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	20	10	1	2	44.9	47.8	--	--
Fujitsu	PRIMEQUEST 3800B, Intel Xeon Platinum 8158, 3.00GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	191	96	8	2	619	Not Run	--	--
Fujitsu	PRIMEQUEST 3800B, Intel Xeon Platinum 8160, 2.10GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	383	192	8	2	918	Not Run	--	--
Fujitsu	PRIMEQUEST 3800B, Intel Xeon Platinum 8164, 2.00GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	415	208	8	2	966	Not Run	--	--
Fujitsu	PRIMEQUEST 3800B, Intel Xeon Platinum 8168, 2.70GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	383	192	8	2	1060	Not Run	--	--
Fujitsu	PRIMEQUEST 3800B, Intel Xeon Platinum 8170, 2.10GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	415	208	8	2	987	Not Run	--	--
Fujitsu	PRIMEQUEST 3800B, Intel Xeon Platinum 8176, 2.10GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	447	224	8	2	1050	Not Run	--	--
Fujitsu	PRIMEQUEST 3800B, Intel Xeon Platinum 8153, 2.00GHz	255	128	8	2	566	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								
Test Sponsor	System Name	Base Copies	Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Fujitsu	PRIMEQUEST 3800B, Intel Xeon Platinum 8156, 3.60GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	63	32	8	2	220	Not Run	--	--
Fujitsu	PRIMERGY CX2560 M4, Intel Xeon Gold 6126, 2.60GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	133	142	--	--
Fujitsu	PRIMERGY CX2560 M4, Intel Xeon Platinum 8176M, 2.10GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	256	Not Run	--	--
Fujitsu	PRIMERGY CX2550 M4, Intel Xeon Platinum 8176M, 2.10GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	255	Not Run	--	--
Fujitsu	PRIMERGY TX2550 M4, Intel Xeon Platinum 8164 2.00GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	243	Not Run	--	--
Fujitsu	PRIMERGY RX4770 M4, Intel Xeon Platinum 8180, 2.50GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	564	Not Run	--	--
Fujitsu	PRIMERGY RX2520 M4, Intel Xeon Gold 5120 2.20GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	135	Not Run	--	--
Fujitsu	PRIMERGY RX2530 M4, Intel Xeon Silver 4110, 2.10GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	73.8	78.1	--	--
Fujitsu	PRIMERGY RX2540 M4, Intel Xeon Silver 4116, 2.20GHz	48	24	2	2	109	116	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Fujitsu	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> PRIMERGY RX2540 M4, Intel Xeon Silver 4114, 2.20GHz	40	20	2	2	94.8	101	--	--
Fujitsu	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> PRIMERGY RX2540 M4, Intel Xeon Silver 4112, 2.60GHz	16	8	2	2	44.0	46.5	--	--
Fujitsu	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> PRIMERGY RX2540 M4, Intel Xeon Silver 4110, 2.10GHz	32	16	2	2	73.8	78.1	--	--
Fujitsu	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> PRIMERGY RX2540 M4, Intel Xeon Gold 5118, 2.30GHz	48	24	2	2	120	128	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Fujitsu	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> PRIMERGY RX2540 M4, Intel Xeon Bronze 3106, 1.70GHz	16	16	2	1	45.0	46.8	--	--
Fujitsu	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> PRIMERGY RX2540 M4, Intel Xeon Bronze 3104, 1.70GHz	12	12	2	1	33.8	35.2	--	--
Fujitsu	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> PRIMERGY RX2530 M4, Intel Xeon Bronze 3104, 1.70GHz	12	12	2	1	33.8	Not Run	--	--
Fujitsu	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> PRIMERGY RX2530 M4, Intel Xeon Bronze 3106, 1.70GHz	16	16	2	1	45.1	Not Run	--	--
Fujitsu	PRIMERGY RX2530 M4, Intel Xeon Gold 5115, 2.40GHz	40	20	2	2	104	Not	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>						Run		
Fujitsu	PRIMERGY RX2530 M4, Intel Xeon Gold 5118, 2.30GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	120	Not Run	--	--
Fujitsu	PRIMERGY RX2530 M4, Intel Xeon Gold 5120, 2.20GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	136	Not Run	--	--
Fujitsu	PRIMERGY RX2530 M4, Intel Xeon Gold 6126, 2.60GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	142	151	--	--
Fujitsu	PRIMERGY RX2530 M4, Intel Xeon Silver 4112, 2.60GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	43.9	Not Run	--	--
Fujitsu	PRIMERGY RX2530 M4, Intel Xeon Silver 4114, 2.20GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	94.7	101	--	--
Fujitsu	PRIMERGY RX2530 M4, Intel Xeon Silver 4116, 2.10GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	109	Not Run	--	--
Fujitsu	PRIMERGY RX2530 M4, Intel Xeon Gold 6130, 2.10GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	164	Not Run	--	--
Fujitsu	PRIMERGY RX2530 M4, Intel Xeon Gold 6138, 2.00GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	191	Not Run	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Fujitsu	PRIMERGY RX2530 M4, Intel Xeon Gold 6148, 2.40GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	212	Not Run	--	--
Fujitsu	PRIMERGY RX2530 M4, Intel Xeon Platinum 8164, 2.00GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	244	262	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Fujitsu	PRIMERGY RX2530 M4, Intel Xeon Platinum 8180, 2.50GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	295	Not Run	--	--
Fujitsu	PRIMERGY RX2540 M4, Intel Xeon Gold 5115, 2.40GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	104	110	--	--
Fujitsu	PRIMERGY RX2540 M4, Intel Xeon Gold 5120, 2.20GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	135	144	--	--
Fujitsu	PRIMERGY RX2540 M4, Intel Xeon Gold 6126, 2.60GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	142	151	--	--
Fujitsu	PRIMERGY RX2540 M4, Intel Xeon Gold 6130, 2.10GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	164	173	--	--
Fujitsu	PRIMERGY CX2550 M4, Intel Xeon Bronze 3104, 1.70GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	12	2	1	33.7	Not Run	--	--
Fujitsu	PRIMERGY RX2540 M4, Intel Xeon Gold 6138, 2.00GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	192	206	--	--
Fujitsu	PRIMERGY RX2540 M4, Intel Xeon Platinum 8164, 2.00GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	241	258	--	--
Fujitsu	PRIMERGY RX2540 M4, Intel Xeon Silver 4108, 1.80GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	66.4	70.1	--	--
Fujitsu	PRIMERGY RX2540 M4, Intel Xeon Gold 5122, 3.60GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	56.2	59.5	--	--
Fujitsu	PRIMERGY CX2560 M4, Intel Xeon Gold 5118, 2.30GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	119	126	--	--
<b>Test Sponsor</b>	<b>System Name</b>	<b>Base</b>	<b>Processor</b>			<b>Results</b>		<b>Energy</b>	

Test Sponsor	System Name	Processor			Results		Energy		
		Base Copies	Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Fujitsu	PRIMERGY CX2560 M4, Intel Xeon Gold 5120, 2.20GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	134	143	--	--
Fujitsu	PRIMERGY CX2550 M4, Intel Xeon Bronze 3106, 1.70GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	16	2	1	44.9	Not Run	--	--
Fujitsu	PRIMERGY CX2550 M4, Intel Xeon Gold 5118, 2.30GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	119	Not Run	--	--
Fujitsu	PRIMERGY CX2550 M4, Intel Xeon Gold 5122, 3.60GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	55.9	Not Run	--	--
Fujitsu	PRIMERGY CX2550 M4, Intel Xeon Gold 6130, 2.10GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	156	Not Run	--	--
Fujitsu	PRIMERGY CX2550 M4, Intel Xeon Silver 4108, 1.80GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	65.3	Not Run	--	--
Fujitsu	PRIMERGY CX2550 M4, Intel Xeon Silver 4112, 2.60GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	43.8	Not Run	--	--
Fujitsu	PRIMERGY CX2550 M4, Intel Xeon Silver 4114, 2.20GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	92.8	Not Run	--	--
Fujitsu	PRIMERGY CX2550 M4, Intel Xeon Silver 4114T, 2.20GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	92.9	Not Run	--	--
Fujitsu	PRIMERGY CX2550 M4, Intel Xeon Silver 4116, 2.10GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	108	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Fujitsu	PRIMERGY RX4770 M4, Intel Xeon Gold 5118, 2.30GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	238	Not Run	--	--
Fujitsu	PRIMERGY RX4770 M4, Intel Xeon Gold 5120, 2.20GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	4	2	263	Not Run	--	--
Fujitsu	PRIMERGY RX4770 M4, Intel Xeon Gold 5122, 3.60GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	4	2	111	Not Run	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Fujitsu	PRIMERGY RX4770 M4, Intel Xeon Gold 6126, 2.60GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	268	Not Run	--	--
Fujitsu	PRIMERGY RX4770 M4, Intel Xeon Gold 6128, 3.40GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	4	2	164	Not Run	--	--
Fujitsu	PRIMERGY RX4770 M4, Intel Xeon Gold 6130, 2.10GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	308	Not Run	--	--
Fujitsu	PRIMERGY RX4770 M4, Intel Xeon Gold 6144, 3.50GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	4	2	227	Not Run	--	--
Fujitsu	PRIMERGY RX4770 M4, Intel Xeon Platinum 8156, 3.60GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	4	2	111	Not Run	--	--
Fujitsu	PRIMERGY CX2550 M4, Intel Xeon Gold 5119T, 1.90GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	118	Not Run	--	--
Fujitsu	PRIMERGY RX4770 M4, Intel Xeon Gold 5115, 2.40GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	4	2	201	Not Run	--	--
Fujitsu	PRIMERGY CX2550 M4, Intel Xeon Gold 6142, 2.60GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	170	Not Run	--	--



Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Fujitsu	PRIMERGY RX4770 M4, Intel Xeon Gold 6132, 2.60GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	4	2	310	Not Run	--	--
Fujitsu	PRIMERGY CX2550 M4, Intel Xeon Platinum 8170, 2.10GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	235	Not Run	--	--
Fujitsu	PRIMERGY RX2540 M4, Intel Xeon Gold 6144, 3.50GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	118	Not Run	--	--
Fujitsu	PRIMERGY RX4770 M4, Intel Xeon Gold 6146, 3.20GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	307	Not Run	--	--
Fujitsu	PRIMERGY RX4770 M4, Intel Xeon Gold 6154, 3.00GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	419	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Fujitsu	PRIMERGY RX4770 M4, Intel Xeon Platinum 8168, 2.70GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	96	4	2	500	Not Run	--	--
Fujitsu	PRIMERGY RX4770 M4, Intel Xeon Platinum 8170, 2.10GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	208	104	4	2	472	Not Run	--	--
Fujitsu	PRIMERGY CX1430 M1, Intel Xeon D-1521, 2.40GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	19.0	Not Run	--	--
Fujitsu	PRIMERGY CX1430 M1, Intel Xeon D-1541, 2.10GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	1	2	32.3	Not Run	--	--
Fujitsu	PRIMERGY CX1430 M1, Intel Xeon D-1571, 1.30GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	1	2	42.2	Not Run	--	--
Fujitsu	PRIMERGY TX2550 M4, Intel Xeon Silver 4114, 2.20GHz	40	20	2	2	93.0	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Fujitsu	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> PRIMERGY TX2550 M4, Intel Xeon Silver 4116, 2.10GHz	48	24	2	2	107	Not Run	--	--
Fujitsu	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> PRIMERGY RX2540 M4, Intel Xeon Platinum 8168, 2.70GHz	96	48	2	2	264	Not Run	--	--
Fujitsu	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> PRIMERGY TX1330 M4, Intel Xeon E-2186G, 3.80GHz	12	6	1	2	43.3	46.7	--	--
Fujitsu	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> PRIMERGY RX1330 M4, Intel Xeon E-2186G, 3.80GHz	12	6	1	2	43.3	46.6	--	--
Fujitsu	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> PRIMERGY TX1320 M4, Intel Xeon E-2186G, 3.80GHz	12	6	1	2	43.5	46.8	--	--
Fujitsu	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> PRIMERGY TX1330 M4, Intel Xeon E-2124, 3.30GHz	4	4	1	1	22.7	24.1	--	--
Fujitsu	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> PRIMERGY TX1330 M4, Intel Xeon E-2124G, 3.40GHz	4	4	1	1	23.7	25.1	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
Fujitsu	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> PRIMERGY TX1330 M4, Intel Xeon E-2126G, 3.30GHz	6	6	1	1	34.5	36.8	--	--
Fujitsu	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> PRIMERGY TX1330 M4, Intel Xeon E-2134, 3.50GHz	8	4	1	2	29.6	31.7	--	--
Fujitsu	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> PRIMERGY TX1330 M4, Intel Xeon E-2136, 3.30GHz	12	6	1	2	42.8	46.0	--	--
Fujitsu	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> PRIMERGY TX1330 M4, Intel Xeon E-2144G, 3.60GHz	8	4	1	2	29.8	31.9	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Fujitsu	PRIMERGY TX1330 M4, Intel Xeon E-2146G, 3.50GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	6	1	2	41.4	44.5	--	--
Fujitsu	PRIMERGY TX1330 M4, Intel Xeon E-2174G, 3.80GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	30.3	32.4	--	--
Fujitsu	PRIMERGY TX1330 M4, Intel Xeon E-2176G, 3.70GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	6	1	2	42.9	46.1	--	--
Fujitsu	PRIMERGY TX1320 M4, Intel Celeron G4900, 3.10GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	2	2	1	1	8.73	9.37	--	--
Fujitsu	PRIMERGY TX1330 M4, Intel Pentium Gold G5400, 3.70GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	2	1	2	12.7	13.6	--	--
Fujitsu	PRIMERGY TX1330 M4, Intel Core i3-8100, 3.60GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	21.9	23.3	--	--
Fujitsu	PRIMERGY RX1330 M3, Intel Pentium G3930, 2.90GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	2	2	1	1	7.48	8.01	--	--
Fujitsu	PRIMERGY TX1330 M3, Intel Xeon E3-1220 v6, 3.00GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	20.9	22.1	--	--
Fujitsu	PRIMERGY TX1330 M3, Intel Xeon E3-1225 v6, 3.30GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	21.8	23.2	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Fujitsu	PRIMERGY TX1330 M3, Intel Xeon E3-1230 v6, 3.50GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	27.4	29.3	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Fujitsu	PRIMERGY TX1330 M3, Intel Xeon E3-1240 v6, 3.70GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	28.5	30.5	--	--
Fujitsu	PRIMERGY TX1330 M3, Intel Xeon E3-1270 v6, 3.80GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	29.0	31.0	--	--
Fujitsu	PRIMERGY TX1330 M3, Intel Xeon E3-1280 v6, 3.90GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	29.0	31.0	--	--
Fujitsu	PRIMERGY TX1330 M3, Intel Pentium G4560, 3.50GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	2	1	2	11.8	12.7	--	--
Fujitsu	PRIMERGY TX1330 M3, Intel Core i3-7100, 3.90GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	2	1	2	15.0	15.9	--	--
Fujitsu	PRIMERGY RX4770 M5, Intel Xeon Platinum 8280L, 2.70GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	664	Not Run	--	--
Fujitsu	PRIMERGY RX2530 M5, Intel Xeon Platinum 8280L, 2.70GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	342	357	--	--
Fujitsu	PRIMEQUEST 3800B2, Intel Xeon Platinum 8280L, 2.70GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	336	168	6	2	1000	Not Run	--	--
Fujitsu	PRIMEQUEST 3800B2, Intel Xeon Platinum 8280L, 2.70GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	448	224	8	2	1330	Not Run	--	--
Fujitsu	PRIMERGY RX2540 M5, Intel Xeon Platinum 8280, 2.70GHz <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	342	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
GIGA-BYTE TECHNOLOGY CO., LTD.	R181-Z91 (AMD EPYC 7601, 2.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	2	2	280	308	--	--
GIGA-BYTE TECHNOLOGY CO., LTD.	R181-Z91 (AMD EPYC 7601, 2.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	2	2	281	309	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
GIGA-BYTE TECHNOLOGY CO., LTD.	R151-Z30 (AMD EPYC 7601, 2.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	1	2	142	156	--	--
GIGA-BYTE TECHNOLOGY CO., LTD.	R271-Z31 (AMD EPYC 7601, 2.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	1	2	141	155	--	--
GIGA-BYTE TECHNOLOGY CO., LTD.	R181-Z91 (AMD EPYC 7601, 2.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	2	2	280	310	--	--
GIGA-BYTE TECHNOLOGY CO., LTD.	R271-Z31 (AMD EPYC 7601, 2.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	1	2	142	156	--	--
GIGA-BYTE TECHNOLOGY CO., LTD.	R181-Z90 (AMD EPYC 7601, 2.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	2	2	281	310	--	--
GIGA-BYTE TECHNOLOGY CO., LTD.	R281-Z91 (AMD EPYC 7601, 2.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	2	2	281	310	--	--
GIGA-BYTE TECHNOLOGY CO., LTD.	R181-Z92 (AMD EPYC 7601, 2.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	2	2	281	310	--	--
GIGA-BYTE TECHNOLOGY CO., LTD.	R281-Z92 (AMD EPYC 7601, 2.20 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	2	2	281	310	--	--
H3C	H3C R4900 G2 (Intel Xeon E5-2620 v4, 2.10 GHz) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	53.5	59.4	0	--
HPE	Integrity Superdome X (384 core, 2.20 GHz, Intel Xeon E7-8890 v4) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	768	384	16	2	1180	1220	0	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
HPE	ProLiant DL380 Gen10 (2.10 GHz, Intel Xeon Platinum 8176) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	254	Not Run	--	--
HPE	ProLiant DL380 Gen10 (2.10 GHz, Intel Xeon Platinum 8170) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	241	Not Run	--	--
HPE	ProLiant DL360 Gen10 (2.40 GHz, Intel Xeon Gold 6148) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	201	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
HPE	ProLiant DL380 Gen10 (2.50 GHz, Intel Xeon Platinum 8180) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	279	Not Run	--	--
HPE	ProLiant DL380 Gen10 (3.00 GHz, Intel Xeon Gold 6154) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	213	Not Run	--	--
HPE	ProLiant DL360 Gen10 (2.50 GHz, Intel Xeon Platinum 8180M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	280	Not Run	--	--
HPE	ProLiant DL380 Gen10 (2.10 GHz, Intel Xeon Platinum 8160) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	225	Not Run	--	--
HPE	ProLiant DL380 Gen10 (2.50 GHz, Intel Xeon Platinum 8180M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	281	Not Run	--	--
HPE	ProLiant DL380 Gen10 (2.00 GHz, Intel Xeon Platinum 8153) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	141	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
HPE	ProLiant DL380 Gen10 (2.10 GHz, Intel Xeon Silver 4116) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	108	Not Run	--	--
HPE	ProLiant DL380 Gen10 (2.70 GHz, Intel Xeon Platinum 8168) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	260	280	--	--
HPE	ProLiant DL380 Gen10 (3.00 GHz, Intel Xeon Platinum 8158) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	152	Not Run	--	--
HPE	ProLiant DL380 Gen10 (3.60 GHz, Intel Xeon Platinum 8156) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	56.4	Not Run	--	--
HPE	ProLiant DL380 Gen10 (2.60 GHz, Intel Xeon Gold 6126) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	141	Not Run	--	--
HPE	ProLiant DL380 Gen10 (2.00 GHz, Intel Xeon Platinum 8164) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	229	Not Run	--	--
HPE	ProLiant DL380 Gen10 (3.20 GHz, Intel Xeon Gold 6146) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	163	Not Run	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
HPE	ProLiant DL360 Gen10 (3.00 GHz, Intel Xeon Gold 6136) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	149	Not Run	--	--
HPE	ProLiant DL380 Gen10 (2.10 GHz, Intel Xeon Gold 6130) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	162	Not Run	--	--
HPE	Synergy 480 Gen10 (2.10 GHz, Intel Xeon Gold 6130) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	160	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
HPE	ProLiant DL360 Gen10 (3.20 GHz, Intel Xeon Gold 6134) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	106	Not Run	--	--
HPE	ProLiant DL380 Gen10 (2.20 GHz, Intel Xeon Silver 4114) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	93.6	Not Run	--	--
HPE	ProLiant DL360 Gen10 (2.20 GHz, Intel Xeon Silver 4114) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	93.2	Not Run	--	--
HPE	ProLiant DL380 Gen10 (2.20 GHz, Intel Xeon Gold 5120) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	135	143	--	--
HPE	ProLiant DL560 Gen10 (3.00 GHz, Intel Xeon Platinum 8158) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	288	Not Run	--	--
HPE	ProLiant DL360 Gen10 (2.70 GHz, Intel Xeon Platinum 8168) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	253	Not Run	--	--
HPE	ProLiant DL380 Gen10 (2.10 GHz, Intel Xeon Gold 6152) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	88	44	2	2	210	Not Run	--	--
HPE	ProLiant DL380 Gen10 (2.30 GHz, Intel Xeon Gold 6140) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	187	200	--	--
HPE	ProLiant DL380 Gen10 (1.80 GHz, Intel Xeon Silver 4108) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	65.5	Not Run	--	--
HPE	ProLiant DL380 Gen10 (2.60 GHz, Intel Xeon Silver 4112) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	44.0	Not Run	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
HPE	ProLiant DL380 Gen10 (3.40 GHz, Intel Xeon Gold 6128) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	24	12	2	2	82.7	87.7	--	--



Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
HPE	ProLiant DL360 Gen10 (2.10 GHz, Intel Xeon Platinum 8176) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	245	Not Run	--	--
HPE	ProLiant DL580 Gen10 (2.10 GHz, Intel Xeon Gold 6130) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	299	317	--	--
HPE	ProLiant DL360 Gen10 (2.60 GHz, Intel Xeon Gold 6126) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	136	Not Run	--	--
HPE	ProLiant DL380 Gen10 (2.40 GHz, Intel Xeon Gold 6148) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	202	Not Run	--	--
HPE	ProLiant DL360 Gen10 (2.60 GHz, Intel Xeon Silver 4112) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	44.1	Not Run	--	--
HPE	ProLiant DL560 Gen10 (3.60 GHz, Intel Xeon Platinum 8156) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	4	2	111	Not Run	--	--
HPE	Synergy 480 Gen10 (3.00 GHz, Intel Xeon Gold 6154) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	211	Not Run	--	--
HPE	ProLiant DL560 Gen10 (2.00 GHz, Intel Xeon Platinum 8153) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	281	Not Run	--	--
HPE	ProLiant DL360 Gen10 (2.70 GHz, Intel Xeon Gold 6150) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	193	Not Run	--	--
HPE	ProLiant DL360 Gen10 (2.10 GHz, Intel Xeon Silver 4116) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	109	Not Run	--	--
HPE	ProLiant DL560 Gen10 (2.10 GHz, Intel Xeon Platinum 8160) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	96	4	2	431	Not Run	--	--
HPE	ProLiant DL380 Gen10 (2.60 GHz, Intel Xeon Gold 6142) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	179	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
HPE	ProLiant DL380 Gen10 (2.70 GHz, Intel Xeon Gold 6150) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	200	Not Run	--	--
HPE	ProLiant DL385 Gen10 (2.20 GHz, AMD EPYC 7601) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	2	2	271	299	--	--
HPE	ProLiant DL360 Gen10 (2.10 GHz, Intel Xeon Silver 4110) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	72.9	Not Run	--	--
HPE	ProLiant DL380 Gen10 (2.60 GHz, Intel Xeon Gold 6132) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	160	Not Run	--	--
HPE	ProLiant DL360 Gen10 (2.60 GHz, Intel Xeon Gold 6132) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	156	Not Run	--	--
HPE	ProLiant DL360 Gen10 (1.80 GHz, Intel Xeon Silver 4108) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	65.5	Not Run	--	--
HPE	ProLiant DL380 Gen10 (3.60 GHz, Intel Xeon Gold 5122) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	56.6	Not Run	--	--
HPE	ProLiant DL380 Gen10 (3.40 GHz, Intel Xeon Gold 6128) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	24	12	2	2	83.3	Not Run	--	--
HPE	ProLiant DL360 Gen10 (2.30 GHz, Intel Xeon Gold 6140) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	182	Not Run	--	--
HPE	ProLiant DL360 Gen10 (2.00 GHz, Intel Xeon Gold 6138) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	181	Not Run	--	--
HPE	ProLiant DL380 Gen10 (3.20 GHz, Intel Xeon Gold 6134) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	108	Not Run	--	--
HPE	ProLiant DL360 Gen10 (2.60 GHz, Intel Xeon Gold 6142) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	171	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
HPE	ProLiant DL380 Gen10 (2.00 GHz, Intel Xeon Gold 6138) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	188	Not Run	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
HPE	ProLiant DL360 Gen10 (2.10 GHz, Intel Xeon Gold 6152) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	88	44	2	2	199	Not Run	--	--
HPE	ProLiant DL360 Gen10 (3.00 GHz, Intel Xeon Platinum 8158) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	145	Not Run	--	--
HPE	Synergy 480 Gen10 (2.60 GHz, Intel Xeon Gold 6142) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	172	Not Run	--	--
HPE	ProLiant ML30 Gen9 (3.50 GHz, Intel Xeon E3-1230 v6) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	26.2	Not Run	--	--
HPE	Synergy 480 Gen10 (2.10 GHz, Intel Xeon Gold 6152) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	88	44	2	2	205	Not Run	--	--
HPE	ProLiant DL385 Gen10 (2.20 GHz, AMD EPYC 7601) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	2	2	272	300	--	--
HPE	ProLiant DL360 Gen10 (2.00 GHz, Intel Xeon Platinum 8164) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	221	Not Run	--	--
HPE	ProLiant DL360 Gen10 (3.00 GHz, Intel Xeon Gold 6154) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	207	Not Run	--	--
HPE	ProLiant DL360 Gen10 (2.10 GHz, Intel Xeon Platinum 8160) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	216	Not Run	--	--
HPE	Synergy 480 Gen10 (2.40 GHz, Intel Xeon Gold 6148) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	201	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
HPE	ProLiant DL380 Gen10 (3.50 GHz, Intel Xeon Gold 6144) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	116	Not Run	--	--
HPE	ProLiant DL360 Gen10 (3.20 GHz, Intel Xeon Gold 6146) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	156	Not Run	--	--
HPE	ProLiant DL380 Gen10 (2.80 GHz, Intel Xeon Gold 6143) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	197	Not Run	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
HPE	Synergy 480 Gen10 (2.70 GHz, Intel Xeon Gold 6150) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	195	Not Run	--	--
HPE	Synergy 480 Gen10 (2.10 GHz, Intel Xeon Silver 4116) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	109	Not Run	--	--
HPE	ProLiant DL360 Gen10 (1.70 GHz, Intel Xeon Bronze 3104) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	12	2	1	33.6	Not Run	--	--
HPE	ProLiant BL460c Gen10 (2.40 GHz, Intel Xeon Gold 5115) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	101	Not Run	--	--
HPE	ProLiant DL380 Gen10 (2.40 GHz, Intel Xeon Gold 5115) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	102	Not Run	--	--
HPE	ProLiant DL380 Gen10 (1.70 GHz, Intel Xeon Bronze 3106) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	16	2	1	44.5	Not Run	--	--
HPE	ProLiant DL360 Gen10 (2.20 GHz, Intel Xeon Gold 5120) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	134	Not Run	--	--
HPE	ProLiant DL360 Gen10 (2.30 GHz, Intel Xeon Gold 5118) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	118	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
HPE	ProLiant DL380 Gen10 (2.20 GHz, Intel Xeon Gold 5120) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	135	Not Run	--	--
HPE	ProLiant DL360 Gen10 (2.40 GHz, Intel Xeon Gold 5115) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	98.4	Not Run	--	--
HPE	ProLiant DL360 Gen10 (1.70 GHz, Intel Xeon Bronze 3106) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	16	2	1	44.7	Not Run	--	--
HPE	ProLiant DL380 Gen10 (2.30 GHz, Intel Xeon Gold 5118) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	120	Not Run	--	--
HPE	Synergy 480 Gen10 (2.30 GHz, Intel Xeon Gold 6140) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	184	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
HPE	ProLiant ML110 Gen10 (3.60 GHz, Intel Xeon Gold 5122) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	28.4	29.5	--	--
HPE	ProLiant DL360 Gen10 (2.10 GHz, Intel Xeon Gold 6130) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	158	Not Run	--	--
HPE	ProLiant DL360 Gen10 (3.50 GHz, Intel Xeon Gold 6144) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	114	Not Run	--	--
HPE	ProLiant DL560 Gen10 (3.60 GHz, Intel Xeon Gold 5122) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	4	2	112	Not Run	--	--
HPE	ProLiant DL560 Gen10 (2.10 GHz, Intel Xeon Gold 6152) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	176	88	4	2	402	Not Run	--	--
HPE	ProLiant DL360 Gen10 (3.60 GHz, Intel Xeon Platinum 8156) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	56.2	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
HPE	ProLiant DL360 Gen10 (2.10 GHz, Intel Xeon Platinum 8170) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	238	Not Run	--	--
HPE	ProLiant DL380 Gen10 (2.30 GHz, Intel Xeon Platinum 8165) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	257	Not Run	--	--
HPE	Synergy 480 Gen10 (2.10 GHz, Intel Xeon Platinum 8176) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	246	262	--	--
HPE	Synergy 480 Gen10 (2.50 GHz, Intel Xeon Platinum 8180) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	277	296	--	--
HPE	Synergy 480 Gen10 (2.50 GHz, Intel Xeon Platinum 8180M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	281	302	--	--
HPE	ProLiant DL360 Gen10 (2.00 GHz, Intel Xeon Platinum 8153) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	140	Not Run	--	--
HPE	ProLiant DL385 Gen10 (2.10 GHz, AMD EPYC 7281) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	149	160	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
HPE	ProLiant DL385 Gen10 (2.20 GHz, AMD EPYC 7301) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	155	Not Run	--	--
HPE	ProLiant DL560 Gen10 (2.10 GHz, Intel Xeon Platinum 8176) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	487	Not Run	--	--
HPE	ProLiant DL560 Gen10 (2.50 GHz, Intel Xeon Platinum 8180M)	224	112	4	2	551	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor		Results		Energy		
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
HPE	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> Synergy 660 Gen10 (2.00 GHz, Intel Xeon Gold 6138)	160	80	4	2	362	Not Run	--	--
HPE	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> Synergy 480 Gen10 (2.00 GHz, Intel Xeon Gold 6138)	80	40	2	2	181	Not Run	--	--
HPE	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> Synergy 480 Gen10 (2.60 GHz, Intel Xeon Silver 4112)	16	8	2	2	43.6	Not Run	--	--
HPE	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> Synergy 480 Gen10 (2.60 GHz, Intel Xeon Silver 4112)	8	4	1	2	22.4	Not Run	--	--
HPE	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> Superdome Flex (3.00 GHz, Intel Xeon Gold 6154)	576	288	16	2	1650	Not Run	--	--
HPE	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> Superdome Flex (3.00 GHz, Intel Xeon Gold 6154)	1152	576	32	2	3220	Not Run	--	--
HPE	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> Superdome Flex (2.50 GHz, Intel Xeon Platinum 8180)	896	448	16	2	2130	Not Run	--	--
HPE	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> Superdome Flex (2.50 GHz, Intel Xeon Platinum 8180)	1792	896	32	2	3920	Not Run	--	--
HPE	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> ProLiant DL385 Gen10 (2.10 GHz, AMD EPYC 7251)	32	16	2	2	83.8	Not Run	--	--
HPE	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> ProLiant DL385 Gen10 (2.00 GHz, AMD EPYC 7551)	128	64	2	2	261	Not Run	--	--
Test Sponsor	System Name	Base Copies	Processor		Results		Energy		
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
HPE	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> ProLiant DL385 Gen10 (2.00 GHz, AMD EPYC 7401)	96	48	2	2	222	Not Run	--	--
HPE	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> ProLiant DL385 Gen10 (2.00 GHz, AMD EPYC 7501)	128	64	2	2	264	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
HPE	ProLiant DL385 Gen10 (2.40 GHz, AMD EPYC 7351) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	164	Not Run	--	--
HPE	ProLiant DL385 Gen10 (2.30 GHz, AMD EPYC 7451) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	230	Not Run	--	--
HPE	ProLiant DL360 Gen10 (2.80 GHz, Intel Xeon Gold 6143) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	191	Not Run	--	--
HPE	ProLiant BL460c Gen10 (2.40 GHz, Intel Xeon Gold 6148) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	201	Not Run	--	--
HPE	ProLiant DL580 Gen10 (2.30 GHz, Intel Xeon Gold 6140M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	357	Not Run	--	--
HPE	ProLiant DL560 Gen10 (2.80 GHz, Intel Xeon Gold 6143) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	389	Not Run	--	--
HPE	ProLiant BL460c Gen10 (2.60 GHz, Intel Xeon Gold 6142) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	173	Not Run	--	--
HPE	ProLiant DL380 Gen10 (1.70 GHz, Intel Xeon Bronze 3104) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	12	2	1	33.5	Not Run	--	--
HPE	ProLiant DL560 Gen10 (2.60 GHz, Intel Xeon Gold 6142) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	344	Not Run	--	--
HPE	ProLiant DL380 Gen10 (2.10 GHz, Intel Xeon Silver 4110) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	73.1	Not Run	--	--
HPE	ProLiant BL460c Gen10 (2.20 GHz, Intel Xeon Gold 5120) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	133	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak



Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
HPE	ProLiant DL360 Gen10 (3.40 GHz, Intel Xeon Gold 6128) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	24	12	2	2	82.3	Not Run	--	--
HPE	ProLiant DL560 Gen10 (3.20 GHz, Intel Xeon Gold 6146) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	310	Not Run	--	--
HPE	Synergy 480 Gen10 (2.10 GHz, Intel Xeon Silver 4110) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	72.8	Not Run	--	--
HPE	Synergy 480 Gen10 (3.00 GHz, Intel Xeon Gold 6136) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	153	Not Run	--	--
HPE	ProLiant DL560 Gen10 (2.70 GHz, Intel Xeon Gold 6150) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	394	Not Run	--	--
HPE	ProLiant DL560 Gen10 (2.40 GHz, Intel Xeon Gold 6148) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	160	80	4	2	395	Not Run	--	--
HPE	ProLiant DL560 Gen10 (2.60 GHz, Intel Xeon Gold 6132) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	4	2	316	Not Run	--	--
HPE	ProLiant DL560 Gen10 (2.30 GHz, Intel Xeon Gold 6140) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	361	Not Run	--	--
HPE	ProLiant DL560 Gen10 (2.30 GHz, Intel Xeon Gold 5118) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	239	Not Run	--	--
HPE	ProLiant BL460c Gen10 (3.40 GHz, Intel Xeon Gold 6128) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	24	12	2	2	81.4	Not Run	--	--
HPE	ProLiant DL360 Gen10 (3.60 GHz, Intel Xeon Gold 5122) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	56.5	Not Run	--	--
HPE	Synergy 480 Gen10 (2.60 GHz, Intel Xeon Silver 4112) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	43.9	46.5	--	--
HPE	Synergy 480 Gen10 (3.60 GHz, Intel Xeon Platinum 8156) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	55.7	Not Run	--	--
<b>Test Sponsor</b>	<b>System Name</b>	<b>Base</b>	<b>Processor</b>			<b>Results</b>		<b>Energy</b>	

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
		Copies	Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
HPE	Synergy 480 Gen10 (1.70 GHz, Intel Xeon Bronze 3104) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	12	2	1	33.7	Not Run	--	--
HPE	Synergy 480 Gen10 (3.00 GHz, Intel Xeon Platinum 8158) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	149	Not Run	--	--
HPE	Synergy 480 Gen10 (2.10 GHz, Intel Xeon Platinum 8160) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	220	Not Run	--	--
HPE	Synergy 480 Gen10 (2.10 GHz, Intel Xeon Silver 4110) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	73.4	Not Run	--	--
HPE	Synergy 480 Gen10 (1.80 GHz, Intel Xeon Silver 4108) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	66.0	Not Run	--	--
HPE	Synergy 480 Gen10 (1.70 GHz, Intel Xeon Bronze 3106) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	16	2	1	44.9	Not Run	--	--
HPE	Synergy 480 Gen10 (2.20 GHz, Intel Xeon Silver 4114) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	94.1	98.5	--	--
HPE	Synergy 480 Gen10 (2.70 GHz, Intel Xeon Platinum 8168) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	255	Not Run	--	--
HPE	ProLiant DL560 Gen10 (2.30 GHz, Intel Xeon Platinum 8165) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	96	4	2	457	Not Run	--	--
HPE	Synergy 480 Gen10 (2.00 GHz, Intel Xeon Platinum 8164) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	226	Not Run	--	--
HPE	ProLiant DL360 Gen10 (2.30 GHz, Intel Xeon Platinum 8165) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	244	Not Run	--	--
HPE	ProLiant BL460c Gen10 (2.10 GHz, Intel Xeon Gold 6152) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	88	44	2	2	205	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
HPE	Synergy 480 Gen10 (2.10 GHz, Intel Xeon Platinum 8170) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	243	Not Run	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
HPE	Synergy 480 Gen10 (2.00 GHz, Intel Xeon Platinum 8153) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	141	Not Run	--	--
HPE	ProLiant DL560 Gen10 (3.00 GHz, Intel Xeon Gold 6154) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	409	Not Run	--	--
HPE	Cloudline CL3150 Gen10 (2.20 GHz, AMD EPYC 7601) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	1	2	131	135	--	--
HPE	ProLiant DL380 Gen10 (3.90 GHz, Intel Xeon Gold 6137) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	118	Not Run	--	--
HPE	ProLiant XL420 Gen9 (2.20 GHz, Intel Xeon E5-2650 v4) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	105	Not Run	--	--
HPE	ProLiant DL580 Gen10 (2.20 GHz, Intel Xeon Gold 5120) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	4	2	264	Not Run	--	--
HPE	ProLiant BL460c Gen10 (2.30 GHz, Intel Xeon Gold 5118) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	119	Not Run	--	--
HPE	ProLiant DL325 Gen10 (2.00 GHz, AMD EPYC 7551P) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	1	2	134	Not Run	--	--
HPE	ProLiant DL325 Gen10 (2.20 GHz, AMD EPYC 7601) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	1	2	140	Not Run	--	--
HPE	ProLiant DL325 Gen10 (2.00 GHz, AMD EPYC 7551P) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	1	2	126	Not Run	--	--
HPE	ProLiant XL190r Gen10 (2.10 GHz, Intel Xeon Gold 6130T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	158	168	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
HPE	ProLiant DL560 Gen10 (2.10 GHz, Intel Xeon Platinum 8170) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	208	104	4	2	360	Not Run	--	--
HPE	ProLiant BL460c Gen10 (1.80 GHz, Intel Xeon Silver 4108) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	64.6	Not Run	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
HPE	ProLiant DL560 Gen10 (2.20 GHz, Intel Xeon Gold 5120) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	4	2	266	Not Run	--	--
HPE	ProLiant BL460c Gen10 (2.10 GHz, Intel Xeon Silver 4110) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	72.0	Not Run	--	--
HPE	ProLiant DL560 Gen10 (2.40 GHz, Intel Xeon Gold 5115) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	4	2	200	Not Run	--	--
HPE	ProLiant BL460c Gen10 (2.10 GHz, Intel Xeon Silver 4116) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	107	Not Run	--	--
HPE	ProLiant BL460c Gen10 (2.20 GHz, Intel Xeon Silver 4114) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	92.4	Not Run	--	--
HPE	ProLiant BL460c Gen10 (1.70 GHz, Intel Xeon Bronze 3104) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	12	2	1	33.7	Not Run	--	--
HPE	ProLiant DL580 Gen10 (2.30 GHz, Intel Xeon Gold 5118) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	238	Not Run	--	--
HPE	ProLiant BL460c Gen10 (1.70 GHz, Intel Xeon Bronze 3104) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	16	2	1	44.7	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
	3106) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>						Run		
HPE	ProLiant BL460c Gen10 (2.60 GHz, Intel Xeon Gold 6132) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	159	Not Run	--	--
HPE	Synergy 480 Gen10 (2.60 GHz, Intel Xeon Gold 6126) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	138	Not Run	--	--
HPE	Synergy 480 Gen10 (3.40 GHz, Intel Xeon Gold 6128) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	24	12	2	2	82.4	Not Run	--	--
HPE	ProLiant DL560 Gen10 (3.40 GHz, Intel Xeon Gold 6128) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	4	2	164	Not Run	--	--
HPE	Synergy 480 Gen10 (2.60 GHz, Intel Xeon Gold 6132) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	162	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
HPE	ProLiant BL460c Gen10 (2.10 GHz, Intel Xeon Gold 6130) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	159	Not Run	--	--
HPE	ProLiant DL560 Gen10 (2.10 GHz, Intel Xeon Gold 6130) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	317	Not Run	--	--
HPE	ProLiant DL560 Gen10 (2.60 GHz, Intel Xeon Gold 6126) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	270	Not Run	--	--
HPE	ProLiant BL460c Gen10 (3.60 GHz, Intel Xeon Gold 5122) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	55.7	Not Run	--	--
HPE	ProLiant BL460c Gen10 (3.20 GHz, Intel Xeon Gold 6134) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	106	Not Run	--	--
HPE	ProLiant DL580 Gen10 (3.00 GHz, Intel Xeon Gold 6154) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	416	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
HPE	ProLiant DL580 Gen10 (2.40 GHz, Intel Xeon Gold 6148) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	160	80	4	2	392	Not Run	--	--
HPE	ProLiant DL560 Gen10 (3.50 GHz, Intel Xeon Gold 6144) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	4	2	229	Not Run	--	--
HPE	ProLiant DL560 Gen10 (3.00 GHz, Intel Xeon Gold 6136) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	301	Not Run	--	--
HPE	ProLiant BL460c Gen10 (2.00 GHz, Intel Xeon Gold 6138) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	180	Not Run	--	--
HPE	ProLiant BL460c Gen10 (2.30 GHz, Intel Xeon Gold 6140) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	179	Not Run	--	--
HPE	Synergy 480 Gen10 (3.20 GHz, Intel Xeon Gold 6134) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	108	Not Run	--	--
HPE	ProLiant BL460c Gen10 (3.00 GHz, Intel Xeon Gold 6136) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	148	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
HPE	ProLiant DL580 Gen10 (2.10 GHz, Intel Xeon Gold 6152) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	176	88	4	2	398	Not Run	--	--
HPE	ProLiant DL560 Gen10 (3.20 GHz, Intel Xeon Gold 6134) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	4	2	216	Not Run	--	--
HPE	ProLiant BL460c Gen10 (2.10 GHz, Intel Xeon Platinum 8160) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	219	Not Run	--	--
HPE	ProLiant BL460c Gen10 (3.60 GHz, Intel Xeon Platinum 8156) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	55.6	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
HPE	Synergy 480 Gen10 (3.50 GHz, Intel Xeon Gold 6144) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	114	Not Run	--	--
HPE	ProLiant BL460c Gen10 (3.00 GHz, Intel Xeon Platinum 8158) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	146	Not Run	--	--
HPE	Synergy 480 Gen10 (2.30 GHz, Intel Xeon Gold 5118) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	120	Not Run	--	--
HPE	ProLiant BL460c Gen10 (2.00 GHz, Intel Xeon Platinum 8153) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	139	Not Run	--	--
HPE	Synergy 480 Gen10 (3.20 GHz, Intel Xeon Gold 6146) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	160	Not Run	--	--
HPE	Synergy 480 Gen10 (2.20 GHz, Intel Xeon Gold 5120) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	135	Not Run	--	--
HPE	Synergy 480 Gen10 (3.60 GHz, Intel Xeon Gold 5122) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	55.9	Not Run	--	--
HPE	Synergy 480 Gen10 (2.40 GHz, Intel Xeon Gold 5115) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	102	Not Run	--	--
HPE	ProLiant DL560 Gen10 (2.10 GHz, Intel Xeon Platinum 8170) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	208	104	4	2	457	Not Run	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
HPE	ProLiant ML350 Gen10 (2.60 GHz, Intel Xeon Silver 4112) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	43.5	Not Run	--	--
HPE	ProLiant ML350 Gen10 (1.70 GHz, Intel Xeon Bronze 3106)	16	16	2	1	44.2	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
HPE	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> ProLiant ML350 Gen10 (2.10 GHz, Intel Xeon Silver 4110)	32	16	2	2	72.1	Not Run	--	--
HPE	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> ProLiant DL385 Gen10 (2.10 GHz, AMD EPYC 7281)	64	32	2	2	139	146	--	--
HPE	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> ProLiant DL325 Gen10 (2.10 GHz, AMD EPYC 7281)	64	16	1	2	72.7	Not Run	--	--
HPE	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> Synergy 660 Gen10 (2.10 GHz, Intel Xeon Gold 6130)	128	64	4	2	309	Not Run	--	--
HPE	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> ProLiant DL385 Gen10 (2.40 GHz, AMD EPYC 7351)	64	32	2	2	159	167	--	--
HPE	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> ProLiant BL460c Gen10 (2.10 GHz, Intel Xeon Silver 4110)	32	16	2	2	72.4	76.6	--	--
HPE	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> ProLiant DL325 Gen10 (2.00 GHz, AMD EPYC 7401P)	48	24	1	2	104	Not Run	--	--
HPE	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> ProLiant DL325 Gen10 (2.00 GHz, AMD EPYC 7401P)	32	24	1	2	87.1	Not Run	--	--
HPE	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> ProLiant DL325 Gen10 (2.50 GHz, AMD EPYC 7261)	32	8	1	2	42.4	Not Run	--	--
HPE	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> ProLiant XL170r Gen10 (2.20 GHz, Intel Xeon Gold 5120)	56	28	2	2	132	141	--	--
HPE	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a> ProLiant DL560 Gen10 (2.30 GHz, Intel Xeon Gold 5118)	96	48	4	2	238	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak



Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
HPE	ProLiant DL580 Gen10 (2.10 GHz, Intel Xeon Gold 6130) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	313	Not Run	--	--
HPE	ProLiant DL560 Gen10 (2.30 GHz, Intel Xeon Gold 5118) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	238	Not Run	--	--
HPE	ProLiant DL380 Gen10 (2.10 GHz, Intel Xeon Silver 4116) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	108	115	--	--
HPE	ProLiant DL560 Gen10 (2.30 GHz, Intel Xeon Gold 6140) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	361	Not Run	--	--
HPE	ProLiant DL325 Gen10 (2.00 GHz, AMD EPYC 7501) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	1	2	136	Not Run	--	--
HPE	ProLiant DL325 Gen10 (2.20 GHz, AMD EPYC 7551P) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	1	2	129	Not Run	--	--
HPE	ProLiant DL325 Gen10 (2.10 GHz, AMD EPYC 7281) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	16	1	2	75.5	Not Run	--	--
HPE	ProLiant DL325 Gen10 (2.30 GHz, AMD EPYC 7451) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	24	1	2	118	Not Run	--	--
HPE	ProLiant DL325 Gen10 (2.00 GHz, AMD EPYC 7401) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	1	2	NC	NC	NC	NC
HPE	ProLiant DL325 Gen10 (2.40 GHz, AMD EPYC 7351P) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	1	2	79.7	Not Run	--	--
HPE	ProLiant DL325 Gen10 (2.20 GHz, AMD EPYC 7301) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	16	1	2	78.2	Not Run	--	--
HPE	ProLiant DL325 Gen10 (2.00 GHz, AMD EPYC 7401) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	1	2	NC	NC	NC	NC
HPE	ProLiant DL325 Gen10 (2.10 GHz, AMD EPYC 7251) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	1	2	42.3	Not Run	--	--
<b>Test Sponsor</b>	<b>System Name</b>	<b>Base</b>	<b>Processor</b>			<b>Results</b>		<b>Energy</b>	

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
		Copies	Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
HPE	ProLiant DL325 Gen10 (2.40 GHz, AMD EPYC 7351P) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	1	2	82.6	Not Run	--	--
HPE	ProLiant DL385 Gen10 (2.20 GHz, AMD EPYC 7301) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	154	165	--	--
HPE	ProLiant DL325 Gen10 (2.50 GHz, AMD EPYC 7261) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	1	2	44.1	Not Run	--	--
HPE	ProLiant DL380 Gen10 (2.30 GHz, Intel Xeon Gold 5118) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	119	Not Run	--	--
HPE	ProLiant DL380 Gen10 (2.10 GHz, Intel Xeon Gold 6130) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	1	2	81.9	Not Run	--	--
HPE	ProLiant ML350 Gen 10 (2.20 GHz, Intel Xeon Silver 4114) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	92.9	Not Run	--	--
HPE	ProLiant DL580 Gen10 (3.00 GHz, Intel Xeon Gold 6154) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	422	Not Run	--	--
HPE	ProLiant DL580 Gen10 (2.10 GHz, Intel Xeon Platinum 8160) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	96	4	2	444	Not Run	--	--
HPE	ProLiant ML350 Gen10 (1.80 GHz, Intel Xeon Silver 4108) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	65.1	Not Run	--	--
HPE	ProLiant DL380 Gen10 (2.60 GHz, Intel Xeon Gold 6126) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	24	12	1	2	71.9	Not Run	--	--
HPE	ProLiant ML350 Gen10 (2.30 GHz, Intel Xeon Gold 6140) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	36	18	1	2	96.1	Not Run	--	--
HPE	ProLiant DL325 Gen10 (2.00 GHz, AMD EPYC 7401P) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	1	2	105	111	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
HPE	ProLiant DL380 Gen10 (2.00 GHz, Intel Xeon Gold 5117) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	121	121	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
HPE	ProLiant DL360 Gen10 (2.00 GHz, Intel Xeon Gold 5117) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	121	121	--	--
HPE	ProLiant DL325 Gen10 (2.00 GHz, AMD EPYC 7401P) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	1	2	113	121	--	--
HPE	ProLiant ML30 Gen10 (3.70 GHz, Intel Xeon E-2176G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	6	1	2	40.9	Not Run	--	--
HPE	ProLiant DL20 Gen10 (3.80 GHz, Intel Xeon E-2186G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	6	1	2	41.2	Not Run	--	--
HPE	ProLiant DL580 Gen10 (3.60 GHz, Intel Xeon Gold 5122) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	4	2	112	118	--	--
HPE	ProLiant DL580 Gen10 (3.60 GHz, Intel Xeon Platinum 8156) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	4	2	113	119	--	--
HPE	ProLiant DL580 Gen10 (2.70 GHz, Intel Xeon Platinum 8168) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	96	4	2	515	552	--	--
HPE	ProLiant DL360 Gen10 (3.20 GHz, Intel Xeon Gold 6134M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	106	Not Run	--	--
HPE	ProLiant DL360 Gen10 (2.10 GHz, Intel Xeon Platinum 8160M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	222	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
HPE	ProLiant DL560 Gen10 (3.60 GHz, Intel Xeon Gold 5122) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	4	2	113	119	--	--
HPE	ProLiant DL560 Gen10 (3.60 GHz, Intel Xeon Platinum 8156) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	4	2	113	120	--	--
HPE	ProLiant DL560 Gen10 (2.70 GHz, Intel Xeon Platinum 8168) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	96	4	2	515	552	--	--
HPE	ProLiant DL580 Gen10 (2.60 GHz, Intel Xeon Gold 6142) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	353	Not Run	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
HPE	ProLiant DL380 Gen10 (3.20 GHz, Intel Xeon Gold 6134) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	110	116	--	--
HPE	ProLiant DL380 Gen10 (3.20 GHz, Intel Xeon Gold 6134M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	108	Not Run	--	--
HPE	ProLiant DL380 Gen10 (3.00 GHz, Intel Xeon Gold 6136) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	152	Not Run	--	--
HPE	ProLiant DL380 Gen10 (2.70 GHz, Intel Xeon Gold 6150) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	203	Not Run	--	--
HPE	ProLiant DL360 Gen10 (2.50 GHz, Intel Xeon Platinum 8180) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	275	Not Run	--	--
HPE	ProLiant DL385 Gen10 (3.10 GHz, AMD EPYC 7371) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	192	207	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
HPE	ProLiant DL385 Gen10 (3.10 GHz, AMD EPYC 7371) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	207	217	--	--
HPE	ProLiant DL325 Gen10 (3.10 GHz, AMD EPYC 7371) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	1	2	104	108	--	--
HPE	ProLiant ML350 Gen10 (2.70 GHz, Intel Xeon Platinum 8280) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	334	Not Run	--	--
HPE	ProLiant ML350 Gen10 (2.70 GHz, Intel Xeon Platinum 8280) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	1	2	170	Not Run	--	--
HPE	ProLiant DL360 Gen10 (2.70 GHz, Intel Xeon Platinum 8280) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	1	2	168	Not Run	--	--
HPE	ProLiant DL360 Gen10 (2.70 GHz, Intel Xeon Platinum 8280) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	334	350	--	--
HPE	ProLiant DL360 Gen10 (3.60 GHz, Intel Xeon Gold 6244) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	132	Not Run	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
HPE	ProLiant DL380 Gen10 (2.70 GHz, Intel Xeon Platinum 8280) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	338	Not Run	--	--
HPE	ProLiant DL380 Gen10 (2.70 GHz, Intel Xeon Platinum 8280) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	1	2	172	Not Run	--	--
HPE	Synergy 480 Gen10 (2.70 GHz, Intel Xeon Platinum 8280)	112	56	2	2	333	Not	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>						Run		
HPE	ProLiant DL560 Gen10 (2.70 GHz, Intel Xeon Platinum 8280)	56	28	1	2	167	Not Run	--	--
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								
HPE	ProLiant DL560 Gen10 (2.70 GHz, Intel Xeon Platinum 8280)	112	56	2	2	327	Not Run	--	--
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								
HPE	ProLiant DL560 Gen10 (2.70 GHz, Intel Xeon Platinum 8280)	224	112	4	2	656	Not Run	--	--
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								
HPE	ProLiant DL580 Gen10 (2.70 GHz, Intel Xeon Platinum 8280)	224	112	4	2	654	Not Run	--	--
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								
HPE	ProLiant DL580 Gen10 (2.70 GHz, Intel Xeon Platinum 8280)	112	56	2	2	331	Not Run	--	--
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								
HPE	ProLiant DL580 Gen10 (2.70 GHz, Intel Xeon Platinum 8280)	56	28	1	2	161	Not Run	--	--
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								
HPE	Synergy 660 Gen10 (2.70 GHz, Intel Xeon Platinum 8280)	224	112	4	2	656	Not Run	--	--
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								
HPE	Synergy 660 Gen10 (2.70 GHz, Intel Xeon Platinum 8280)	112	56	2	2	329	Not Run	--	--
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								
HPE	Synergy 480 Gen10 (2.70 GHz, Intel Xeon Platinum 8280)	56	28	1	2	167	Not Run	--	--
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								
Huawei	Huawei 2288H V5 (Intel Xeon Platinum 8180)	112	56	2	2	302	Not Run	--	--
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								
Test Sponsor	System Name	Base	Processor			Results		Energy	

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
		Copies	Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei CH121 V5 (Intel Xeon Platinum 8180) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	300	323	--	--
Huawei	Huawei 2288H V5 (Intel Xeon Platinum 8180) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	298	321	--	--
Huawei	Huawei 1288H V5 (Intel Xeon Platinum 8180) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	298	322	--	--
Huawei	Huawei 2288H V5 (Intel Xeon Gold 6130) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	161	173	--	--
Huawei	Huawei CH242 V5 (Intel Xeon Gold 5115) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	4	2	201	216	--	--
Huawei	Huawei 1288H V5 (Intel Xeon Gold 6130 ) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	163	174	--	--
Huawei	Huawei CH121 V5 (Intel Xeon Gold 6130 ) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	162	174	--	--
Huawei	Huawei 2488H V5 (Intel Xeon Platinum 8180) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	592	Not Run	--	--
Huawei	Huawei 8100 V5 (Intel Xeon Platinum 8180) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	448	224	8	2	1190	Not Run	--	--
Huawei	Huawei CH121 V5 (Intel Xeon Gold 6148) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	214	229	--	--
Huawei	Huawei 2288H V5 (Intel Xeon Gold 6148) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	212	228	--	--
Huawei	Huawei 1288H V5 (Intel Xeon Gold 6148) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	212	227	--	--
Huawei	Huawei CH121 V5 (Intel Xeon Gold 6138) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	183	195	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei 1288H V5 (Intel Xeon Gold 6138) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	181	194	--	--
Huawei	Huawei 2288H V5 (Intel Xeon Gold 6138) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	180	194	--	--
Huawei	Huawei 1288H V5 (Intel Xeon Gold 6136) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	153	163	--	--
Huawei	Huawei CH121 V5 (Intel Xeon Gold 6136) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	150	162	--	--
Huawei	Huawei 2288H V5 (Intel Xeon Gold 6136) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	151	162	--	--
Huawei	Huawei 1288H V5 (Intel Xeon Gold 6132) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	161	172	--	--
Huawei	Huawei CH121 V5 (Intel Xeon Gold 6132) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	156	168	--	--
Huawei	Huawei 2288H V5 (Intel Xeon Gold 6132) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	158	169	--	--
Huawei	Huawei 1288H V5 (Intel Xeon Gold 6126) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	140	149	--	--
Huawei	Huawei 2288H V5 (Intel Xeon Gold 6126) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	139	148	--	--
Huawei	Huawei CH121 V5 (Intel Xeon Gold 6126) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	139	148	--	--
Huawei	Huawei 1288H V5 (Intel Xeon Silver 4116) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	110	118	--	--



Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei 2288H V5 (Intel Xeon Silver 4116) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	110	117	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei CH121 V5 (Intel Xeon Silver 4116) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	110	117	--	--
Huawei	Huawei CH121 V5 (Intel Xeon Gold 5122) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	57.1	60.6	--	--
Huawei	Huawei 2288H V5 (Intel Xeon Gold 5122) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	57.2	60.6	--	--
Huawei	Huawei 1288H V5 (Intel Xeon Gold 5122) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	57.1	60.4	--	--
Huawei	Huawei 1288H V5 (Intel Xeon Platinum 8160) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	225	243	--	--
Huawei	Huawei 2288H V5 (Intel Xeon Platinum 8160) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	226	242	--	--
Huawei	Huawei CH121 V5 (Intel Xeon Platinum 8160) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	225	242	--	--
Huawei	Huawei 1288H V5 (Intel Xeon Gold 6134) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	111	118	--	--
Huawei	Huawei CH121 V5 (Intel Xeon Gold 6134) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	110	117	--	--
Huawei	Huawei 2288H V5 (Intel Xeon Gold 6134) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	110	117	--	--
Huawei	Huawei CH121 V5 (Intel Xeon Gold 5118) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	122	130	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei 2288H V5 (Intel Xeon Gold 5118) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	121	129	--	--
Huawei	Huawei 1288H V5 (Intel Xeon Gold 5118) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	121	129	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei 2288H V5 (Intel Xeon Gold 5120) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	138	147	--	--
Huawei	Huawei 1288H V5 (Intel Xeon Gold 5120) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	137	147	--	--
Huawei	Huawei CH121 V5 (Intel Xeon Gold 5120) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	137	146	--	--
Huawei	Huawei 1288H V5 (Intel Xeon Gold 6140) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	186	199	--	--
Huawei	Huawei 2288H V5 (Intel Xeon Gold 6140) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	184	198	--	--
Huawei	Huawei CH121 V5 (Intel Xeon Gold 6140) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	185	198	--	--
Huawei	Huawei 1288H V5 (Intel Xeon Gold 6142) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	179	191	--	--
Huawei	Huawei 2288H V5 (Intel Xeon Gold 6142) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	178	189	--	--
Huawei	Huawei CH121 V5 (Intel Xeon Gold 6142) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	177	189	--	--
Huawei	Huawei 2288H V5 (Intel Xeon Platinum 8153) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	145	155	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei 1288H V5 (Intel Xeon Platinum 8153) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	142	152	--	--
Huawei	Huawei CH121 V5 (Intel Xeon Platinum 8153) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	143	153	--	--
Huawei	Huawei 2288H V5 (Intel Xeon Platinum 8156) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	57.1	60.6	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei 1288H V5 (Intel Xeon Platinum 8156) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	57.0	60.4	--	--
Huawei	Huawei CH121 V5 (Intel Xeon Platinum 8156) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	57.1	60.4	--	--
Huawei	Huawei 1288H V5 (Intel Xeon Bronze 3104) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	12	2	1	33.8	35.3	--	--
Huawei	Huawei 2288H V5 (Intel Xeon Bronze 3104) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	12	2	1	33.8	35.3	--	--
Huawei	Huawei CH121 V5 (Intel Xeon Bronze 3104) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	12	2	1	33.8	35.3	--	--
Huawei	Huawei 1288H V5 (Intel Xeon Platinum 8170) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	241	260	--	--
Huawei	Huawei CH121 V5 (Intel Xeon Platinum 8170) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	236	255	--	--
Huawei	Huawei 2288H V5 (Intel Xeon Platinum 8170) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	242	260	--	--
Huawei	Huawei 2288H V5 (Intel Xeon Platinum 8168) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	257	280	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei 1288H V5 (Intel Xeon Platinum 8168) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	255	275	--	--
Huawei	Huawei CH121 V5 (Intel Xeon Platinum 8168) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	253	274	--	--
Huawei	Huawei 2288H V5 (Intel Xeon Gold 5115) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	105	112	--	--
Huawei	Huawei 1288H V5 (Intel Xeon Gold 5115) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	103	110	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei CH121 V5 (Intel Xeon Gold 5115) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	104	111	--	--
Huawei	Huawei 1288H V5 (Intel Xeon Gold 6128) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	24	12	2	2	85.4	90.4	--	--
Huawei	Huawei 2288H V5 (Intel Xeon Gold 6128) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	24	12	2	2	85.1	90.4	--	--
Huawei	Huawei CH121 V5 (Intel Xeon Gold 6128) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	24	12	2	2	85.2	90.5	--	--
Huawei	Huawei CH121 V5 (Intel Xeon Silver 4110) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	74.9	79.6	--	--
Huawei	Huawei 2288H V5 (Intel Xeon Silver 4110) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	74.4	79.0	--	--
Huawei	Huawei 1288H V5 (Intel Xeon Silver 4110) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	74.3	78.8	--	--
Huawei	Huawei 5288 V5 (Intel Xeon Gold 6140) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	187	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei XH321 V5 (Intel Xeon Gold 6150) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	200	213	--	--
Huawei	Huawei XH321 V5 (Intel Xeon Gold 6136) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	149	158	--	--
Huawei	Huawei 5288 V5 (Intel Xeon Gold 5120) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	136	145	--	--
Huawei	Huawei XH321 V5 (Intel Xeon Gold 6134) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	109	116	--	--
Huawei	Huawei XH321 V5 (Intel Xeon Gold 6152) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	88	44	2	2	205	219	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei 5288 V5 (Intel Xeon Gold 6138) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	185	197	--	--
Huawei	Huawei XH321 V5 (Intel Xeon Gold 6142) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	176	187	--	--
Huawei	Huawei XH321 V5 (Intel Xeon Gold 6144) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	115	123	--	--
Huawei	Huawei XH321 V5 (Intel Xeon Platinum 8164) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	230	246	--	--
Huawei	Huawei XH321 V5 (Intel Xeon Platinum 8170) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	239	256	--	--
Huawei	Huawei 5288 V5 (Intel Xeon Platinum 8153) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	143	151	--	--
Huawei	Huawei 5288 V5 (Intel Xeon Platinum 8180) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	286	308	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei CH242 V5 (Intel Xeon Gold 6148) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	160	80	4	2	400	429	--	--
Huawei	Huawei XH321 V5 (Intel Xeon Platinum 8160) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	221	236	--	--
Huawei	Huawei CH242 V5 (Intel Xeon Gold 6152) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	176	88	4	2	414	443	--	--
Huawei	Huawei XH321 V5 (Intel Xeon Platinum 8176) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	248	267	--	--
Huawei	Huawei XH321 V5 (Intel Xeon Gold 6126) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	141	149	--	--
Huawei	Huawei XH321 V5 (Intel Xeon Platinum 8180) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	278	300	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei XH321 V5 (Intel Xeon Gold 6154) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	210	226	--	--
Huawei	Huawei XH321 V5 (Intel Xeon Gold 6140) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	185	198	--	--
Huawei	Huawei 5885H V5 (Intel Xeon Gold 6142) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	356	Not Run	--	--
Huawei	Huawei XH321 V5 (Intel Xeon Platinum 8168) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	259	277	--	--
Huawei	Huawei XH321 V5 (Intel Xeon Gold 6128) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	24	12	2	2	83.8	89.3	--	--
Huawei	Huawei XH321 V5 (Intel Xeon Gold 6130) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	162	173	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei XH321 V5 (Intel Xeon Gold 6132) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	159	170	--	--
Huawei	Huawei XH321 V5 (Intel Xeon Gold 6138) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	183	195	--	--
Huawei	Huawei 2488 V5 (Intel Xeon Gold 6134) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	4	2	215	Not Run	--	--
Huawei	Huawei 2488H V5 (Intel Xeon Gold 6138) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	160	80	4	2	383	Not Run	--	--
Huawei	Huawei 5885H V5 (Intel Xeon Gold 6138) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	160	80	4	2	384	Not Run	--	--
Huawei	Huawei 5288 V5 (Intel Xeon Platinum 8168) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	261	280	--	--
Huawei	KunLun 9016 (Intel Xeon E7-8890 v4) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	768	384	16	2	1250	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei XH321 V5 (Intel Xeon Platinum 8158) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	148	157	--	--
Huawei	Huawei XH321 V5 (Intel Xeon Gold 6148) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	203	216	--	--
Huawei	Huawei CH242 V5 (Intel Xeon Gold 6154) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	420	451	--	--
Huawei	Huawei CH242 V5 (Intel Xeon Gold 6140) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	364	390	--	--
Huawei	Huawei 5288 V5 (Intel Xeon Platinum 8170) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	242	260	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei CH121 V5 (Intel Xeon Platinum 8170) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	241	259	--	--
Huawei	Huawei 5288 V5 (Intel Xeon Platinum 8164) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	234	252	--	--
Huawei	Huawei 2288H V5 (Intel Xeon Platinum 8164) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	232	250	--	--
Huawei	Huawei 1288H V5 (Intel Xeon Platinum 8164) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	232	250	--	--
Huawei	Huawei CH121 V5 (Intel Xeon Platinum 8164) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	232	250	--	--
Huawei	KunLun 9008 (Intel Xeon E7-4850 v4) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	256	128	8	2	437	Not Run	--	--
Huawei	KunLun 9008 (Intel Xeon E7-8890 v4) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	384	192	8	2	632	Not Run	--	--
Huawei	KunLun 9016 (Intel Xeon E7-4850 v4) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	512	256	16	2	867	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei CH242 V5 (Intel Xeon Gold 6126) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	271	289	--	--
Huawei	Huawei CH242 V5 (Intel Xeon Gold 6138) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	160	80	4	2	359	382	--	--
Huawei	Huawei XH321 V5 (Intel Xeon Gold 5120) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	135	144	--	--
Huawei	Huawei XH321 V5 (Intel Xeon Platinum 8153) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	142	151	--	--



Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei CH242 V5 (Intel Xeon Gold 6132) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	4	2	311	333	--	--
Huawei	Huawei CH242 V5 (Intel Xeon Gold 6134) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	4	2	213	226	--	--
Huawei	Huawei 5288 V5 (Intel Xeon Platinum 8160) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	224	240	--	--
Huawei	Huawei CH242 V5 (Intel Xeon Gold 6130) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	322	Not Run	--	--
Huawei	Huawei XH321 V5 (Intel Xeon Gold 5115) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	102	109	--	--
Huawei	Huawei XH321 V5 (Intel Xeon Platinum 8156) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	56.5	60.1	--	--
Huawei	Huawei 5885H V5 (Intel Xeon Gold 5120) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	4	2	269	288	--	--
Huawei	Huawei 5885H V5 (Intel Xeon Gold 5122) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	4	2	111	118	--	--
Huawei	Huawei 5885H V5 (Intel Xeon Gold 6126) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	283	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei 5885H V5 (Intel Xeon Gold 6130) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	322	Not Run	--	--
Huawei	Huawei 5885H V5 (Intel Xeon Gold 6136) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	303	323	--	--
Huawei	Huawei 5885H V5 (Intel Xeon Gold 6140M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	368	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei 8100 V5 (Intel Xeon Platinum 8153) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	256	128	8	2	551	Not Run	--	--
Huawei	Huawei 8100 V5 (Intel Xeon Platinum 8160) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	384	192	8	2	900	Not Run	--	--
Huawei	Huawei 9008 V5 (Intel Xeon Platinum 8153) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	256	128	8	2	554	Not Run	--	--
Huawei	Huawei 9008 V5 (Intel Xeon Platinum 8160) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	384	192	8	2	904	Not Run	--	--
Huawei	Huawei 2488H V5 (Intel Xeon Gold 5120) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	4	2	269	Not Run	--	--
Huawei	Huawei 2488H V5 (Intel Xeon Gold 5122) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	4	2	111	118	--	--
Huawei	Huawei 2488H V5 (Intel Xeon Gold 6126) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	283	Not Run	--	--
Huawei	Huawei 2488H V5 (Intel Xeon Gold 6130) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	323	Not Run	--	--
Huawei	Huawei 2488H V5 (Intel Xeon Gold 6136) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	292	311	--	--
Huawei	Huawei 2488H V5 (Intel Xeon Gold 6140M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	369	Not Run	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei 2488H V5 (Intel Xeon Gold 6142) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	358	Not Run	--	--
Huawei	Huawei CH242 V5 (Intel Xeon Gold 6136) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	294	314	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei 2488H V5 (Intel Xeon Gold 6134) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	4	2	217	Not Run	--	--
Huawei	Huawei 2488H V5 (Intel Xeon Gold 6150) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	411	434	--	--
Huawei	Huawei 5885H V5 (Intel Xeon Gold 6134) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	4	2	217	231	--	--
Huawei	Huawei 2488H V5 (Intel Xeon Platinum 8160) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	96	4	2	463	Not Run	--	--
Huawei	Huawei 5885H V5 (Intel Xeon Gold 6150) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	412	434	--	--
Huawei	Huawei 5885H V5 (Intel Xeon Platinum 8160) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	96	4	2	460	489	--	--
Huawei	Huawei CH242 V5 (Intel Xeon Gold 6150) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	395	423	--	--
Huawei	Huawei 1288H V5 (Intel Xeon Silver 4114) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	94.2	101	--	--
Huawei	Huawei XH321 V5 (Intel Xeon Silver 4114) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	92.4	98.3	--	--
Huawei	Huawei XH321 V5 (Intel Xeon Gold 6146) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	159	169	--	--
Huawei	Huawei 2288H V5 (Intel Xeon Gold 6154) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	217	232	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei 1288H V5 (Intel Xeon Gold 6154) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	215	231	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/ Core	Base	Peak	Base	Peak
Huawei	Huawei 5288 V5 (Intel Xeon Gold 6154) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	215	231	--	--
Huawei	Huawei CH121 V5 (Intel Xeon Gold 6154) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	214	230	--	--
Huawei	Huawei XH321 V5 (Intel Xeon Silver 4116) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	109	116	--	--
Huawei	Huawei XH321 V5 (Intel Xeon Gold 5118) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	121	129	--	--
Huawei	Huawei CH242 V5 (Intel Xeon Gold 6142) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	349	374	--	--
Huawei	Huawei CH242 V5 (Intel Xeon Platinum 8156) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	4	2	110	117	--	--
Huawei	Huawei 2288H V5 (Intel Xeon Platinum 8176) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	252	271	--	--
Huawei	Huawei 1288H V5 (Intel Xeon Platinum 8176) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	250	269	--	--
Huawei	Huawei 5288 V5 (Intel Xeon Platinum 8176) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	250	269	--	--
Huawei	Huawei CH121 V5 (Intel Xeon Platinum 8176) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	250	269	--	--
Huawei	Huawei 2288H V5 (Intel Xeon Platinum 8158) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	151	160	--	--
Huawei	Huawei 1288H V5 (Intel Xeon Platinum 8158) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	149	159	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/ Core	Base	Peak	Base	Peak

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei 5288 V5 (Intel Xeon Platinum 8158) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	150	159	--	--
Huawei	Huawei CH121 V5 (Intel Xeon Platinum 8158) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	148	158	--	--
Huawei	Huawei XH321 V5 (Intel Xeon Bronze 3104) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	12	2	1	33.1	34.6	--	--
Huawei	Huawei XH321 V5 (Intel Xeon Silver 4108) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	65.3	69.7	--	--
Huawei	Huawei CH242 V5 (Intel Xeon Gold 5115) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	4	2	196	211	--	--
Huawei	Huawei CH242 V5 (Intel Xeon Platinum 8180) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	548	593	--	--
Huawei	Huawei 5288 V5 (Intel Xeon Platinum 8156) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	57.0	60.3	--	--
Huawei	Huawei 2288H V5 (Intel Xeon Gold 6146) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	159	165	--	--
Huawei	Huawei XH321 V5 (Intel Xeon Silver 4110) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	72.6	77.9	--	--
Huawei	Huawei XH321 V5 (Intel Xeon Silver 4112) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	43.7	46.6	--	--
Huawei	Huawei XH321 V5 (Intel Xeon Gold 5120T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	135	143	--	--
Huawei	Huawei XH321 V5 (Intel Xeon Gold 6130T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	163	173	--	--
Huawei	Huawei CH121 V5 (Intel Xeon Bronze 3106) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	16	2	1	44.0	46.1	--	--

Test Sponsor

System Name

Base

Processor

Results

Energy

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
		Copies	Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei 1288H V5 (Intel Xeon Bronze 3106) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	16	2	1	44.2	46.1	--	--
Huawei	Huawei 2288H V5 (Intel Xeon Bronze 3106) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	16	2	1	44.2	46.2	--	--
Huawei	Huawei 5288 V5 (Intel Xeon Bronze 3106) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	16	2	1	44.2	46.2	--	--
Huawei	Huawei 2288 V5 (Intel Xeon Gold 6130T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	159	169	--	--
Huawei	Huawei 2288 V5 (Intel Xeon Silver 4116) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	108	115	--	--
Huawei	Huawei 1288H V5 (Intel Xeon Gold 6146) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	159	169	--	--
Huawei	Huawei 5288 V5 (Intel Xeon Gold 6146) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	157	167	--	--
Huawei	Huawei CH121 V5 (Intel Xeon Gold 6146) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	157	167	--	--
Huawei	Huawei 1288H V5 (Intel Xeon Platinum 8170M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	244	264	--	--
Huawei	Huawei 2288H V5 (Intel Xeon Platinum 8170M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	246	265	--	--
Huawei	Huawei 5288 V5 (Intel Xeon Platinum 8170M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	244	263	--	--
Huawei	Huawei CH121 V5 (Intel Xeon Platinum 8170M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	244	264	--	--
Huawei	Huawei XH321 V5 (Intel Xeon Bronze 3106) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	16	2	1	44.6	46.4	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei CH242 V5 (Intel Xeon Gold 5120) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	4	2	265	284	--	--
Huawei	Huawei CH242 V5 (Intel Xeon Platinum 8176) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	490	527	--	--
Huawei	Huawei 9008 V5 (Intel Xeon Platinum 8170) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	416	208	8	2	962	1030	--	--
Huawei	Huawei 9008 V5 (Intel Xeon Platinum 8180) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	448	224	8	2	1180	Not Run	--	--
Huawei	Huawei 9008 V5 (Intel Xeon Platinum 8180M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	448	224	8	2	1120	Not Run	--	--
Huawei	Huawei XH321 V5 (Intel Xeon Silver 4109T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	70.0	74.8	--	--
Huawei	Huawei CH242 V5 (Intel Xeon Gold 5122) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	4	2	110	117	--	--
Huawei	Huawei CH242 V5 (Intel Xeon Platinum 8160) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	96	4	2	429	459	--	--
Huawei	Huawei 1288H V5 (Intel Xeon Gold 6152) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	88	44	2	2	202	216	--	--
Huawei	Huawei 2288H V5 (Intel Xeon Gold 6152) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	88	44	2	2	204	217	--	--
Huawei	Huawei 5288 V5 (Intel Xeon Gold 6152) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	88	44	2	2	201	216	--	--
Huawei	Huawei CH121 V5 (Intel Xeon Gold 6152) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	88	44	2	2	201	216	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei CH121 V5 (Intel Xeon Silver 4114) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	94.0	101	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei 2288H V5 (Intel Xeon Silver 4114) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	93.3	99.2	--	--
Huawei	Huawei 5288 V5 (Intel Xeon Silver 4114) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	93.0	99.1	--	--
Huawei	Huawei 2488 V5 (Intel Xeon Gold 5118) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	239	250	--	--
Huawei	Huawei 2488 V5 (Intel Xeon Gold 5122) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	4	2	112	118	--	--
Huawei	Huawei 2488H V5 (Intel Xeon Gold 5118) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	240	256	--	--
Huawei	Huawei 5885H V5 (Intel Xeon Gold 5118) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	239	256	--	--
Huawei	Huawei 2488H V5 (Intel Xeon Gold 6130T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	328	345	--	--
Huawei	Huawei 5885H V5 (Intel Xeon Gold 6130T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	328	348	--	--
Huawei	Huawei 2488H V5 (Intel Xeon Gold 6132) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	4	2	325	349	--	--
Huawei	Huawei 5885H V5 (Intel Xeon Gold 6132) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	4	2	326	347	--	--
Huawei	Huawei 2488H V5 (Intel Xeon Gold 6140) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	384	405	--	--



Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei 5885H V5 (Intel Xeon Gold 6140) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	385	406	--	--
Huawei	Huawei CH242 V5 (Intel Xeon Platinum 8153) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	280	299	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei CH242 V5 (Intel Xeon Platinum 8164) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	208	104	4	2	454	487	--	--
Huawei	Huawei CH242 V5 (Intel Xeon Platinum 8168) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	96	4	2	509	550	--	--
Huawei	Huawei 5885H V5 (Intel Xeon Gold 6128) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	4	2	165	176	--	--
Huawei	Huawei 5885H V5 (Intel Xeon Gold 6154) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	445	468	--	--
Huawei	Huawei 5885H V5 (Intel Xeon Platinum 8153) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	285	300	--	--
Huawei	Huawei 5885H V5 (Intel Xeon Platinum 8170) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	208	104	4	2	491	522	--	--
Huawei	Huawei 5885H V5 (Intel Xeon Platinum 8180) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	592	634	--	--
Huawei	Huawei 2488H V5 (Intel Xeon Gold 6128) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	4	2	165	176	--	--
Huawei	Huawei 2488H V5 (Intel Xeon Gold 6154) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	444	467	--	--
Huawei	Huawei 2488H V5 (Intel Xeon Platinum 8153) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	285	297	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei 2488H V5 (Intel Xeon Platinum 8170) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	208	104	4	2	490	521	--	--
Huawei	Huawei 1288H V5 (Intel Xeon Gold 6130T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	164	175	--	--
Huawei	Huawei 2288H V5 (Intel Xeon Gold 6130T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	165	176	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei 5288 V5 (Intel Xeon Gold 5122) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	57.0	60.2	--	--
Huawei	Huawei 5288 V5 (Intel Xeon Gold 6130T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	163	174	--	--
Huawei	Huawei CH121 V5 (Intel Xeon Gold 6130T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	163	175	--	--
Huawei	Huawei 1288H V5 (Intel Xeon Gold 6144) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	116	123	--	--
Huawei	Huawei 2288H V5 (Intel Xeon Gold 6144) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	116	124	--	--
Huawei	Huawei 5288 V5 (Intel Xeon Gold 6144) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	115	122	--	--
Huawei	Huawei CH121 V5 (Intel Xeon Gold 6144) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	115	122	--	--
Huawei	Huawei CH242 V5 (Intel Xeon Gold 5118) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	233	251	--	--
Huawei	Huawei CH121 V5 (Intel Xeon Silver 4112) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	44.1	46.8	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei 1288H V5 (Intel Xeon Silver 4112) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	44.0	46.8	--	--
Huawei	Huawei 2288H V5 (Intel Xeon Silver 4112) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	43.9	46.6	--	--
Huawei	Huawei 5288 V5 (Intel Xeon Silver 4112) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	44.1	46.8	--	--
Huawei	Huawei 5288 V5 (Intel Xeon Gold 6128) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	24	12	2	2	84.2	89.4	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei 5288 V5 (Intel Xeon Silver 4116) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	110	117	--	--
Huawei	Huawei CH121 V5 (Intel Xeon Silver 4108) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	65.5	69.9	--	--
Huawei	Huawei 1288H V5 (Intel Xeon Silver 4108) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	65.7	69.6	--	--
Huawei	Huawei 2288H V5 (Intel Xeon Silver 4108) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	65.1	69.0	--	--
Huawei	Huawei 5288 V5 (Intel Xeon Silver 4108) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	64.9	68.9	--	--
Huawei	Huawei 2288 V5 (Intel Xeon Gold 5118 ) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	116	123	--	--
Huawei	Huawei 2288 V5 (Intel Xeon Platinum 8180) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	282	302	--	--
Huawei	Huawei 2288 V5 (Intel Xeon Gold 5122) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	55.7	58.8	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei 2288 V5 (Intel Xeon Gold 6130) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	159	167	--	--
Huawei	Huawei 2288 V5 (Intel Xeon Gold 6154) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	208	223	--	--
Huawei	Huawei 2288 V5 (Intel Xeon Platinum 8156) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	55.5	58.7	--	--
Huawei	Huawei 5288 V5 (Intel Xeon Gold 6126) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	141	150	--	--
Huawei	Huawei 5288 V5 (Intel Xeon Gold 6132) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	162	173	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei 2288 V5 (Intel Xeon Gold 6134) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	108	114	--	--
Huawei	Huawei 2288 V5 (Intel Xeon Gold 6132) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	157	164	--	--
Huawei	Huawei 2288 V5 (Intel Xeon Gold 6136) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	149	155	--	--
Huawei	Huawei 2288 V5 (Intel Xeon Gold 6140) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	184	196	--	--
Huawei	Huawei 2288 V5 (Intel Xeon Gold 6142) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	175	186	--	--
Huawei	Huawei 2288 V5 (Intel Xeon Gold 6150) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	199	213	--	--
Huawei	Huawei 2288 V5 (Intel Xeon Gold 6152) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	88	44	2	2	201	215	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei CH121 V5 (Intel Xeon Gold 6150) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	198	213	--	--
Huawei	Huawei 5288 V5 (Intel Xeon Gold 6150) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	198	213	--	--
Huawei	Huawei 2288H V5 (Intel Xeon Gold 6150) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	201	215	--	--
Huawei	Huawei 1288H V5 (Intel Xeon Gold 6150) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	199	213	--	--
Huawei	Huawei 5288 V5 (Intel Xeon Gold 5118) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	121	130	--	--
Huawei	Huawei 5288 V5 (Intel Xeon Gold 6136) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	151	161	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei 2288 V5 (Intel Xeon Gold 6126) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	138	143	--	--
Huawei	Huawei 2288 V5 (Intel Xeon Gold 6138) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	183	196	--	--
Huawei	Huawei 5288 V5 (Intel Xeon Silver 4110) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	73.9	78.6	--	--
Huawei	Huawei 5288 V5 (Intel Xeon Bronze 3104) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	12	2	1	33.5	34.9	--	--
Huawei	Huawei 5288 V5 (Intel Xeon Gold 6148) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	217	231	--	--
Huawei	Huawei CH225 V5 (Intel Xeon Gold 6152) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	88	44	2	2	209	223	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei CH225 V5 (Intel Xeon Platinum 8156) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	57.2	60.6	--	--
Huawei	Huawei CH225 V5 (Intel Xeon Platinum 8168) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	260	278	--	--
Huawei	Huawei CH225 V5 (Intel Xeon Platinum 8180) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	279	299	--	--
Huawei	Huawei CH225 V5 (Intel Xeon Gold 5122) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	57.3	60.3	--	--
Huawei	Huawei CH225 V5 (Intel Xeon Gold 6138) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	183	194	--	--
Huawei	Huawei 2288 V5 (Intel Xeon Platinum 8164) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	230	246	--	--
Huawei	Huawei 2288 V5 (Intel Xeon Platinum 8153) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	142	150	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei 2288 V5 (Intel Xeon Gold 6144) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	117	125	--	--
Huawei	Huawei 2288 V5 (Intel Xeon Gold 6128) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	24	12	2	2	83.6	88.9	--	--
Huawei	Huawei 2288 V5 (Intel Xeon Silver 4114) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	95.0	101	--	--
Huawei	Huawei 2288 V5 (Intel Xeon Silver 4112) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	44.3	47.0	--	--
Huawei	Huawei 2288 V5 (Intel Xeon Bronze 3106) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	16	2	1	44.8	46.7	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei 5288 V5 (Intel Xeon Gold 5115) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	103	110	--	--
Huawei	Huawei 2488 V5 (Intel Xeon Gold 6136) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	310	324	--	--
Huawei	Huawei 2488 V5 (Intel Xeon Gold 5115) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	4	2	202	214	--	--
Huawei	Huawei 2488 V5 (Intel Xeon Gold 6140) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	382	404	--	--
Huawei	Huawei 2488 V5 (Intel Xeon Gold 5120) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	4	2	268	281	--	--
Huawei	Huawei 2488 V5 (Intel Xeon Gold 6142) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	334	355	--	--
Huawei	Huawei 2488 V5 (Intel Xeon Gold 6126) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	286	299	--	--
Huawei	Huawei 2488 V5 (Intel Xeon Gold 6148) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	160	80	4	2	427	454	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei 2488 V5 (Intel Xeon Gold 6128) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	4	2	164	175	--	--
Huawei	Huawei 2488 V5 (Intel Xeon Gold 6152) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	176	88	4	2	425	458	--	--
Huawei	Huawei 2488 V5 (Intel Xeon Gold 6132) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	4	2	325	343	--	--
Huawei	Huawei 2488 V5 (Intel Xeon Gold 6154) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	411	437	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei 2488 V5 (Intel Xeon Gold 6134M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	4	2	218	229	--	--
Huawei	Huawei 2488 V5 (Intel Xeon Platinum 8156) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	4	2	111	118	--	--
Huawei	Huawei 2488H V5 (Intel Xeon Gold 5115) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	4	2	201	220	--	--
Huawei	Huawei 2488 V5 (Intel Xeon Platinum 8158) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	310	324	--	--
Huawei	Huawei 2488H V5 (Intel Xeon Gold 6134M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	4	2	222	236	--	--
Huawei	Huawei 5885H V5 (Intel Xeon Gold 5115) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	4	2	206	220	--	--
Huawei	Huawei 2488H V5 (Intel Xeon Gold 6142M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	352	375	--	--
Huawei	Huawei 5885H V5 (Intel Xeon Gold 6134M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	4	2	223	236	--	--
Huawei	Huawei 2488H V5 (Intel Xeon Gold 6152) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	176	88	4	2	402	Not Run	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei 5885H V5 (Intel Xeon Gold 6142M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	355	375	--	--
Huawei	Huawei 2488H V5 (Intel Xeon Platinum 8156) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	4	2	114	121	--	--
Huawei	Huawei 5885H V5 (Intel Xeon Gold 6152) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	176	88	4	2	401	Not Run	--	--



Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei 2488H V5 (Intel Xeon Platinum 8158) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	313	335	--	--
Huawei	Huawei 5885H V5 (Intel Xeon Platinum 8156) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	4	2	114	121	--	--
Huawei	Huawei 2488H V5 (Intel Xeon Platinum 8168) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	96	4	2	540	578	--	--
Huawei	Huawei 5885H V5 (Intel Xeon Platinum 8158) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	314	335	--	--
Huawei	Huawei 2488H V5 (Intel Xeon Platinum 8176) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	541	580	--	--
Huawei	Huawei 5885H V5 (Intel Xeon Platinum 8168) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	96	4	2	543	577	--	--
Huawei	Huawei 9008 V5 (Intel Xeon Gold 6154) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	441	469	--	--
Huawei	Huawei 5885H V5 (Intel Xeon Platinum 8176) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	542	580	--	--
Huawei	Huawei 9008 V5 (Intel Xeon Platinum 8168) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	384	192	8	2	1050	1130	--	--
Huawei	Huawei 9008 V5 (Intel Xeon Platinum 8158) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	96	8	2	615	646	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei 9008 V5 (Intel Xeon Platinum 8176) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	448	224	8	2	1050	1130	--	--
Huawei	Huawei 9008 V5 (Intel Xeon Platinum 8160M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	384	192	8	2	926	990	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei 9008 V5 (Intel Xeon Platinum 8176M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	448	224	8	2	1030	1120	--	--
Huawei	Huawei 2488H V5 (Intel Xeon Platinum 8176M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	533	577	--	--
Huawei	Huawei 5885H V5 (Intel Xeon Platinum 8176M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	534	580	--	--
Huawei	Huawei 1288H V5 (Intel Xeon Gold 5120T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	135	144	--	--
Huawei	Huawei 2288H V5 (Intel Xeon Gold 5120T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	136	145	--	--
Huawei	Huawei 5288 V5 (Intel Xeon Gold 5120T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	137	146	--	--
Huawei	Huawei CH121 V5 (Intel Xeon Gold 5120T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	135	144	--	--
Huawei	Huawei 5288 V5 (Intel Xeon Gold 6134) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	111	117	--	--
Huawei	Huawei 5288 V5 (Intel Xeon Gold 6142) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	178	189	--	--
Huawei	Huawei 2288 V5 (Intel Xeon Silver 4108) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	66.3	70.2	--	--
Huawei	Huawei 2288 V5 (Intel Xeon Silver 4109T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	71.5	75.9	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei 2288 V5 (Intel Xeon Silver 4110) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	73.8	78.6	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei 2288 V5 (Intel Xeon Gold 5115) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	104	111	--	--
Huawei	Huawei 2288 V5 (Intel Xeon Gold 5120) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	135	144	--	--
Huawei	Huawei 1288H V5 (Intel Xeon Gold 6140M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	188	201	--	--
Huawei	Huawei 2288H V5 (Intel Xeon Gold 6140M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	191	204	--	--
Huawei	Huawei 5288 V5 (Intel Xeon Gold 6140M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	187	200	--	--
Huawei	Huawei CH121 V5 (Intel Xeon Gold 6140M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	188	201	--	--
Huawei	Huawei CH225 V5 (Intel Xeon Silver 4108) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	66.0	70.3	--	--
Huawei	Huawei CH225 V5 (Intel Xeon Silver 4112) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	44.4	47.0	--	--
Huawei	Huawei CH225 V5 (Intel Xeon Gold 6130) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	162	172	--	--
Huawei	Huawei 2488H V5 (Intel Xeon Platinum 8160M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	96	4	2	481	512	--	--
Huawei	Huawei 5885H V5 (Intel Xeon Platinum 8160M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	96	4	2	478	511	--	--
Huawei	Huawei CH225 V5 (Intel Xeon Bronze 3106) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	16	2	1	44.5	46.7	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei CH225 V5 (Intel Xeon Silver 4114) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	95.2	101	--	--
Huawei	Huawei 2488H V5 (Intel Xeon Gold 6148) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	160	80	4	2	430	465	--	--
Huawei	Huawei 2488 V5 (Intel Xeon Gold 6150) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	414	439	--	--
Huawei	Huawei 5885H V5 (Intel Xeon Gold 6148) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	160	80	4	2	430	465	--	--
Huawei	Huawei 1288H V5 (Intel Xeon Silver 4109T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	71.5	75.9	--	--
Huawei	Huawei 2288H V5 (Intel Xeon Silver 4109T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	71.4	75.9	--	--
Huawei	Huawei 5288 V5 (Intel Xeon Silver 4109T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	71.3	75.7	--	--
Huawei	Huawei CH121 V5 (Intel Xeon Silver 4109T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	71.3	75.8	--	--
Huawei	Huawei CH225 V5 (Intel Xeon Silver 4110) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	74.0	78.6	--	--
Huawei	Huawei CH225 V5 (Intel Xeon Gold 6126) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	141	149	--	--
Huawei	Huawei CH225 V5 (Intel Xeon Gold 6128) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	24	12	2	2	84.6	89.2	--	--
Huawei	Huawei CH225 V5 (Intel Xeon Gold 5115) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	102	109	--	--
Huawei	Huawei CH225 V5 (Intel Xeon Gold 5120) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	136	146	--	--

Test Sponsor

System Name

Base

Processor

Results

Energy

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
		Copies	Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei CH225 V5 (Intel Xeon Bronze 3104) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	12	2	1	33.4	35.1	--	--
Huawei	Huawei CH225 V5 (Intel Xeon Gold 5118) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	121	128	--	--
Huawei	Huawei CH225 V5 (Intel Xeon Silver 4116) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	109	117	--	--
Huawei	Huawei CH225 V5 (Intel Xeon Gold 6136) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	152	162	--	--
Huawei	Huawei CH225 V5 (Intel Xeon Platinum 8170) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	244	261	--	--
Huawei	Huawei CH225 V5 (Intel Xeon Gold 6154) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	217	232	--	--
Huawei	Huawei CH225 V5 (Intel Xeon Platinum 8176) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	253	270	--	--
Huawei	Huawei CH225 V5 (Intel Xeon Platinum 8153) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	143	152	--	--
Huawei	Huawei CH225 V5 (Intel Xeon Gold 6134) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	110	115	--	--
Huawei	Huawei CH225 V5 (Intel Xeon Gold 6148) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	208	221	--	--
Huawei	Huawei XH628 V5 (Intel Xeon Bronze 3104) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	12	2	1	33.2	34.9	--	--
Huawei	Huawei XH628 V5 (Intel Xeon Gold 5122) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	56.9	59.9	--	--
Huawei	Huawei XH628 V5 (Intel Xeon Bronze 3106) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	16	2	1	43.8	46.3	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei XH628 V5 (Intel Xeon Silver 4108) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	65.3	69.8	--	--
Huawei	Huawei XH628 V5 (Intel Xeon Gold 5115) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	103	110	--	--
Huawei	Huawei XH628 V5 (Intel Xeon Silver 4110) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	72.9	77.9	--	--
Huawei	Huawei XH628 V5 (Intel Xeon Gold 5118) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	121	129	--	--
Huawei	Huawei XH628 V5 (Intel Xeon Silver 4112) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	43.8	46.6	--	--
Huawei	Huawei XH628 V5 (Intel Xeon Gold 5120) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	135	144	--	--
Huawei	Huawei XH628 V5 (Intel Xeon Silver 4114) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	94.0	100	--	--
Huawei	Huawei XH628 V5 (Intel Xeon Silver 4116) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	107	115	--	--
Huawei	Huawei CH225 V5 (Intel Xeon Gold 6132) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	160	169	--	--
Huawei	Huawei CH225 V5 (Intel Xeon Gold 6140) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	188	200	--	--
Huawei	Huawei CH225 V5 (Intel Xeon Gold 6142) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	177	188	--	--
Huawei	Huawei 2288 V5 (Intel Xeon Bronze 3104) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	12	2	1	33.7	35.1	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei 2288 V5 (Intel Xeon Gold 5120T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	133	142	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei CH225 V5 (Intel Xeon Platinum 8158) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	150	158	--	--
Huawei	Huawei CH225 V5 (Intel Xeon Platinum 8164) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	235	250	--	--
Huawei	Huawei CH225 V5 (Intel Xeon Gold 6150) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	205	219	--	--
Huawei	Huawei CH225 V5 (Intel Xeon Platinum 8160) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	223	237	--	--
Huawei	Huawei 9008 V5 (Intel Xeon Gold 6134M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	4	2	216	226	--	--
Huawei	Huawei 9008 V5 (Intel Xeon Platinum 8156) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	8	2	222	236	--	--
Huawei	Huawei CH225 V5 (Intel Xeon Gold 6146) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	159	169	--	--
Huawei	Huawei XH628 V5 (Intel Xeon Gold 6126) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	136	144	--	--
Huawei	Huawei XH628 V5 (Intel Xeon Gold 6138) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	178	189	--	--
Huawei	Huawei XH628 V5 (Intel Xeon Gold 6128) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	24	12	2	2	84.1	88.7	--	--
Huawei	Huawei XH628 V5 (Intel Xeon Gold 6140) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	181	192	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei XH628 V5 (Intel Xeon Gold 6130) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	161	170	--	--
Huawei	Huawei XH628 V5 (Intel Xeon Gold 6142) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	172	183	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei XH628 V5 (Intel Xeon Gold 6132) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	157	166	--	--
Huawei	Huawei XH628 V5 (Intel Xeon Gold 6144) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	112	119	--	--
Huawei	Huawei XH628 V5 (Intel Xeon Gold 6134) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	107	113	--	--
Huawei	Huawei XH628 V5 (Intel Xeon Gold 6146) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	144	152	--	--
Huawei	Huawei XH628 V5 (Intel Xeon Gold 6136) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	150	158	--	--
Huawei	Huawei XH628 V5 (Intel Xeon Gold 6148) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	200	213	--	--
Huawei	Huawei 2488H V5 (Intel Xeon Gold 6146) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	337	360	--	--
Huawei	Huawei 5885H V5 (Intel Xeon Gold 6146) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	337	360	--	--
Huawei	Huawei XH628 V5 (Intel Xeon Gold 6150) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	200	213	--	--
Huawei	Huawei XH628 V5 (Intel Xeon Platinum 8160) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	220	235	--	--



Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei XH628 V5 (Intel Xeon Gold 6152) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	88	44	2	2	200	213	--	--
Huawei	Huawei XH628 V5 (Intel Xeon Platinum 8164) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	223	238	--	--
Huawei	Huawei XH628 V5 (Intel Xeon Platinum 8153) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	142	150	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei XH628 V5 (Intel Xeon Platinum 8170) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	234	250	--	--
Huawei	Huawei XH628 V5 (Intel Xeon Platinum 8156) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	57.0	60.2	--	--
Huawei	Huawei XH628 V5 (Intel Xeon Platinum 8176) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	248	265	--	--
Huawei	Huawei XH628 V5 (Intel Xeon Platinum 8158) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	150	159	--	--
Huawei	Huawei 2288H V5 (Intel Xeon Platinum 8280) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	359	Not Run	--	--
Huawei	Huawei CH121 V5 (Intel Xeon Platinum 8280) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	352	Not Run	--	--
Huawei	Huawei 1288H V5 (Intel Xeon Platinum 8280) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	1	2	178	Not Run	--	--
Huawei	Huawei CH121 V5 (Intel Xeon Platinum 8280) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	1	2	177	Not Run	--	--
Huawei	Huawei 2288H V5 (Intel Xeon Platinum 8280) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	1	2	181	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Huawei	Huawei 2488H V5 (Intel Xeon Platinum 8280) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	701	Not Run	--	--
Huawei	Huawei Kunlun 9008 V5 (Intel Xeon Platinum 8280) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	336	168	6	2	1040	Not Run	--	--
Huawei	Huawei Kunlun 9008 V5 (Intel Xeon Platinum 8280) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	448	224	8	2	1410	Not Run	--	--
IBM Corporation	IBM Power S924 (3.4 - 3.9 GHz, 24 core, SLES) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	24	2	8	213	277	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
IBM Corporation	IBM Power E950 (3.4 - 3.8 GHz, 40 core, SLES) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	320	40	4	8	392	475	--	--
Inspur Corporation	Inspur NF5280M4 (Intel Xeon E5-2698 v4) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	143	148	0	--
Inspur Corporation	Inspur NF5170M4 (Intel Xeon E5-2650 v4) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	105	112	--	--
Inspur Corporation	Inspur NF5280M5 (Intel Xeon Gold 6132) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	165	177	--	--
Inspur Corporation	Inspur NF5280M5 (Intel Xeon Gold 5120) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	136	145	--	--
Inspur Corporation	Inspur NF5280M5 (Intel Xeon Silver 4109T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	70.6	75.3	--	--
Inspur Corporation	Inspur NF5280M5 (Intel Xeon Silver 4114) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	92.6	99.9	--	--
Inspur Corporation	Inspur NF5280M5 (Intel Xeon Silver 4116) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	109	116	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Inspur Corporation	Inspur NF5280M5 (Intel Xeon Gold 5118) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	120	129	--	--
Inspur Corporation	Inspur NF5280M5 (Intel Xeon Gold 6140) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	194	208	--	--
Inspur Corporation	Inspur NF5280M5 (Intel Xeon Gold 6130) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	166	177	--	--
Inspur Corporation	Inspur NF5280M5 (Intel Xeon Platinum 8160) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	240	253	--	--
Inspur Corporation	Inspur NF5280M5 (Intel Xeon Platinum 8153) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	142	152	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Inspur Corporation	Inspur NF5280M5 (Intel Xeon Gold 6154) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	226	240	--	--
Inspur Corporation	Inspur NF5180M5 (Intel Xeon Gold 6126T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	143	150	--	--
Inspur Corporation	Inspur NF5280M5 (Intel Xeon Gold 6126T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	144	153	--	--
Inspur Corporation	Inspur NF8480M5 (Intel Xeon Platinum 8168) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	96	4	2	510	539	--	--
Inspur Corporation	Inspur NF5180M5 (Intel Xeon Gold 6132) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	163	171	--	--
Inspur Corporation	Inspur NF5180M5 (Intel Xeon Gold 6130) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	165	175	--	--
Inspur Corporation	Inspur NF5280M5 (Intel Xeon Silver 4110) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	71.8	76.9	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Inspur Corporation	Inspur NF5280M5 (Intel Xeon Gold 6132) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	162	171	--	--
Inspur Corporation	Inspur NF5280M5 (Intel Xeon Gold 6152) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	88	44	2	2	221	232	--	--
Inspur Corporation	Inspur NF5180M5 (Intel Xeon Gold 6152) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	88	44	2	2	216	231	--	--
Inspur Corporation	Inspur NF5280M5 (Intel Xeon Platinum 8180) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	300	323	--	--
Inspur Corporation	Inspur NF5180M5 (Intel Xeon Platinum 8160) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	240	258	--	--
Inspur Corporation	Inspur NF5280M5 (Intel Xeon Platinum 8164) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	248	265	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Inspur Corporation	Inspur NF5280M5 (Intel Xeon Platinum 8170) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	256	274	--	--
Inspur Corporation	Inspur NF5180M5 (Intel Xeon Platinum 8164) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	248	265	--	--
Inspur Corporation	Inspur NF5280M5 (Intel Xeon Platinum 8160) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	240	259	--	--
Inspur Corporation	Inspur NF5180M5 (Intel Xeon Platinum 8170) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	257	275	--	--
Inspur Corporation	Inspur NF5180M5 (Intel Xeon Platinum 8176) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	272	292	--	--
Inspur Corporation	Inspur NF5280M5 (Intel Xeon Platinum 8176) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	272	293	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Inspur Corporation	Inspur NF5280M5 (Intel Xeon Platinum 8170) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	257	276	--	--
Inspur Corporation	Inspur NF5180M5 (Intel Xeon Gold 6126T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	144	153	--	--
Inspur Corporation	Inspur NF5180M5 (Intel Xeon Gold 6140) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	193	207	--	--
Inspur Corporation	Inspur NF5180M5 (Intel Xeon Platinum 8153) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	143	151	--	--
Inspur Corporation	Inspur NF5280M5 (Intel Xeon Gold 6140) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	194	207	--	--
Inspur Corporation	Inspur NF5280M5 (Intel Xeon Platinum 8153) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	142	152	--	--
Inspur Corporation	Inspur NF5180M5 (Intel Xeon Gold 6154) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	226	242	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Inspur Corporation	Inspur NF5280M5 (Intel Xeon Gold 6154) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	226	242	--	--
Inspur Corporation	Inspur NF5280M5 (Intel Xeon Gold 6132) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	165	176	--	--
Inspur Corporation	Inspur NF5180M5 (Intel Xeon Gold 6132) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	165	176	--	--
Inspur Corporation	Inspur NF5280M5 (Intel Xeon Platinum 8168) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	273	295	--	--
Inspur Corporation	Inspur NF5180M5 (Intel Xeon Platinum 8168) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	274	294	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Inspur Corporation	Inspur NF5280M5 (Intel Xeon Gold 5120) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	136	145	--	--
Inspur Corporation	Inspur NF5180M5 (Intel Xeon Gold 5120) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	136	145	--	--
Inspur Corporation	Inspur NF5280M5 (Intel Xeon Gold 5122) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	55.8	59.1	--	--
Inspur Corporation	Inspur NF5180M5 (Intel Xeon Gold 5122) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	55.7	59.1	--	--
Inspur Corporation	Inspur TS860M5 (Intel Xeon Platinum 8170) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	416	208	8	2	963	1020	--	--
Inspur Corporation	Inspur NF5280M5 (Intel Xeon Gold 5118) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	120	128	--	--
Inspur Corporation	Inspur NF5180M5 (Intel Xeon Gold 5118) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	120	128	--	--
Inspur Corporation	Inspur NF5280M5 (Intel Xeon Silver 4116) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	109	116	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Inspur Corporation	Inspur NF5180M5 (Intel Xeon Silver 4116) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	109	116	--	--
Inspur Corporation	Inspur NF5270M5 (Intel Xeon Gold 6152) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	88	44	2	2	199	213	--	--
Inspur Corporation	Inspur NF5288M5 (Intel Xeon Gold 6152) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	88	44	2	2	201	216	--	--
Inspur Corporation	Inspur NF5486M5 (Intel Xeon Silver 4110) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	71.9	75.5	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Inspur Corporation	Inspur NF5288M5 (Intel Xeon Silver 4110) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	72.6	76.4	--	--
Inspur Corporation	Inspur NF5270M5 (Intel Xeon Silver 4110) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	72.5	76.0	--	--
Inspur Corporation	Inspur NF5270M5 (Intel Xeon Gold 5120) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	130	138	--	--
Inspur Corporation	Inspur NS5162M5 (Intel Xeon Gold 5120) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	129	138	--	--
Inspur Corporation	Inspur NF5288M5 (Intel Xeon Gold 6140) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	182	195	--	--
Inspur Corporation	Inspur NF5270M5 (Intel Xeon Gold 6140) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	182	195	--	--
Inspur Corporation	Inspur NS5162M5 (Intel Xeon Gold 6140) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	181	195	--	--
Inspur Corporation	Inspur NF5288M5 (Intel Xeon Platinum 8160) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	221	239	--	--
Inspur Corporation	Inspur NF5270M5 (Intel Xeon Platinum 8160) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	220	238	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Inspur Corporation	Inspur NF5270M5 (Intel Xeon Gold 6130) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	156	167	--	--
Inspur Corporation	Inspur NF5288M5 (Intel Xeon Gold 6126T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	139	147	--	--
Inspur Corporation	Inspur NF5288M5 (Intel Xeon Gold 6130) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	158	167	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Inspur Corporation	Inspur NF5270M5 (Intel Xeon Gold 6126T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	137	147	--	--
Intel Corporation	ASUS Z170M-PLUS Motherboard (Intel Core i7-6700K) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	23.5	Not Run	0	--
Intel Corporation	Intel S9200WK <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	96	2	2	558	Not Run	--	--
Intel Corporation	Intel S9200WK <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	2	2	628	Not Run	--	--
Lenovo Global Technology	ThinkSystem SR650 (2.50 GHz, Intel Xeon Platinum 8180) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	1	2	141	149	--	--
Lenovo Global Technology	ThinkSystem SR650 (2.50 GHz, Intel Xeon Platinum 8180) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	293	310	--	--
Lenovo Global Technology	ThinkSystem SR950 (2.50 GHz, Intel Xeon Platinum 8180) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	583	621	--	--
Lenovo Global Technology	ThinkSystem SR950 (2.50 GHz, Intel Xeon Platinum 8180) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	448	224	8	2	1160	1230	--	--
Lenovo Global Technology	ThinkSystem SR950 (2.30 GHz, Intel Xeon Gold 6140) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	385	408	--	--
Lenovo Global Technology	ThinkSystem SR950 (2.70 GHz, Intel Xeon Platinum 8168) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	96	4	2	533	564	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR950 (2.10 GHz, Intel Xeon Platinum 8170) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	208	104	4	2	498	527	--	--
Lenovo Global Technology	ThinkSystem SR950 (2.10 GHz, Intel Xeon Platinum 8170M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	208	104	4	2	497	528	--	--



Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/ Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR850 (2.30 GHz, Intel Xeon Gold 6140) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	369	392	--	--
Lenovo Global Technology	ThinkSystem SR650 (2.70 GHz, Intel Xeon Gold 6150) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	201	211	--	--
Lenovo Global Technology	ThinkSystem SR650 (2.10 GHz, Intel Xeon Gold 6152) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	88	44	2	2	207	218	--	--
Lenovo Global Technology	ThinkSystem SR650 (2.00 GHz, Intel Xeon Platinum 8164) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	244	258	--	--
Lenovo Global Technology	ThinkSystem SR650 (2.10 GHz, Intel Xeon Platinum 8170) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	241	255	--	--
Lenovo Global Technology	ThinkSystem SR630 (2.10 GHz, Intel Xeon Platinum 8160) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	222	234	--	--
Lenovo Global Technology	ThinkSystem SR630 (2.50 GHz, Intel Xeon Platinum 8180) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	286	304	--	--
Lenovo Global Technology	ThinkSystem SR530 (2.10 GHz, Intel Xeon Silver 4110) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	72.7	77.5	--	--
Lenovo Global Technology	ThinkSystem SR530 (2.20 GHz, Intel Xeon Silver 4114) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	93.9	97.9	--	--
Lenovo Global Technology	ThinkSystem SR530 (2.60 GHz, Intel Xeon Gold 6126T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	139	146	--	--
Lenovo Global Technology	ThinkSystem SR530 (2.00 GHz, Intel Xeon Gold 6138) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	188	199	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/ Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR530 (1.70 GHz, Intel Xeon Bronze 3106) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	16	2	1	44.6	45.9	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR530 (3.60 GHz, Intel Xeon Gold 5122) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	55.5	59.0	--	--
Lenovo Global Technology	ThinkSystem SR530 (2.10 GHz, Intel Xeon Gold 6130T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	161	170	--	--
Lenovo Global Technology	ThinkSystem SR550 (3.60 GHz, Intel Xeon Gold 5122) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	55.6	58.8	--	--
Lenovo Global Technology	ThinkSystem SR550 (2.60 GHz, Intel Xeon Gold 6126) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	140	147	--	--
Lenovo Global Technology	ThinkSystem SR550 (2.60 GHz, Intel Xeon Gold 6126T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	140	147	--	--
Lenovo Global Technology	ThinkSystem SN850 (2.10 GHz, Intel Xeon Platinum 8176) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	514	540	--	--
Lenovo Global Technology	ThinkSystem SR650 (2.60 GHz, Intel Xeon Gold 6126T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	140	147	--	--
Lenovo Global Technology	ThinkSystem SR650 (2.10 GHz, Intel Xeon Platinum 8160) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	229	242	--	--
Lenovo Global Technology	ThinkSystem SR650 (2.10 GHz, Intel Xeon Gold 6130T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	164	173	--	--
Lenovo Global Technology	ThinkSystem SR650 (2.70 GHz, Intel Xeon Platinum 8168) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	261	277	--	--
Lenovo Global Technology	ThinkSystem SR650 (3.20 GHz, Intel Xeon Gold 6134) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	105	111	--	--
Lenovo Global Technology	ThinkSystem SR650 (2.10 GHz, Intel Xeon Platinum 8176) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	263	282	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR650 (2.00 GHz, Intel Xeon Platinum 8153) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	141	149	--	--
Lenovo Global Technology	ThinkSystem SN550 (2.10 GHz, Intel Xeon Platinum 8160) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	230	239	--	--
Lenovo Global Technology	ThinkSystem SD530 (2.00 GHz, Intel Xeon Platinum 8164) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	239	255	--	--
Lenovo Global Technology	ThinkSystem SR590 (2.10 GHz, Intel Xeon Silver 4116) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	109	113	--	--
Lenovo Global Technology	ThinkSystem SR630 (2.60 GHz, Intel Xeon Gold 6126) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	138	143	--	--
Lenovo Global Technology	ThinkSystem SR630 (2.60 GHz, Intel Xeon Gold 6126T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	138	145	--	--
Lenovo Global Technology	ThinkSystem SR630 (2.10 GHz, Intel Xeon Gold 6130T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	162	171	--	--
Lenovo Global Technology	ThinkSystem SR630 (2.00 GHz, Intel Xeon Gold 6138) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	188	199	--	--
Lenovo Global Technology	ThinkSystem SR630 (2.70 GHz, Intel Xeon Gold 6150) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	201	214	--	--
Lenovo Global Technology	ThinkSystem SR630 (2.00 GHz, Intel Xeon Platinum 8164) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	242	256	--	--
Lenovo Global Technology	ThinkSystem SR950 (3.20 GHz, Intel Xeon Gold 6134) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	4	2	216	230	--	--
Lenovo Global Technology	ThinkSystem SR950 (3.20 GHz, Intel Xeon Gold 6134M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	4	2	216	229	--	--
Lenovo Global Technology	ThinkSystem SR950 (2.00 GHz, Intel Xeon Gold 6138T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	160	80	4	2	385	405	--	--

Test Sponsor

System Name

Base

Processor

Results

Energy

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
		Copies	Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR950 (2.10 GHz, Intel Xeon Platinum 8176) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	533	567	--	--
Lenovo Global Technology	ThinkSystem SR950 (2.10 GHz, Intel Xeon Platinum 8176M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	518	550	--	--
Lenovo Global Technology	ThinkSystem SR550 (2.10 GHz, Intel Xeon Gold 6130) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	160	170	--	--
Lenovo Global Technology	ThinkSystem ST550 (1.70 GHz, Intel Xeon Bronze 3104) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	12	2	1	33.5	34.4	--	--
Lenovo Global Technology	ThinkSystem ST550 (2.60 GHz, Intel Xeon Silver 4112) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	43.6	46.2	--	--
Lenovo Global Technology	ThinkSystem ST550 (2.40 GHz, Intel Xeon Gold 5115) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	102	107	--	--
Lenovo Global Technology	ThinkSystem ST550 (2.00 GHz, Intel Xeon Gold 6138) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	189	200	--	--
Lenovo Global Technology	ThinkSystem SR950 (2.10 GHz, Intel Xeon Platinum 8176) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	448	224	8	2	1050	1110	--	--
Lenovo Global Technology	ThinkSystem SR950 (2.50 GHz, Intel Xeon Platinum 8180M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	448	224	8	2	1130	1190	--	--
Lenovo Global Technology	ThinkSystem SR650 (2.10 GHz, Intel Xeon Gold 6130) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	163	172	--	--
Lenovo Global Technology	ThinkSystem SR650 (2.00 GHz, Intel Xeon Gold 6138) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	191	201	--	--
Lenovo Global Technology	ThinkSystem SR650 (2.00 GHz, Intel Xeon Gold 6138T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	186	194	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR950 (2.00 GHz, Intel Xeon Gold 6138) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	160	80	4	2	391	411	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
Lenovo Global Technology	ThinkSystem SR950 (2.30 GHz, Intel Xeon Gold 6140M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	384	408	--	--
Lenovo Global Technology	ThinkSystem SR650 (2.30 GHz, Intel Xeon Gold 6140) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	187	197	--	--
Lenovo Global Technology	ThinkSystem SR630 (2.30 GHz, Intel Xeon Gold 6140) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	185	195	--	--
Lenovo Global Technology	ThinkSystem SR630 (3.00 GHz, Intel Xeon Platinum 8158) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	149	155	--	--
Lenovo Global Technology	ThinkSystem SR950 (2.60 GHz, Intel Xeon Gold 6142) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	368	393	--	--
Lenovo Global Technology	ThinkSystem SR630 (2.10 GHz, Intel Xeon Platinum 8160T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	223	235	--	--
Lenovo Global Technology	ThinkSystem SR950 (2.40 GHz, Intel Xeon Gold 6148) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	160	80	4	2	420	442	--	--
Lenovo Global Technology	ThinkSystem SR950 (2.10 GHz, Intel Xeon Gold 6152) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	176	88	4	2	423	445	--	--
Lenovo Global Technology	ThinkSystem SR630 (2.70 GHz, Intel Xeon Platinum 8168) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	257	274	--	--
Lenovo Global Technology	ThinkSystem SR630 (2.10 GHz, Intel Xeon Platinum 8170) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	243	258	--	--
Lenovo Global Technology	ThinkSystem SR950 (3.00 GHz, Intel Xeon Gold 6154) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	437	464	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR530 (1.70 GHz, Intel Xeon Bronze 3104) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	12	2	1	33.5	34.4	--	--
Lenovo Global Technology	ThinkSystem SR530 (2.00 GHz, Intel Xeon Silver 4109T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	70.3	74.9	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR550 (2.00 GHz, Intel Xeon Silver 4109T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	70.3	74.9	--	--
Lenovo Global Technology	ThinkSystem SR550 (2.10 GHz, Intel Xeon Silver 4110) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	72.7	77.5	--	--
Lenovo Global Technology	ThinkSystem SR550 (2.00 GHz, Intel Xeon Gold 6138) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	189	199	--	--
Lenovo Global Technology	ThinkSystem ST550 (1.70 GHz, Intel Xeon Bronze 3106) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	16	2	1	44.6	45.8	--	--
Lenovo Global Technology	ThinkSystem ST550 (2.00 GHz, Intel Xeon Silver 4109T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	70.2	74.9	--	--
Lenovo Global Technology	ThinkSystem ST550 (2.30 GHz, Intel Xeon Gold 5118) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	121	126	--	--
Lenovo Global Technology	ThinkSystem ST550 (2.60 GHz, Intel Xeon Gold 6126T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	141	147	--	--
Lenovo Global Technology	ThinkSystem ST550 (2.10 GHz, Intel Xeon Gold 6130) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	161	169	--	--
Lenovo Global Technology	ThinkSystem ST550 (2.10 GHz, Intel Xeon Gold 6130T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	163	171	--	--
Lenovo Global Technology	ThinkSystem SR850 (2.30 GHz, Intel Xeon Gold 5118) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	239	256	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SN850 (2.30 GHz, Intel Xeon Gold 5118) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	233	248	--	--
Lenovo Global Technology	ThinkSystem SN550 (2.00 GHz, Intel Xeon Gold 6138) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	194	202	--	--
Lenovo Global Technology	ThinkSystem SN850 (2.20 GHz, Intel Xeon Gold 5120) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	4	2	264	281	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SN550 (2.30 GHz, Intel Xeon Gold 6140) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	188	197	--	--
Lenovo Global Technology	ThinkSystem SN850 (2.20 GHz, Intel Xeon Gold 5120T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	4	2	263	280	--	--
Lenovo Global Technology	ThinkSystem SN550 (2.40 GHz, Intel Xeon Gold 6148) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	208	217	--	--
Lenovo Global Technology	ThinkSystem SN850 (3.60 GHz, Intel Xeon Gold 5122) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	4	2	107	113	--	--
Lenovo Global Technology	ThinkSystem SN550 (2.10 GHz, Intel Xeon Gold 6152) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	88	44	2	2	206	214	--	--
Lenovo Global Technology	ThinkSystem SN850 (2.60 GHz, Intel Xeon Gold 6126) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	265	282	--	--
Lenovo Global Technology	ThinkSystem SN550 (2.10 GHz, Intel Xeon Platinum 8170) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	244	254	--	--
Lenovo Global Technology	ThinkSystem SN850 (2.10 GHz, Intel Xeon Gold 6130) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	314	333	--	--
Lenovo Global Technology	ThinkSystem SD530 (2.10 GHz, Intel Xeon Gold 6130T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	162	172	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR570 (2.00 GHz, Intel Xeon Platinum 8164) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	234	250	--	--
Lenovo Global Technology	ThinkSystem SD530 (2.00 GHz, Intel Xeon Gold 6138T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	186	198	--	--
Lenovo Global Technology	ThinkSystem SR590 (2.00 GHz, Intel Xeon Platinum 8164) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	237	252	--	--
Lenovo Global Technology	ThinkSystem ST550 (2.00 GHz, Intel Xeon Gold 6138T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	185	195	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem ST550 (2.00 GHz, Intel Xeon Platinum 8153) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	142	148	--	--
Lenovo Global Technology	ThinkSystem SN850 (3.20 GHz, Intel Xeon Gold 6134) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	4	2	204	216	--	--
Lenovo Global Technology	ThinkSystem SN850 (3.00 GHz, Intel Xeon Gold 6136) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	285	304	--	--
Lenovo Global Technology	ThinkSystem SN850 (2.60 GHz, Intel Xeon Gold 6142) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	342	365	--	--
Lenovo Global Technology	ThinkSystem SN850 (2.70 GHz, Intel Xeon Gold 6150) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	393	415	--	--
Lenovo Global Technology	ThinkSystem SN850 (2.00 GHz, Intel Xeon Gold 6138) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	160	80	4	2	367	382	--	--
Lenovo Global Technology	ThinkSystem SR950 (2.70 GHz, Intel Xeon Platinum 8168) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	384	192	8	2	1050	1100	--	--
Lenovo Global Technology	ThinkSystem SR950 (2.10 GHz, Intel Xeon Platinum 8170) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	416	208	8	2	959	1010	--	--



Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR950 (2.10 GHz, Intel Xeon Platinum 8170M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	416	208	8	2	981	1040	--	--
Lenovo Global Technology	ThinkSystem SR650 (2.20 GHz, Intel Xeon Gold 5120) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	135	142	--	--
Lenovo Global Technology	ThinkSystem SR650 (2.20 GHz, Intel Xeon Gold 5120T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	136	142	--	--
Lenovo Global Technology	ThinkSystem SR630 (2.20 GHz, Intel Xeon Silver 4114) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	94.2	98.6	--	--
Lenovo Global Technology	ThinkSystem SR630 (2.30 GHz, Intel Xeon Gold 5118) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	121	126	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR630 (2.20 GHz, Intel Xeon Gold 5120) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	135	142	--	--
Lenovo Global Technology	ThinkSystem SR630 (2.00 GHz, Intel Xeon Platinum 8153) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	141	149	--	--
Lenovo Global Technology	ThinkSystem SR630 (2.10 GHz, Intel Xeon Platinum 8176) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	261	276	--	--
Lenovo Global Technology	ThinkSystem SR650 (2.60 GHz, Intel Xeon Gold 6126) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	139	145	--	--
Lenovo Global Technology	ThinkSystem SR590 (2.60 GHz, Intel Xeon Gold 6126T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	142	148	--	--
Lenovo Global Technology	ThinkSystem SR590 (2.10 GHz, Intel Xeon Gold 6130T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	161	169	--	--
Lenovo Global Technology	ThinkSystem SR590 (3.00 GHz, Intel Xeon Gold 6136) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	150	156	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem ST550 (2.10 GHz, Intel Xeon Silver 4116) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	110	114	--	--
Lenovo Global Technology	ThinkSystem SR590 (2.60 GHz, Intel Xeon Gold 6142) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	177	187	--	--
Lenovo Global Technology	ThinkSystem ST550 (2.20 GHz, Intel Xeon Gold 5120) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	135	142	--	--
Lenovo Global Technology	ThinkSystem ST550 (2.60 GHz, Intel Xeon Gold 6126) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	141	148	--	--
Lenovo Global Technology	ThinkSystem SR860 (2.10 GHz, Intel Xeon Platinum 8176) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	512	544	--	--
Lenovo Global Technology	ThinkSystem SR530 (2.10 GHz, Intel Xeon Silver 4116) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	110	114	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR530 (2.10 GHz, Intel Xeon Gold 6130) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	160	169	--	--
Lenovo Global Technology	ThinkSystem SR530 (2.00 GHz, Intel Xeon Platinum 8153) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	141	149	--	--
Lenovo Global Technology	ThinkSystem SR850 (2.20 GHz, Intel Xeon Gold 5120) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	4	2	270	288	--	--
Lenovo Global Technology	ThinkSystem SR850 (2.20 GHz, Intel Xeon Gold 5120T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	4	2	270	288	--	--
Lenovo Global Technology	ThinkSystem SR850 (3.60 GHz, Intel Xeon Gold 5122) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	4	2	110	117	--	--
Lenovo Global Technology	ThinkSystem SR850 (2.10 GHz, Intel Xeon Gold 6130T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	327	348	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR850 (3.20 GHz, Intel Xeon Gold 6134) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	4	2	215	228	--	--
Lenovo Global Technology	ThinkSystem SR850 (2.00 GHz, Intel Xeon Platinum 8153) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	283	302	--	--
Lenovo Global Technology	ThinkSystem SR550 (1.80 GHz, Intel Xeon Silver 4108) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	65.6	69.5	--	--
Lenovo Global Technology	ThinkSystem SR550 (2.00 GHz, Intel Xeon Platinum 8153) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	141	149	--	--
Lenovo Global Technology	ThinkSystem SR950 (3.40 GHz, Intel Xeon Gold 6128) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	4	2	163	174	--	--
Lenovo Global Technology	ThinkSystem SR950 (2.40 GHz, Intel Xeon Gold 5115) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	4	2	202	217	--	--
Lenovo Global Technology	ThinkSystem SR950 (2.10 GHz, Intel Xeon Gold 6130) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	331	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR950 (2.30 GHz, Intel Xeon Gold 5118) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	239	Not Run	--	--
Lenovo Global Technology	ThinkSystem SR950 (3.00 GHz, Intel Xeon Gold 6136) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	305	325	--	--
Lenovo Global Technology	ThinkSystem SR950 (2.20 GHz, Intel Xeon Gold 5120) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	4	2	270	289	--	--
Lenovo Global Technology	ThinkSystem SR950 (2.60 GHz, Intel Xeon Gold 6142M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	360	386	--	--
Lenovo Global Technology	ThinkSystem SR950 (3.60 GHz, Intel Xeon Gold 5122) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	4	2	111	117	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR950 (2.70 GHz, Intel Xeon Gold 6150) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	415	440	--	--
Lenovo Global Technology	ThinkSystem SR950 (2.00 GHz, Intel Xeon Platinum 8153) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	284	Not Run	--	--
Lenovo Global Technology	ThinkSystem SR950 (2.10 GHz, Intel Xeon Platinum 8160) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	96	4	2	467	494	--	--
Lenovo Global Technology	ThinkSystem SR950 (2.10 GHz, Intel Xeon Platinum 8160T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	96	4	2	475	500	--	--
Lenovo Global Technology	ThinkSystem SR650 (2.20 GHz, Intel Xeon Silver 4114) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	94.6	98.4	--	--
Lenovo Global Technology	ThinkSystem SR950 (2.20 GHz, Intel Xeon Gold 5120T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	4	2	270	Not Run	--	--
Lenovo Global Technology	ThinkSystem SR950 (2.00 GHz, Intel Xeon Platinum 8164) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	416	208	8	2	957	1010	--	--
Lenovo Global Technology	ThinkSystem SR950 (2.10 GHz, Intel Xeon Platinum 8160M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	384	192	8	2	920	970	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR950 (2.60 GHz, Intel Xeon Gold 6126) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	278	296	--	--
Lenovo Global Technology	ThinkSystem SR950 (2.60 GHz, Intel Xeon Gold 6126T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	285	303	--	--
Lenovo Global Technology	ThinkSystem SR950 (2.10 GHz, Intel Xeon Gold 6130T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	330	351	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR950 (2.60 GHz, Intel Xeon Gold 6132) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	4	2	328	350	--	--
Lenovo Global Technology	ThinkSystem SR950 (3.00 GHz, Intel Xeon Platinum 8158) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	307	327	--	--
Lenovo Global Technology	ThinkSystem SR950 (2.50 GHz, Intel Xeon Platinum 8180M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	573	611	--	--
Lenovo Global Technology	ThinkSystem SR650 (2.10 GHz, Intel Xeon Silver 4116) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	107	111	--	--
Lenovo Global Technology	ThinkSystem SR650 (2.60 GHz, Intel Xeon Gold 6126) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	139	145	--	--
Lenovo Global Technology	ThinkSystem SR630 (2.10 GHz, Intel Xeon Silver 4116) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	110	114	--	--
Lenovo Global Technology	ThinkSystem SR630 (2.20 GHz, Intel Xeon Gold 5120T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	135	142	--	--
Lenovo Global Technology	ThinkSystem SR650 (1.80 GHz, Intel Xeon Silver 4108) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	66.0	70.0	--	--
Lenovo Global Technology	ThinkSystem SR650 (2.30 GHz, Intel Xeon Gold 5118) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	121	126	--	--
Lenovo Global Technology	ThinkSystem SR850 (2.40 GHz, Intel Xeon Gold 5115) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	4	2	201	217	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR530 (2.60 GHz, Intel Xeon Silver 4112) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	43.6	46.1	--	--
Lenovo Global Technology	ThinkSystem SR530 (2.40 GHz, Intel Xeon Gold 5115) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	101	106	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR570 (2.10 GHz, Intel Xeon Silver 4116) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	108	113	--	--
Lenovo Global Technology	ThinkSystem SR570 (3.00 GHz, Intel Xeon Gold 6136) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	148	156	--	--
Lenovo Global Technology	ThinkSystem ST550 (1.80 GHz, Intel Xeon Silver 4108) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	66.2	70.0	--	--
Lenovo Global Technology	ThinkSystem ST550 (2.20 GHz, Intel Xeon Silver 4114) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	94.6	98.5	--	--
Lenovo Global Technology	ThinkSystem ST550 (3.60 GHz, Intel Xeon Gold 5122) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	55.9	59.2	--	--
Lenovo Global Technology	ThinkSystem SR590 (1.70 GHz, Intel Xeon Bronze 3104) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	12	2	1	33.9	34.7	--	--
Lenovo Global Technology	ThinkSystem SR590 (2.00 GHz, Intel Xeon Silver 4109T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	71.2	74.5	--	--
Lenovo Global Technology	ThinkSystem SR590 (2.20 GHz, Intel Xeon Silver 4114) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	94.6	98.3	--	--
Lenovo Global Technology	ThinkSystem SR590 (2.30 GHz, Intel Xeon Gold 5118) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	120	125	--	--
Lenovo Global Technology	ThinkSystem SR590 (2.00 GHz, Intel Xeon Gold 6138) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	187	198	--	--
Lenovo Global Technology	ThinkSystem SR590 (2.30 GHz, Intel Xeon Gold 6140) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	185	196	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR860 (2.10 GHz, Intel Xeon Platinum 8160) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	96	4	2	446	473	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR860 (2.10 GHz, Intel Xeon Gold 6152) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	176	88	4	2	408	430	--	--
Lenovo Global Technology	ThinkSystem SR950 (2.10 GHz, Intel Xeon Platinum 8176M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	448	224	8	2	1020	1080	--	--
Lenovo Global Technology	ThinkSystem SR550 (1.70 GHz, Intel Xeon Bronze 3104) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	12	2	1	33.4	34.4	--	--
Lenovo Global Technology	ThinkSystem SR550 (2.10 GHz, Intel Xeon Gold 6130T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	161	170	--	--
Lenovo Global Technology	ThinkSystem SR550 (2.60 GHz, Intel Xeon Silver 4112) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	43.6	46.2	--	--
Lenovo Global Technology	ThinkSystem SR550 (3.60 GHz, Intel Xeon Platinum 8156) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	55.7	59.2	--	--
Lenovo Global Technology	ThinkSystem SR550 (2.20 GHz, Intel Xeon Silver 4114) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	94.0	98.1	--	--
Lenovo Global Technology	ThinkSystem SR550 (2.40 GHz, Intel Xeon Gold 5115) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	100	105	--	--
Lenovo Global Technology	ThinkSystem SR550 (2.30 GHz, Intel Xeon Gold 5118) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	121	126	--	--
Lenovo Global Technology	ThinkSystem SR860 (2.00 GHz, Intel Xeon Platinum 8164) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	208	104	4	2	472	500	--	--
Lenovo Global Technology	ThinkSystem SR860 (2.10 GHz, Intel Xeon Platinum 8170) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	208	104	4	2	484	513	--	--
Lenovo Global Technology	ThinkSystem SR650 (1.70 GHz, Intel Xeon Bronze 3104) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	12	2	1	33.8	34.6	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR650 (3.00 GHz, Intel Xeon Gold 6136) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	151	160	--	--
Lenovo Global Technology	ThinkSystem SR650 (2.10 GHz, Intel Xeon Platinum 8160T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	225	237	--	--
Lenovo Global Technology	ThinkSystem SR650 (1.70 GHz, Intel Xeon Bronze 3106) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	16	2	1	45.0	46.1	--	--
Lenovo Global Technology	ThinkSystem SR650 (2.00 GHz, Intel Xeon Silver 4109T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	71.0	74.2	--	--
Lenovo Global Technology	ThinkSystem SR650 (2.10 GHz, Intel Xeon Silver 4110) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	73.6	78.1	--	--
Lenovo Global Technology	ThinkSystem SR650 (3.60 GHz, Intel Xeon Gold 5122) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	56.0	59.4	--	--
Lenovo Global Technology	ThinkSystem SR630 (1.80 GHz, Intel Xeon Silver 4108) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	66.1	69.9	--	--
Lenovo Global Technology	ThinkSystem SR630 (2.60 GHz, Intel Xeon Silver 4112) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	43.8	46.5	--	--
Lenovo Global Technology	ThinkSystem SR950 (1.90 GHz, Intel Xeon Gold 5119T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	4	2	246	262	--	--
Lenovo Global Technology	ThinkSystem SR950 (3.60 GHz, Intel Xeon Platinum 8156) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	4	2	110	117	--	--
Lenovo Global Technology	ThinkSystem SR950 (2.10 GHz, Intel Xeon Platinum 8160M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	96	4	2	462	487	--	--
Lenovo Global Technology	ThinkSystem SR950 (2.10 GHz, Intel Xeon Platinum 8160) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	384	192	8	2	921	970	--	--
Lenovo Global Technology	ThinkSystem SR950 (2.00 GHz, Intel Xeon Platinum 8164) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	208	104	4	2	486	513	--	--



Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Test Sponsor	System Name	Base Copies	Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR650 (2.60 GHz, Intel Xeon Silver 4112) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	44.0	46.6	--	--
Lenovo Global Technology	ThinkSystem ST550 (2.10 GHz, Intel Xeon Silver 4110) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	73.7	76.8	--	--
Lenovo Global Technology	ThinkSystem SR590 (1.70 GHz, Intel Xeon Bronze 3106) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	16	2	1	45.1	46.3	--	--
Lenovo Global Technology	ThinkSystem SR590 (2.10 GHz, Intel Xeon Silver 4110) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	73.6	77.2	--	--
Lenovo Global Technology	ThinkSystem SR590 (2.60 GHz, Intel Xeon Silver 4112) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	43.8	46.4	--	--
Lenovo Global Technology	ThinkSystem SR860 (3.20 GHz, Intel Xeon Gold 6134) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	4	2	211	223	--	--
Lenovo Global Technology	ThinkSystem SR860 (2.00 GHz, Intel Xeon Gold 6138) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	160	80	4	2	372	391	--	--
Lenovo Global Technology	ThinkSystem SR860 (2.30 GHz, Intel Xeon Gold 6140) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	362	381	--	--
Lenovo Global Technology	ThinkSystem SR860 (2.60 GHz, Intel Xeon Gold 6142) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	351	369	--	--
Lenovo Global Technology	ThinkSystem SR860 (2.70 GHz, Intel Xeon Gold 6150) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	389	410	--	--
Lenovo Global Technology	ThinkSystem SR550 (2.20 GHz, Intel Xeon Gold 5120) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	135	141	--	--
Lenovo Global Technology	ThinkSystem SN550 (2.00 GHz, Intel Xeon Platinum 8164) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	242	252	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SN550 (2.10 GHz, Intel Xeon Platinum 8176) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	263	275	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR530 (1.80 GHz, Intel Xeon Silver 4108) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	66.1	70.0	--	--
Lenovo Global Technology	ThinkSystem SR570 (1.70 GHz, Intel Xeon Bronze 3106) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	16	2	1	45.1	45.4	--	--
Lenovo Global Technology	ThinkSystem SR570 (2.00 GHz, Intel Xeon Gold 6138T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	181	193	--	--
Lenovo Global Technology	ThinkSystem SR570 (3.60 GHz, Intel Xeon Platinum 8156) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	55.5	58.5	--	--
Lenovo Global Technology	ThinkSystem SR950 (3.00 GHz, Intel Xeon Platinum 8158) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	96	8	2	607	650	--	--
Lenovo Global Technology	Lenovo System x3650 M5 (2.40 GHz, Intel Xeon E5-2699A v4) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	88	44	2	2	199	215	--	--
Lenovo Global Technology	ThinkSystem SR650 (2.60 GHz, Intel Xeon Gold 6142) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	178	188	--	--
Lenovo Global Technology	ThinkSystem SR650 (2.10 GHz, Intel Xeon Gold 6152) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	88	44	2	2	209	222	--	--
Lenovo Global Technology	ThinkSystem SR650 (3.60 GHz, Intel Xeon Platinum 8156) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	55.7	59.2	--	--
Lenovo Global Technology	ThinkSystem SR650 (2.50 GHz, Intel Xeon Platinum 8180M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	287	305	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR950 (2.00 GHz, Intel Xeon Gold 5117) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	4	2	240	256	--	--
Lenovo Global Technology	ThinkSystem SR630 (1.70 GHz, Intel Xeon Bronze 3104) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	12	2	1	33.8	34.6	--	--
Lenovo Global Technology	ThinkSystem SR950 (3.50 GHz, Intel Xeon Gold 6144) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	4	2	231	245	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR630 (1.70 GHz, Intel Xeon Bronze 3106) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	16	2	1	45.0	46.1	--	--
Lenovo Global Technology	ThinkSystem SR630 (2.10 GHz, Intel Xeon Silver 4110) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	73.5	76.6	--	--
Lenovo Global Technology	ThinkSystem SR630 (3.60 GHz, Intel Xeon Platinum 8156) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	55.7	59.1	--	--
Lenovo Global Technology	ThinkSystem SR950 (2.00 GHz, Intel Xeon Platinum 8153) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	256	128	8	2	564	604	--	--
Lenovo Global Technology	ThinkSystem SR950 (3.60 GHz, Intel Xeon Platinum 8156) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	8	2	221	234	--	--
Lenovo Global Technology	ThinkSystem SR950 (2.10 GHz, Intel Xeon Platinum 8160T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	384	192	8	2	922	971	--	--
Lenovo Global Technology	ThinkSystem SR530 (2.20 GHz, Intel Xeon Silver 4114T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	94.6	98.6	--	--
Lenovo Global Technology	ThinkSystem SR530 (2.10 GHz, Intel Xeon Silver 4116T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	109	113	--	--
Lenovo Global Technology	ThinkSystem SR570 (1.70 GHz, Intel Xeon Bronze 3104) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	12	2	1	33.9	34.7	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR530 (2.30 GHz, Intel Xeon Gold 5118) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	121	126	--	--
Lenovo Global Technology	ThinkSystem SR570 (1.80 GHz, Intel Xeon Silver 4108) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	65.4	68.5	--	--
Lenovo Global Technology	ThinkSystem SR530 (2.20 GHz, Intel Xeon Gold 5120) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	135	141	--	--
Lenovo Global Technology	ThinkSystem SR570 (2.00 GHz, Intel Xeon Silver 4109T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	70.4	73.7	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR570 (2.60 GHz, Intel Xeon Silver 4112) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	43.9	45.8	--	--
Lenovo Global Technology	ThinkSystem SR860 (2.20 GHz, Intel Xeon Gold 5120) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	4	2	263	274	--	--
Lenovo Global Technology	ThinkSystem SR860 (2.60 GHz, Intel Xeon Gold 6126) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	268	279	--	--
Lenovo Global Technology	ThinkSystem SR860 (2.10 GHz, Intel Xeon Gold 6130) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	318	334	--	--
Lenovo Global Technology	ThinkSystem SR860 (2.10 GHz, Intel Xeon Gold 6130T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	318	334	--	--
Lenovo Global Technology	ThinkSystem SN550 (1.80 GHz, Intel Xeon Silver 4108) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	66.1	70.0	--	--
Lenovo Global Technology	ThinkSystem SN550 (2.10 GHz, Intel Xeon Silver 4110) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	73.0	77.3	--	--
Lenovo Global Technology	ThinkSystem SN550 (2.10 GHz, Intel Xeon Silver 4116T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	109	116	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR850 (2.70 GHz, Intel Xeon Gold 6150) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	404	431	--	--
Lenovo Global Technology	ThinkSystem SR850 (2.60 GHz, Intel Xeon Gold 6126) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	273	291	--	--
Lenovo Global Technology	ThinkSystem SR850 (2.00 GHz, Intel Xeon Platinum 8164) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	208	104	4	2	474	500	--	--
Lenovo Global Technology	ThinkSystem SR850 (2.10 GHz, Intel Xeon Gold 6130) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	328	351	--	--
Lenovo Global Technology	ThinkSystem SR850 (2.10 GHz, Intel Xeon Platinum 8170) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	208	104	4	2	489	517	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR850 (3.00 GHz, Intel Xeon Gold 6136) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	299	318	--	--
Lenovo Global Technology	ThinkSystem SR850 (2.10 GHz, Intel Xeon Platinum 8176) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	522	557	--	--
Lenovo Global Technology	ThinkSystem SR850 (2.00 GHz, Intel Xeon Gold 6138) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	160	80	4	2	381	403	--	--
Lenovo Global Technology	ThinkSystem SR550 (2.10 GHz, Intel Xeon Silver 4116T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	109	114	--	--
Lenovo Global Technology	ThinkSystem SR850 (2.60 GHz, Intel Xeon Gold 6142) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	350	375	--	--
Lenovo Global Technology	ThinkSystem SR550 (2.00 GHz, Intel Xeon Gold 5117) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	120	126	--	--
Lenovo Global Technology	ThinkSystem ST550 (2.20 GHz, Intel Xeon Gold 5120T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	136	142	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR550 (1.90 GHz, Intel Xeon Gold 5119T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	118	123	--	--
Lenovo Global Technology	ThinkSystem SR650 (2.40 GHz, Intel Xeon Gold 5115) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	103	107	--	--
Lenovo Global Technology	ThinkSystem SR650 (3.20 GHz, Intel Xeon Gold 6134M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	109	116	--	--
Lenovo Global Technology	ThinkSystem SR630 (2.20 GHz, Intel Xeon Silver 4114T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	94.6	98.6	--	--
Lenovo Global Technology	ThinkSystem SR650 (2.40 GHz, Intel Xeon Gold 6148) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	206	216	--	--
Lenovo Global Technology	ThinkSystem SR650 (3.00 GHz, Intel Xeon Platinum 8158) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	152	160	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR630 (3.40 GHz, Intel Xeon Gold 6128) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	24	12	2	2	82.3	87.6	--	--
Lenovo Global Technology	ThinkSystem SR650 (2.10 GHz, Intel Xeon Platinum 8176M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	256	273	--	--
Lenovo Global Technology	ThinkSystem SR550 (2.20 GHz, Intel Xeon Silver 4114T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	94.1	98.0	--	--
Lenovo Global Technology	ThinkSystem SR550 (3.40 GHz, Intel Xeon Gold 6128) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	24	12	2	2	82.0	87.0	--	--
Lenovo Global Technology	ThinkSystem ST550 (1.90 GHz, Intel Xeon Gold 5119T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	122	127	--	--
Lenovo Global Technology	ThinkSystem SR860 (2.30 GHz, Intel Xeon Gold 5118) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	236	247	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem ST550 (3.60 GHz, Intel Xeon Platinum 8156) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	55.9	59.3	--	--
Lenovo Global Technology	ThinkSystem SR860 (2.20 GHz, Intel Xeon Gold 5120T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	4	2	263	275	--	--
Lenovo Global Technology	ThinkSystem SR590 (1.80 GHz, Intel Xeon Silver 4108) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	66.1	69.3	--	--
Lenovo Global Technology	ThinkSystem SR860 (2.00 GHz, Intel Xeon Platinum 8153) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	278	292	--	--
Lenovo Global Technology	ThinkSystem SR590 (2.00 GHz, Intel Xeon Platinum 8153) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	140	147	--	--
Lenovo Global Technology	ThinkSystem SR860 (3.00 GHz, Intel Xeon Platinum 8158) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	303	316	--	--
Lenovo Global Technology	ThinkSystem SR850 (3.60 GHz, Intel Xeon Platinum 8156) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	4	2	111	118	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR850 (2.10 GHz, Intel Xeon Platinum 8160) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	96	4	2	455	479	--	--
Lenovo Global Technology	ThinkSystem SN550 (2.60 GHz, Intel Xeon Silver 4112) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	43.7	46.3	--	--
Lenovo Global Technology	ThinkSystem SN550 (2.30 GHz, Intel Xeon Gold 5118) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	120	128	--	--
Lenovo Global Technology	ThinkSystem SN550 (2.20 GHz, Intel Xeon Silver 4114) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	94.4	101	--	--
Lenovo Global Technology	ThinkSystem SN550 (1.90 GHz, Intel Xeon Gold 5119T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	121	129	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SN550 (2.20 GHz, Intel Xeon Silver 4114T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	93.8	99.9	--	--
Lenovo Global Technology	ThinkSystem SN550 (2.20 GHz, Intel Xeon Gold 5120) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	134	142	--	--
Lenovo Global Technology	ThinkSystem SN550 (2.10 GHz, Intel Xeon Silver 4116) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	109	116	--	--
Lenovo Global Technology	ThinkSystem SR550 (2.10 GHz, Intel Xeon Silver 4116) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	108	114	--	--
Lenovo Global Technology	ThinkSystem SN550 (2.00 GHz, Intel Xeon Gold 5117) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	120	127	--	--
Lenovo Global Technology	ThinkSystem SR530 (2.00 GHz, Intel Xeon Gold 5117) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	120	126	--	--
Lenovo Global Technology	ThinkSystem SR530 (3.60 GHz, Intel Xeon Platinum 8156) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	55.7	59.0	--	--
Lenovo Global Technology	ThinkSystem SR850 (2.40 GHz, Intel Xeon Gold 6148) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	160	80	4	2	400	419	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR850 (2.10 GHz, Intel Xeon Gold 6152) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	176	88	4	2	414	436	--	--
Lenovo Global Technology	ThinkSystem SN850 (2.40 GHz, Intel Xeon Gold 5115) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	4	2	193	211	--	--
Lenovo Global Technology	ThinkSystem SN850 (2.10 GHz, Intel Xeon Gold 6130T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	316	334	--	--
Lenovo Global Technology	ThinkSystem ST550 (2.20 GHz, Intel Xeon Silver 4114T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	94.0	97.6	--	--



Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem ST550 (2.10 GHz, Intel Xeon Silver 4116T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	108	113	--	--
Lenovo Global Technology	ThinkSystem ST550 (2.00 GHz, Intel Xeon Gold 5117) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	119	125	--	--
Lenovo Global Technology	ThinkSystem ST550 (3.40 GHz, Intel Xeon Gold 6128) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	24	12	2	2	82.0	87.0	--	--
Lenovo Global Technology	ThinkSystem SR630 (2.00 GHz, Intel Xeon Silver 4109T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	70.9	74.2	--	--
Lenovo Global Technology	ThinkSystem SR630 (2.20 GHz, Intel Xeon Silver 4114T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	94.4	98.2	--	--
Lenovo Global Technology	ThinkSystem SR630 (2.10 GHz, Intel Xeon Silver 4116T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	108	113	--	--
Lenovo Global Technology	ThinkSystem SR630 (2.40 GHz, Intel Xeon Gold 5115) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	102	107	--	--
Lenovo Global Technology	ThinkSystem SR630 (2.00 GHz, Intel Xeon Gold 5117) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	120	125	--	--
Lenovo Global Technology	ThinkSystem SR630 (1.90 GHz, Intel Xeon Gold 5119T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	121	127	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR630 (3.60 GHz, Intel Xeon Gold 5122) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	55.7	59.0	--	--
Lenovo Global Technology	ThinkSystem SR630 (3.40 GHz, Intel Xeon Gold 6128) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	24	12	2	2	82.4	87.4	--	--
Lenovo Global Technology	ThinkSystem SR630 (2.10 GHz, Intel Xeon Gold 6130) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	161	169	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR630 (3.20 GHz, Intel Xeon Gold 6134) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	108	113	--	--
Lenovo Global Technology	ThinkSystem SR630 (2.60 GHz, Intel Xeon Gold 6142M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	176	185	--	--
Lenovo Global Technology	ThinkSystem SR630 (2.60 GHz, Intel Xeon Gold 6142) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	178	187	--	--
Lenovo Global Technology	ThinkSystem SR630 (2.30 GHz, Intel Xeon Gold 6140M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	186	196	--	--
Lenovo Global Technology	ThinkSystem SR630 (3.00 GHz, Intel Xeon Gold 6136) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	150	158	--	--
Lenovo Global Technology	ThinkSystem SR630 (3.20 GHz, Intel Xeon Gold 6134M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	109	113	--	--
Lenovo Global Technology	ThinkSystem SR630 (3.50 GHz, Intel Xeon Gold 6144) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	113	118	--	--
Lenovo Global Technology	ThinkSystem SR630 (3.20 GHz, Intel Xeon Gold 6146) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	155	163	--	--
Lenovo Global Technology	ThinkSystem SR630 (2.40 GHz, Intel Xeon Gold 6148) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	201	212	--	--
Lenovo Global Technology	ThinkSystem SR630 (3.00 GHz, Intel Xeon Gold 6154) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	210	223	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR630 (2.10 GHz, Intel Xeon Platinum 8160M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	228	242	--	--
Lenovo Global Technology	ThinkSystem SR590 (2.20 GHz, Intel Xeon Gold 5120) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	134	140	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR590 (2.00 GHz, Intel Xeon Gold 5117) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	119	124	--	--
Lenovo Global Technology	ThinkSystem SR590 (2.40 GHz, Intel Xeon Gold 5115) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	102	106	--	--
Lenovo Global Technology	ThinkSystem SR590 (2.10 GHz, Intel Xeon Silver 4116T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	108	113	--	--
Lenovo Global Technology	ThinkSystem SR590 (2.20 GHz, Intel Xeon Silver 4114T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	94.2	98.0	--	--
Lenovo Global Technology	ThinkSystem SR590 (2.20 GHz, Intel Xeon Gold 5120T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	134	140	--	--
Lenovo Global Technology	ThinkSystem SR590 (3.60 GHz, Intel Xeon Gold 5122) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	55.5	58.7	--	--
Lenovo Global Technology	ThinkSystem SR590 (2.60 GHz, Intel Xeon Gold 6132) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	157	165	--	--
Lenovo Global Technology	ThinkSystem SR590 (3.20 GHz, Intel Xeon Gold 6134) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	107	111	--	--
Lenovo Global Technology	ThinkSystem SR590 (2.00 GHz, Intel Xeon Gold 6138T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	183	193	--	--
Lenovo Global Technology	ThinkSystem SR590 (2.40 GHz, Intel Xeon Gold 6148) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	197	208	--	--
Lenovo Global Technology	ThinkSystem SR590 (2.10 GHz, Intel Xeon Gold 6152) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	88	44	2	2	198	210	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR590 (3.00 GHz, Intel Xeon Platinum 8158) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	150	156	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR590 (2.10 GHz, Intel Xeon Platinum 8160) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	219	232	--	--
Lenovo Global Technology	ThinkSystem SR590 (2.10 GHz, Intel Xeon Platinum 8160T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	222	236	--	--
Lenovo Global Technology	ThinkSystem SR570 (2.60 GHz, Intel Xeon Gold 6132) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	154	164	--	--
Lenovo Global Technology	ThinkSystem SR570 (2.10 GHz, Intel Xeon Gold 6152) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	88	44	2	2	197	210	--	--
Lenovo Global Technology	ThinkSystem SR570 (2.00 GHz, Intel Xeon Platinum 8153) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	139	147	--	--
Lenovo Global Technology	ThinkSystem SR530 (2.20 GHz, Intel Xeon Gold 5120T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	133	140	--	--
Lenovo Global Technology	ThinkSystem SR530 (2.60 GHz, Intel Xeon Gold 6126) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	137	144	--	--
Lenovo Global Technology	ThinkSystem SR850 (2.00 GHz, Intel Xeon Gold 5117) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	4	2	238	254	--	--
Lenovo Global Technology	ThinkSystem SR850 (1.90 GHz, Intel Xeon Gold 5119T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	4	2	241	256	--	--
Lenovo Global Technology	ThinkSystem SR850 (2.60 GHz, Intel Xeon Gold 6132) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	4	2	316	337	--	--
Lenovo Global Technology	ThinkSystem SR850 (3.20 GHz, Intel Xeon Gold 6134M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	4	2	215	228	--	--
Lenovo Global Technology	ThinkSystem SR850 (2.00 GHz, Intel Xeon Gold 6138T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	160	80	4	2	374	394	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR850 (2.30 GHz, Intel Xeon Gold 6140M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	372	392	--	--
Lenovo Global Technology	ThinkSystem SR850 (2.60 GHz, Intel Xeon Gold 6142M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	354	377	--	--
Lenovo Global Technology	ThinkSystem SR850 (3.00 GHz, Intel Xeon Platinum 8158) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	301	321	--	--
Lenovo Global Technology	ThinkSystem SR850 (2.10 GHz, Intel Xeon Platinum 8160M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	96	4	2	451	474	--	--
Lenovo Global Technology	ThinkSystem SR850 (2.10 GHz, Intel Xeon Platinum 8170M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	208	104	4	2	474	504	--	--
Lenovo Global Technology	ThinkSystem SR850 (2.10 GHz, Intel Xeon Platinum 8176M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	494	525	--	--
Lenovo Global Technology	ThinkSystem SR630 (2.60 GHz, Intel Xeon Gold 6132) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	160	170	--	--
Lenovo Global Technology	ThinkSystem SR630 (2.10 GHz, Intel Xeon Gold 6152) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	88	44	2	2	206	218	--	--
Lenovo Global Technology	ThinkSystem SR630 (2.10 GHz, Intel Xeon Platinum 8176M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	257	274	--	--
Lenovo Global Technology	ThinkSystem SR860 (2.00 GHz, Intel Xeon Gold 5117) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	4	2	232	242	--	--
Lenovo Global Technology	ThinkSystem SR860 (2.30 GHz, Intel Xeon Gold 5118) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	233	242	--	--
Lenovo Global Technology	ThinkSystem SR860 (3.60 GHz, Intel Xeon Gold 5122) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	4	2	108	114	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR860 (3.00 GHz, Intel Xeon Gold 6136) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	294	305	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
Lenovo Global Technology	ThinkSystem SR860 (2.40 GHz, Intel Xeon Gold 6148) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	160	80	4	2	392	413	--	--
Lenovo Global Technology	ThinkSystem SR860 (3.60 GHz, Intel Xeon Platinum 8156) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	4	2	108	114	--	--
Lenovo Global Technology	ThinkSystem SR590 (2.60 GHz, Intel Xeon Gold 6126) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	139	145	--	--
Lenovo Global Technology	ThinkSystem SR590 (3.40 GHz, Intel Xeon Gold 6128) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	24	12	2	2	82.0	86.9	--	--
Lenovo Global Technology	ThinkSystem SR590 (2.10 GHz, Intel Xeon Gold 6130) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	158	167	--	--
Lenovo Global Technology	ThinkSystem SR590 (3.60 GHz, Intel Xeon Platinum 8156) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	55.6	58.8	--	--
Lenovo Global Technology	ThinkSystem SR550 (2.20 GHz, Intel Xeon Gold 5120T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	134	140	--	--
Lenovo Global Technology	ThinkSystem SR550 (2.00 GHz, Intel Xeon Gold 6138T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	181	192	--	--
Lenovo Global Technology	ThinkSystem SN550 (2.00 GHz, Intel Xeon Gold 6138T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	189	198	--	--
Lenovo Global Technology	ThinkSystem SN550 (2.60 GHz, Intel Xeon Gold 6142) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	179	190	--	--
Lenovo Global Technology	ThinkSystem SR530 (1.90 GHz, Intel Xeon Gold 5119T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	121	126	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR530 (3.40 GHz, Intel Xeon Gold 6128) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	24	12	2	2	81.7	86.4	--	--
Lenovo Global Technology	ThinkSystem SR530 (2.00 GHz, Intel Xeon Gold 6138T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	181	190	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR570 (3.40 GHz, Intel Xeon Gold 6128) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	24	12	2	2	81.2	84.8	--	--
Lenovo Global Technology	ThinkSystem SR570 (2.10 GHz, Intel Xeon Gold 6130T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	157	166	--	--
Lenovo Global Technology	ThinkSystem SR570 (2.40 GHz, Intel Xeon Gold 6148) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	192	204	--	--
Lenovo Global Technology	ThinkSystem SR590 (1.90 GHz, Intel Xeon Gold 5119T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	121	126	--	--
Lenovo Global Technology	ThinkSystem SN550 (2.60 GHz, Intel Xeon Gold 6132) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	159	170	--	--
Lenovo Global Technology	ThinkSystem SN550 (3.20 GHz, Intel Xeon Gold 6134) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	107	114	--	--
Lenovo Global Technology	ThinkSystem SN550 (3.20 GHz, Intel Xeon Gold 6134M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	108	114	--	--
Lenovo Global Technology	ThinkSystem SN550 (3.00 GHz, Intel Xeon Gold 6136) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	150	159	--	--
Lenovo Global Technology	ThinkSystem SR850 (3.40 GHz, Intel Xeon Gold 6128) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	4	2	163	172	--	--
Lenovo Global Technology	ThinkSystem SN850 (2.60 GHz, Intel Xeon Gold 6142M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	345	366	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SN850 (2.10 GHz, Intel Xeon Platinum 8160) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	96	4	2	426	448	--	--
Lenovo Global Technology	ThinkSystem SN850 (2.00 GHz, Intel Xeon Gold 5117) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	4	2	238	255	--	--
Lenovo Global Technology	ThinkSystem SN850 (1.90 GHz, Intel Xeon Gold 5119T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	4	2	234	250	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SN850 (3.40 GHz, Intel Xeon Gold 6128) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	4	2	164	173	--	--
Lenovo Global Technology	ThinkSystem SN850 (2.60 GHz, Intel Xeon Gold 6132) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	4	2	309	331	--	--
Lenovo Global Technology	ThinkSystem SN850 (3.20 GHz, Intel Xeon Gold 6134M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	4	2	213	226	--	--
Lenovo Global Technology	ThinkSystem SN550 (3.40 GHz, Intel Xeon Gold 6128) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	24	12	2	2	81.5	86.8	--	--
Lenovo Global Technology	ThinkSystem SN550 (2.10 GHz, Intel Xeon Gold 6130T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	164	173	--	--
Lenovo Global Technology	ThinkSystem SN550 (2.30 GHz, Intel Xeon Gold 6140M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	188	197	--	--
Lenovo Global Technology	ThinkSystem SN550 (2.60 GHz, Intel Xeon Gold 6142M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	178	187	--	--
Lenovo Global Technology	ThinkSystem SN550 (3.00 GHz, Intel Xeon Platinum 8158) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	149	159	--	--
Lenovo Global Technology	ThinkSystem SN550 (2.10 GHz, Intel Xeon Platinum 8160M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	230	242	--	--



Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SD530 (2.10 GHz, Intel Xeon Silver 4116T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	108	113	--	--
Lenovo Global Technology	ThinkSystem SD530 (1.90 GHz, Intel Xeon Gold 5119T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	121	127	--	--
Lenovo Global Technology	ThinkSystem SD530 (2.00 GHz, Intel Xeon Gold 5117) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	118	124	--	--
Lenovo Global Technology	ThinkSystem SD530 (3.40 GHz, Intel Xeon Gold 6128) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	24	12	2	2	81.7	86.8	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SD530 (2.60 GHz, Intel Xeon Gold 6132) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	158	167	--	--
Lenovo Global Technology	ThinkSystem SD530 (3.20 GHz, Intel Xeon Gold 6134M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	108	113	--	--
Lenovo Global Technology	ThinkSystem SD530 (2.20 GHz, Intel Xeon Silver 4114T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	92.4	97.4	--	--
Lenovo Global Technology	ThinkSystem SD530 (2.30 GHz, Intel Xeon Gold 6140M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	184	195	--	--
Lenovo Global Technology	ThinkSystem SD530 (2.60 GHz, Intel Xeon Gold 6142M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	172	182	--	--
Lenovo Global Technology	ThinkSystem SD530 (2.10 GHz, Intel Xeon Platinum 8160M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	222	236	--	--
Lenovo Global Technology	ThinkSystem SD530 (2.10 GHz, Intel Xeon Platinum 8170M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	233	250	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SD530 (2.10 GHz, Intel Xeon Platinum 8176M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	250	268	--	--
Lenovo Global Technology	ThinkSystem SR650 (2.00 GHz, Intel Xeon Gold 5117) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	121	128	--	--
Lenovo Global Technology	ThinkSystem SR650 (3.50 GHz, Intel Xeon Gold 6144) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	115	122	--	--
Lenovo Global Technology	ThinkSystem SR650 (3.20 GHz, Intel Xeon Gold 6146) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	155	162	--	--
Lenovo Global Technology	ThinkSystem SD530 (2.10 GHz, Intel Xeon Platinum 8160) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	220	235	--	--
Lenovo Global Technology	ThinkSystem SR650 (3.00 GHz, Intel Xeon Gold 6154) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	209	222	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SD530 (2.10 GHz, Intel Xeon Platinum 8176) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	245	262	--	--
Lenovo Global Technology	ThinkSystem SR650 (2.10 GHz, Intel Xeon Platinum 8160M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	231	245	--	--
Lenovo Global Technology	ThinkSystem SR650 (2.10 GHz, Intel Xeon Platinum 8170M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	244	259	--	--
Lenovo Global Technology	ThinkSystem SR630 (2.10 GHz, Intel Xeon Platinum 8170M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	244	259	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR630 (2.50 GHz, Intel Xeon Platinum 8180M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	275	293	--	--
Lenovo Global Technology	ThinkSystem SD650 (2.10 GHz, Intel Xeon Gold 6130) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	158	167	--	--
Lenovo Global Technology	ThinkSystem SR570 (2.20 GHz, Intel Xeon Gold 5120) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	132	139	--	--
Lenovo Global Technology	ThinkSystem SR570 (2.20 GHz, Intel Xeon Gold 5120T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	131	139	--	--
Lenovo Global Technology	ThinkSystem SR570 (3.60 GHz, Intel Xeon Gold 5122) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	55.2	57.8	--	--
Lenovo Global Technology	ThinkSystem SR570 (2.60 GHz, Intel Xeon Gold 6126) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	136	143	--	--
Lenovo Global Technology	ThinkSystem SN850 (3.60 GHz, Intel Xeon Platinum 8156) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	4	2	110	117	--	--
Lenovo Global Technology	ThinkSystem SD650 (3.00 GHz, Intel Xeon Gold 6136) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	148	155	--	--
Lenovo Global Technology	ThinkSystem SD650 (2.00 GHz, Intel Xeon Gold 6138) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	182	192	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SD650 (2.30 GHz, Intel Xeon Gold 6140) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	186	196	--	--
Lenovo Global Technology	ThinkSystem SD650 (2.40 GHz, Intel Xeon Gold 6148) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	198	210	--	--
Lenovo Global Technology	ThinkSystem SD650 (3.00 GHz, Intel Xeon Gold 6154) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	211	222	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SD650 (2.70 GHz, Intel Xeon Platinum 8168) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	259	277	--	--
Lenovo Global Technology	ThinkSystem SR650 (1.90 GHz, Intel Xeon Gold 5119T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	122	128	--	--
Lenovo Global Technology	ThinkSystem SR650 (3.40 GHz, Intel Xeon Gold 6128) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	24	12	2	2	82.3	87.5	--	--
Lenovo Global Technology	ThinkSystem SR650 (2.30 GHz, Intel Xeon Gold 6140M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	185	195	--	--
Lenovo Global Technology	ThinkSystem SR650 (2.60 GHz, Intel Xeon Gold 6142M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	180	189	--	--
Lenovo Global Technology	ThinkSystem SN550 (2.20 GHz, Intel Xeon Gold 5120T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	135	144	--	--
Lenovo Global Technology	ThinkSystem SN550 (3.60 GHz, Intel Xeon Gold 5122) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	55.2	58.5	--	--
Lenovo Global Technology	ThinkSystem SN550 (2.60 GHz, Intel Xeon Gold 6126) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	137	147	--	--
Lenovo Global Technology	ThinkSystem SN550 (2.10 GHz, Intel Xeon Gold 6130) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	164	173	--	--
Lenovo Global Technology	ThinkSystem SN550 (2.10 GHz, Intel Xeon Platinum 8176M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	250	265	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR570 (2.20 GHz, Intel Xeon Silver 4114) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	92.4	97.1	--	--
Lenovo Global Technology	ThinkSystem SR570 (2.40 GHz, Intel Xeon Gold 5115) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	99.2	104	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/ Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SD650 (3.00 GHz, Intel Xeon Platinum 8158) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	153	160	--	--
Lenovo Global Technology	ThinkSystem SR570 (2.00 GHz, Intel Xeon Gold 5117) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	117	123	--	--
Lenovo Global Technology	ThinkSystem SD650 (2.10 GHz, Intel Xeon Platinum 8160) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	227	242	--	--
Lenovo Global Technology	ThinkSystem SD530 (3.60 GHz, Intel Xeon Platinum 8156) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	55.4	58.7	--	--
Lenovo Global Technology	ThinkSystem SD530 (2.60 GHz, Intel Xeon Gold 6142) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	176	187	--	--
Lenovo Global Technology	ThinkSystem SD530 (3.00 GHz, Intel Xeon Platinum 8158) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	150	157	--	--
Lenovo Global Technology	ThinkSystem SD530 (2.40 GHz, Intel Xeon Gold 6148) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	203	214	--	--
Lenovo Global Technology	ThinkSystem SD530 (2.70 GHz, Intel Xeon Gold 6150) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	197	208	--	--
Lenovo Global Technology	ThinkSystem SD530 (2.10 GHz, Intel Xeon Gold 6152) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	88	44	2	2	203	215	--	--
Lenovo Global Technology	ThinkSystem SD530 (2.00 GHz, Intel Xeon Platinum 8153) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	140	147	--	--
Lenovo Global Technology	ThinkSystem SN850 (3.00 GHz, Intel Xeon Platinum 8158) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	290	311	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/ Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SN850 (2.00 GHz, Intel Xeon Gold 6138T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	160	80	4	2	358	375	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SN850 (2.30 GHz, Intel Xeon Gold 6140M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	362	380	--	--
Lenovo Global Technology	ThinkSystem SN850 (2.10 GHz, Intel Xeon Platinum 8160M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	96	4	2	432	455	--	--
Lenovo Global Technology	ThinkSystem SN850 (2.10 GHz, Intel Xeon Gold 6152) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	176	88	4	2	395	415	--	--
Lenovo Global Technology	ThinkSystem SN850 (2.10 GHz, Intel Xeon Platinum 8170) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	208	104	4	2	461	486	--	--
Lenovo Global Technology	ThinkSystem SN850 (2.00 GHz, Intel Xeon Platinum 8153) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	282	298	--	--
Lenovo Global Technology	ThinkSystem SN850 (2.10 GHz, Intel Xeon Platinum 8176M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	484	512	--	--
Lenovo Global Technology	ThinkSystem SN550 (2.70 GHz, Intel Xeon Gold 6150) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	201	211	--	--
Lenovo Global Technology	ThinkSystem SN550 (2.00 GHz, Intel Xeon Platinum 8153) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	142	149	--	--
Lenovo Global Technology	ThinkSystem SN550 (3.60 GHz, Intel Xeon Platinum 8156) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	55.2	58.5	--	--
Lenovo Global Technology	ThinkSystem SN550 (2.10 GHz, Intel Xeon Platinum 8170M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	244	258	--	--
Lenovo Global Technology	ThinkSystem SR860 (2.40 GHz, Intel Xeon Gold 5115) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	4	2	198	207	--	--
Lenovo Global Technology	ThinkSystem SN550 (1.70 GHz, Intel Xeon Bronze 3106) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	16	2	1	44.0	45.8	--	--
<b>Test Sponsor</b>	<b>System Name</b>	<b>Base</b>	<b>Processor</b>			<b>Results</b>		<b>Energy</b>	

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SN550 (2.00 GHz, Intel Xeon Silver 4109T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	69.5	74.1	--	--
Lenovo Global Technology	ThinkSystem SN550 (2.40 GHz, Intel Xeon Gold 5115) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	102	108	--	--
Lenovo Global Technology	ThinkSystem SR570 (2.10 GHz, Intel Xeon Silver 4110) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	72.0	75.4	--	--
Lenovo Global Technology	ThinkSystem SR570 (2.20 GHz, Intel Xeon Silver 4114T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	92.0	97.0	--	--
Lenovo Global Technology	ThinkSystem SR570 (2.10 GHz, Intel Xeon Silver 4116T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	106	112	--	--
Lenovo Global Technology	ThinkSystem SR570 (2.30 GHz, Intel Xeon Gold 5118) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	117	123	--	--
Lenovo Global Technology	ThinkSystem SR570 (2.60 GHz, Intel Xeon Gold 6126T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	134	141	--	--
Lenovo Global Technology	ThinkSystem SR570 (3.20 GHz, Intel Xeon Gold 6134) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	104	109	--	--
Lenovo Global Technology	ThinkSystem SR570 (2.00 GHz, Intel Xeon Gold 6138) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	181	193	--	--
Lenovo Global Technology	ThinkSystem SR570 (2.30 GHz, Intel Xeon Gold 6140) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	180	192	--	--
Lenovo Global Technology	ThinkSystem SR570 (2.60 GHz, Intel Xeon Gold 6142) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	170	182	--	--
Lenovo Global Technology	ThinkSystem SR570 (3.00 GHz, Intel Xeon Platinum 8158) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	145	153	--	--
Lenovo Global Technology	ThinkSystem SR570 (2.10 GHz, Intel Xeon Platinum 8160) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	213	229	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR570 (2.10 GHz, Intel Xeon Platinum 8160T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	219	235	--	--
Lenovo Global Technology	ThinkSystem SR650 (2.20 GHz, Intel Xeon Silver 4114T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	93.6	98.1	--	--
Lenovo Global Technology	ThinkSystem SR650 (2.10 GHz, Intel Xeon Silver 4116T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	109	114	--	--
Lenovo Global Technology	ThinkSystem SR650 (2.60 GHz, Intel Xeon Gold 6132) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	160	169	--	--
Lenovo Global Technology	ThinkSystem SN850 (2.40 GHz, Intel Xeon Gold 6148) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	160	80	4	2	392	410	--	--
Lenovo Global Technology	ThinkSystem SN850 (2.10 GHz, Intel Xeon Platinum 8170M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	208	104	4	2	468	496	--	--
Lenovo Global Technology	ThinkSystem SN850 (2.30 GHz, Intel Xeon Gold 6140) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	354	372	--	--
Lenovo Global Technology	ThinkSystem SN850 (2.00 GHz, Intel Xeon Platinum 8164) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	208	104	4	2	454	482	--	--
Lenovo Global Technology	ThinkSystem SD650 (2.00 GHz, Intel Xeon Platinum 8153) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	140	147	--	--
Lenovo Global Technology	ThinkSystem SD650 (2.00 GHz, Intel Xeon Platinum 8164) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	236	251	--	--
Lenovo Global Technology	ThinkSystem SD650 (2.60 GHz, Intel Xeon Gold 6132) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	161	169	--	--



Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SD650 (2.10 GHz, Intel Xeon Platinum 8170) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	243	259	--	--
Lenovo Global Technology	ThinkSystem SD650 (3.20 GHz, Intel Xeon Gold 6134) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	109	114	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SD650 (2.10 GHz, Intel Xeon Platinum 8176) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	252	269	--	--
Lenovo Global Technology	ThinkSystem SD650 (2.70 GHz, Intel Xeon Gold 6150) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	200	211	--	--
Lenovo Global Technology	ThinkSystem SD650 (2.10 GHz, Intel Xeon Gold 6152) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	88	44	2	2	208	220	--	--
Lenovo Global Technology	ThinkSystem SD530 (2.60 GHz, Intel Xeon Silver 4112) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	43.1	45.9	--	--
Lenovo Global Technology	ThinkSystem SD530 (2.30 GHz, Intel Xeon Gold 5118) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	119	125	--	--
Lenovo Global Technology	ThinkSystem SD530 (2.60 GHz, Intel Xeon Gold 6126) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	134	141	--	--
Lenovo Global Technology	ThinkSystem SD530 (2.20 GHz, Intel Xeon Gold 5120) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	134	141	--	--
Lenovo Global Technology	ThinkSystem SD530 (2.10 GHz, Intel Xeon Gold 6130) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	160	169	--	--
Lenovo Global Technology	ThinkSystem SD530 (2.20 GHz, Intel Xeon Gold 5120T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	134	140	--	--
Lenovo Global Technology	ThinkSystem SD530 (3.20 GHz, Intel Xeon Gold 6134) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	107	112	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SD530 (3.00 GHz, Intel Xeon Gold 6136) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	148	154	--	--
Lenovo Global Technology	ThinkSystem SD530 (2.00 GHz, Intel Xeon Gold 6138) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	187	198	--	--
Lenovo Global Technology	ThinkSystem SD530 (2.10 GHz, Intel Xeon Platinum 8170) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	238	254	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR650 (3.90 GHz, Intel Xeon Gold 6137) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	118	116	--	--
Lenovo Global Technology	ThinkSystem SD530 (2.10 GHz, Intel Xeon Silver 4116) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	108	113	--	--
Lenovo Global Technology	ThinkSystem SD650 (2.60 GHz, Intel Xeon Gold 6126T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	137	144	--	--
Lenovo Global Technology	ThinkSystem SD650 (2.10 GHz, Intel Xeon Gold 6130T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	162	170	--	--
Lenovo Global Technology	ThinkSystem SD650 (2.00 GHz, Intel Xeon Gold 6138T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	193	203	--	--
Lenovo Global Technology	ThinkSystem SD650 (2.40 GHz, Intel Xeon Gold 6148F) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	208	220	--	--
Lenovo Global Technology	ThinkSystem SD650 (2.10 GHz, Intel Xeon Platinum 8160F) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	231	247	--	--
Lenovo Global Technology	ThinkSystem SD650 (2.10 GHz, Intel Xeon Platinum 8160T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	233	248	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SD650 (2.10 GHz, Intel Xeon Platinum 8176F) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	245	261	--	--
Lenovo Global Technology	ThinkSystem SD650 (2.60 GHz, Intel Xeon Gold 6126F) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	140	147	--	--
Lenovo Global Technology	ThinkSystem SD650 (2.10 GHz, Intel Xeon Gold 6130F) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	162	170	--	--
Lenovo Global Technology	ThinkSystem SD650 (2.60 GHz, Intel Xeon Gold 6142F) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	181	191	--	--
Lenovo Global Technology	ThinkSystem SD530 (1.70 GHz, Intel Xeon Bronze 3104) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	12	2	1	33.3	34.2	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SD530 (1.70 GHz, Intel Xeon Bronze 3106) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	16	2	1	44.3	45.6	--	--
Lenovo Global Technology	ThinkSystem SD530 (1.80 GHz, Intel Xeon Silver 4108) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	65.3	68.4	--	--
Lenovo Global Technology	ThinkSystem SD530 (2.40 GHz, Intel Xeon Gold 5115) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	102	106	--	--
Lenovo Global Technology	ThinkSystem SD530 (2.00 GHz, Intel Xeon Silver 4109T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	70.1	73.6	--	--
Lenovo Global Technology	ThinkSystem SD530 (2.30 GHz, Intel Xeon Gold 6140) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	180	190	--	--
Lenovo Global Technology	ThinkSystem SD530 (2.10 GHz, Intel Xeon Silver 4110) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	72.4	76.1	--	--
Lenovo Global Technology	ThinkSystem SD650 (2.00 GHz, Intel Xeon Gold 6138F) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	192	202	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SD650 (2.60 GHz, Intel Xeon Gold 6142) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	184	193	--	--
Lenovo Global Technology	ThinkSystem SR590 (2.10 GHz, Intel Xeon Silver 4116) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	108	113	--	--
Lenovo Global Technology	ThinkSystem SR650 (2.10 GHz, Intel Xeon Gold 6130) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	158	166	--	--
Lenovo Global Technology	ThinkSystem SR850 (2.30 GHz, Intel Xeon Gold 5118) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	236	253	--	--
Lenovo Global Technology	ThinkSystem SR860 (2.30 GHz, Intel Xeon Gold 6140) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	361	381	--	--
Lenovo Global Technology	ThinkSystem SR950 (2.10 GHz, Intel Xeon Platinum 8160) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	384	192	8	2	890	934	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR860 (2.60 GHz, Intel Xeon Gold 6126T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	265	275	--	--
Lenovo Global Technology	ThinkSystem SR860 (3.50 GHz, Intel Xeon Gold 6144) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	4	2	221	235	--	--
Lenovo Global Technology	ThinkSystem SR860 (3.00 GHz, Intel Xeon Gold 6154) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	418	442	--	--
Lenovo Global Technology	ThinkSystem SD530 (2.60 GHz, Intel Xeon Gold 6126T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	134	141	--	--
Lenovo Global Technology	ThinkSystem SD530 (3.50 GHz, Intel Xeon Gold 6144) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	101	106	--	--
Lenovo Global Technology	ThinkSystem SD530 (3.20 GHz, Intel Xeon Gold 6146) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	145	152	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SD530 (3.00 GHz, Intel Xeon Gold 6154) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	206	219	--	--
Lenovo Global Technology	ThinkSystem SD530 (2.70 GHz, Intel Xeon Platinum 8168) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	249	265	--	--
Lenovo Global Technology	ThinkSystem SD530 (2.50 GHz, Intel Xeon Platinum 8180M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	264	284	--	--
Lenovo Global Technology	ThinkSystem SR850 (2.60 GHz, Intel Xeon Gold 6126T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	271	289	--	--
Lenovo Global Technology	ThinkSystem SR850 (3.50 GHz, Intel Xeon Gold 6144) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	4	2	223	237	--	--
Lenovo Global Technology	ThinkSystem SR850 (3.00 GHz, Intel Xeon Gold 6154) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	421	443	--	--
Lenovo Global Technology	ThinkSystem SR850 (2.70 GHz, Intel Xeon Platinum 8168) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	96	4	2	510	541	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SD530 (3.60 GHz, Intel Xeon Gold 5122) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	55.1	58.3	--	--
Lenovo Global Technology	ThinkSystem SD530 (2.20 GHz, Intel Xeon Silver 4114) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	92.9	97.4	--	--
Lenovo Global Technology	ThinkSystem SR950 (2.50 GHz, Intel Xeon Platinum 8180) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	168	84	3	2	430	Not Run	--	--
Lenovo Global Technology	ThinkSystem SR950 (2.50 GHz, Intel Xeon Platinum 8180) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	336	168	6	2	854	Not Run	--	--
Lenovo Global Technology	ThinkSystem SR860 (3.20 GHz, Intel Xeon Gold 6146) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	310	322	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SD530 (2.10 GHz, Intel Xeon Platinum 8160T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	206	217	--	--
Lenovo Global Technology	ThinkSystem SR860 (2.10 GHz, Intel Xeon Platinum 8160T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	96	4	2	447	473	--	--
Lenovo Global Technology	ThinkSystem SD530 (2.50 GHz, Intel Xeon Platinum 8180) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	260	278	--	--
Lenovo Global Technology	ThinkSystem SR860 (2.70 GHz, Intel Xeon Platinum 8168) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	96	4	2	507	538	--	--
Lenovo Global Technology	ThinkSystem SR850 (3.20 GHz, Intel Xeon Gold 6146) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	311	331	--	--
Lenovo Global Technology	ThinkSystem SR860 (2.50 GHz, Intel Xeon Platinum 8180) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	560	596	--	--
Lenovo Global Technology	ThinkSystem SR850 (2.10 GHz, Intel Xeon Platinum 8160T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	96	4	2	447	471	--	--
Lenovo Global Technology	ThinkSystem SR860 (2.50 GHz, Intel Xeon Platinum 8180M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	544	580	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
Lenovo Global Technology	ThinkSystem SR850 (2.50 GHz, Intel Xeon Platinum 8180) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	556	593	--	--
Lenovo Global Technology	ThinkSystem SR850 (2.50 GHz, Intel Xeon Platinum 8180M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	549	586	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem ST50 (3.80 GHz, Intel Xeon E-2186G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	6	1	2	41.2	Not Run	--	--
Lenovo Global Technology	ThinkSystem ST250 (3.80 GHz, Intel Xeon E-2186G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	6	1	2	41.9	Not Run	--	--
Lenovo Global Technology	Thinksystem SR250 (3.80 GHz, Intel Xeon E-2186G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	6	1	2	41.1	Not Run	--	--
Lenovo Global Technology	ThinkSystem ST50 (3.50 GHz, Intel Xeon E-2134) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	29.8	Not Run	--	--
Lenovo Global Technology	ThinkSystem ST50 (3.80 GHz, Intel Xeon E-2174G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	30.4	Not Run	--	--
Lenovo Global Technology	ThinkSystem ST250 (3.30 GHz, Intel Xeon E-2126G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	6	6	1	1	35.4	Not Run	--	--
Lenovo Global Technology	ThinkSystem ST50 (3.70 GHz, Intel Xeon E-2176G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	6	1	2	40.5	Not Run	--	--
Lenovo Global Technology	ThinkSystem ST250 (3.70 GHz, Intel Xeon E-2176G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	6	1	2	41.5	Not Run	--	--
Lenovo Global Technology	ThinkSystem ST50 (3.60 GHz, Intel Xeon E-2144G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	29.9	Not Run	--	--
Lenovo Global Technology	ThinkSystem SR150 (3.70 GHz, Intel Xeon E-2176G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	6	1	2	40.6	Not Run	--	--
Lenovo Global Technology	ThinkSystem SR150 (3.30 GHz, Intel Xeon E-2126G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	6	6	1	1	35.3	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR150 (3.80 GHz, Intel Xeon E-2174G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	30.6	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/ Core	Base	Peak	Base	Peak
Lenovo Global Technology	Thinksystem SR250 (3.80 GHz, Intel Xeon E-2174G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	30.1	Not Run	--	--
Lenovo Global Technology	Thinksystem SR250 (3.70 GHz, Intel Xeon E-2176G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	6	1	2	40.3	Not Run	--	--
Lenovo Global Technology	ThinkSystem ST250 (3.20 GHz, Intel Xeon E-2104G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	20.3	Not Run	--	--
Lenovo Global Technology	ThinkSystem ST250 (3.40 GHz, Intel Xeon E-2124G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	24.8	Not Run	--	--
Lenovo Global Technology	ThinkSystem ST250 (3.50 GHz, Intel Xeon E-2146G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	6	1	2	39.9	Not Run	--	--
Lenovo Global Technology	ThinkSystem ST250 (3.80 GHz, Intel Xeon E-2174G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	30.6	Not Run	--	--
Lenovo Global Technology	ThinkSystem ST50 (3.30 GHz, Intel Xeon E-2124) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	23.7	Not Run	--	--
Lenovo Global Technology	ThinkSystem ST50 (3.40 GHz, Intel Xeon E-2124G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	24.8	Not Run	--	--
Lenovo Global Technology	ThinkSystem ST50 (3.30 GHz, Intel Xeon E-2126G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	6	6	1	1	35.4	Not Run	--	--
Lenovo Global Technology	ThinkSystem ST50 (3.30 GHz, Intel Xeon E-2136) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	6	1	2	40.4	Not Run	--	--
Lenovo Global Technology	ThinkSystem ST50 (3.50 GHz, Intel Xeon E-2146G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	6	1	2	39.6	Not Run	--	--
Lenovo Global Technology	ThinkSystem SD650 (2.50 GHz, Intel Xeon Platinum 8180) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	283	303	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/ Core	Base	Peak	Base	Peak



Test Sponsor	System Name	Base Copies	Processor		Results		Energy		
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR150 (3.20 GHz, Intel Xeon E-2104G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	20.1	Not Run	--	--
Lenovo Global Technology	ThinkSystem SR150 (3.30 GHz, Intel Xeon E-2124) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	23.5	Not Run	--	--
Lenovo Global Technology	Thinksystem SR250 (3.20 GHz, Intel Xeon E-2104G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	20.1	Not Run	--	--
Lenovo Global Technology	ThinkSystem SR150 (3.40 GHz, Intel Xeon E-2124G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	24.6	Not Run	--	--
Lenovo Global Technology	Thinksystem SR250 (3.30 GHz, Intel Xeon E-2124) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	23.5	Not Run	--	--
Lenovo Global Technology	Thinksystem SR250 (3.40 GHz, Intel Xeon E-2124G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	24.7	Not Run	--	--
Lenovo Global Technology	ThinkSystem SR150 (3.30 GHz, Intel Xeon E-2136) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	6	1	2	40.8	Not Run	--	--
Lenovo Global Technology	Thinksystem SR250 (3.30 GHz, Intel Xeon E-2136) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	6	1	2	40.1	Not Run	--	--
Lenovo Global Technology	ThinkSystem ST250 (3.30 GHz, Intel Xeon E-2124) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	23.7	Not Run	--	--
Lenovo Global Technology	ThinkSystem ST50 (3.20 GHz, Intel Xeon E-2104G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	20.2	Not Run	--	--
Lenovo Global Technology	ThinkSystem ST250 (3.50 GHz, Intel Xeon E-2134) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	30.0	Not Run	--	--
Lenovo Global Technology	ThinkSystem ST250 (3.30 GHz, Intel Xeon E-2136) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	6	1	2	40.7	Not Run	--	--
Lenovo Global Technology	ThinkSystem SR150 (3.50 GHz, Intel Xeon E-2134) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	30.0	Not Run	--	--

Test Sponsor

System Name

Base

Processor

Results

Energy

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR150 (3.60 GHz, Intel Xeon E-2144G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	30.0	Not Run	--	--
Lenovo Global Technology	ThinkSystem SR150 (3.50 GHz, Intel Xeon E-2146G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	6	1	2	40.2	Not Run	--	--
Lenovo Global Technology	Thinksystem SR250 (3.30 GHz, Intel Xeon E-2126G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	6	6	1	1	35.1	Not Run	--	--
Lenovo Global Technology	Thinksystem SR250 (3.50 GHz, Intel Xeon E-2134) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	29.9	Not Run	--	--
Lenovo Global Technology	Thinksystem SR250 (3.60 GHz, Intel Xeon E-2144G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	29.6	Not Run	--	--
Lenovo Global Technology	Thinksystem SR250 (3.50 GHz, Intel Xeon E-2146G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	6	1	2	39.3	Not Run	--	--
Lenovo Global Technology	ThinkSystem ST250 (3.60 GHz, Intel Xeon E-2144G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	30.1	Not Run	--	--
Lenovo Global Technology	ThinkSystem SR670 (2.10 GHz, Intel Xeon Silver 4110) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	74.0	Not Run	--	--
Lenovo Global Technology	ThinkSystem SR950 (2.70 GHz, Intel Xeon Platinum 8280) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	336	168	6	2	926	Not Run	--	--
Lenovo Global Technology	ThinkSystem ST550 (2.10 GHz, Intel Xeon Gold 6230) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	204	Not Run	--	--
Lenovo Global Technology	ThinkSystem SR950 (2.70 GHz, Intel Xeon Platinum 8280) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	448	224	8	2	1240	Not Run	--	--
Lenovo Global Technology	ThinkSystem SR950 (2.70 GHz, Intel Xeon Platinum 8280L) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	448	224	8	2	1240	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR630 (2.70 GHz, Intel Xeon Platinum 8280) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	306	Not Run	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR630 (2.70 GHz, Intel Xeon Platinum 8280L) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	305	Not Run	--	--
Lenovo Global Technology	ThinkSystem SR650 (2.70 GHz, Intel Xeon Platinum 8280) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	306	Not Run	--	--
Lenovo Global Technology	ThinkSystem SR650 (2.70 GHz, Intel Xeon Platinum 8280M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	305	Not Run	--	--
Lenovo Global Technology	Thinksystem SR950 (2.70 GHz, Intel Xeon Platinum 8280) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	168	84	3	2	463	Not Run	--	--
Lenovo Global Technology	Thinksystem SR950 (2.70 GHz, Intel Xeon Platinum 8280) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	623	Not Run	--	--
Lenovo Global Technology	Thinksystem SR950 (2.70 GHz, Intel Xeon Platinum 8280L) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	626	Not Run	--	--
Lenovo Global Technology	Thinksystem SR950 (2.70 GHz, Intel Xeon Platinum 8280M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	620	Not Run	--	--
Lenovo Global Technology	ThinkSystem SR530 (2.10 GHz, Intel Xeon Gold 6230) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	204	Not Run	--	--
Lenovo Global Technology	ThinkSystem SR550 (2.10 GHz, Intel Xeon Gold 6230) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	203	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
Lenovo Global Technology	ThinkSystem SR570 (2.10 GHz, Intel Xeon Gold 6252) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	244	Not Run	--	--
Lenovo Global Technology	ThinkSystem SR590 (2.10 GHz, Intel Xeon Gold 6252) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	244	Not Run	--	--
Lenovo Global Technology	ThinkSystem SR650 (2.70 GHz, Intel Xeon Platinum 8280) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	1	2	149	Not Run	--	--
M Computers s.r.o.	HPC S2600WFT (2.30 GHz, Intel Xeon Gold 5118) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	119	Not Run	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
M Computers s.r.o.	HPC S2600WFT (2.10 GHz, Intel Xeon Gold 6130) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	155	Not Run	--	--
M Computers s.r.o.	HPC S2600WFT (2.10 GHz, Intel Xeon Silver 4116) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	110	Not Run	--	--
M Computers s.r.o.	HPC S2600WFT (2.20 GHz, Intel Xeon Silver 4114) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	94.1	Not Run	--	--
M Computers s.r.o.	HPC S2600WFT (2.10 GHz, Intel Xeon Silver 4110) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	73.4	Not Run	--	--
M Computers s.r.o.	HPC S2600WFT (1.80 GHz, Intel Xeon Silver 4108) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	65.5	Not Run	--	--
M Computers s.r.o.	HPC S2600WFT (2.60 GHz, Intel Xeon Silver 4112) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	44.1	Not Run	--	--
NEC Corporation	Express5800/D120h (Intel Xeon Platinum 8164) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	228	245	--	--
NEC Corporation	Express5800/D120h (Intel Xeon Platinum 8160) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	225	241	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
NEC Corporation	Express5800/D120h (Intel Xeon Gold 6142) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	173	185	--	--
NEC Corporation	Express5800/D120h (Intel Xeon Gold 6140) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	181	193	--	--
NEC Corporation	Express5800/D120h (Intel Xeon Gold 6138) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	180	193	--	--
NEC Corporation	Express5800/D120h (Intel Xeon Gold 6134) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	105	112	--	--
NEC Corporation	Express5800/D120h (Intel Xeon Gold 5122) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	55.5	58.8	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
NEC Corporation	Express5800/D120h (Intel Xeon Gold 5120) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	134	142	--	--
NEC Corporation	Express5800/D120h (Intel Xeon Bronze 3106) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	16	2	1	44.8	46.6	--	--
NEC Corporation	Express5800/D120h (Intel Xeon Gold 5118) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	120	128	--	--
NEC Corporation	Express5800/D120h (Intel Xeon Gold 6130) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	158	168	--	--
NEC Corporation	Express5800/D120h (Intel Xeon Silver 4108) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	65.9	69.7	--	--
NEC Corporation	Express5800/D120h (Intel Xeon Silver 4110) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	73.0	77.5	--	--
NEC Corporation	Express5800/D120h (Intel Xeon Silver 4116) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	108	115	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
NEC Corporation	Express5800/D120h (Intel Xeon Bronze 3104) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	12	2	1	33.6	35.0	--	--
NEC Corporation	Express5800/D120h (Intel Xeon Gold 6132) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	157	167	--	--
NEC Corporation	Express5800/D120h (Intel Xeon Gold 6152) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	88	44	2	2	201	214	--	--
NEC Corporation	Express5800/D120h (Intel Xeon Silver 4114) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	93.9	99.7	--	--
NEC Corporation	Express5800/R120h-1M (Intel Xeon Gold 5122) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	28.6	30.2	--	--
NEC Corporation	Express5800/R120h-1M (Intel Xeon Bronze 3104) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	6	6	1	1	17.1	17.8	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
NEC Corporation	Express5800/A2040e (2.50 GHz, Intel Xeon Platinum 8180) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	550	586	--	--
NEC Corporation	Express5800/A2040e (2.10 GHz, Intel Xeon Platinum 8176) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	485	513	--	--
NEC Corporation	Express5800/R120h-2E (Intel Xeon Silver 4110) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	71.8	76.0	--	--
NEC Corporation	Express5800/A2040e (2.40 GHz, Intel Xeon Gold 5115) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	4	2	194	210	--	--
NEC Corporation	Express5800/A2040e (3.60 GHz, Intel Xeon Gold 5122) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	4	2	110	117	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
NEC Corporation	Express5800/A2040e (3.00 GHz, Intel Xeon Gold 6136) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	283	302	--	--
NEC Corporation	Express5800/A2040e (3.50 GHz, Intel Xeon Gold 6144) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	4	2	225	239	--	--
NEC Corporation	Express5800/A2040e (3.60 GHz, Intel Xeon Platinum 8156) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	4	2	110	117	--	--
NEC Corporation	Express5800/A2040e (2.70 GHz, Intel Xeon Gold 6150) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	388	416	--	--
NEC Corporation	Express5800/A2040e (2.10 GHz, Intel Xeon Platinum 8160) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	96	4	2	437	467	--	--
NEC Corporation	Express5800/A2040e (2.10 GHz, Intel Xeon Platinum 8176M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	479	514	--	--
NEC Corporation	Express5800/A2040e (2.50 GHz, Intel Xeon Platinum 8180M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	548	590	--	--
NEC Corporation	Express5800/D120h (Intel Xeon Gold 6138) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	1	2	96.8	103	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
NEC Corporation	Express5800/D120h (Intel Xeon Gold 6134) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	1	2	54.9	58.0	--	--
NEC Corporation	Express5800/R120h-2E (Intel Xeon Bronze 3104) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	12	2	1	33.0	34.5	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
NEC Corporation	Express5800/R120h-2E (Intel Xeon Silver 4112) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	43.6	46.1	--	--
NEC Corporation	Express5800/R120h-2M (Intel Xeon Gold 5118) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	119	126	--	--
NEC Corporation	Express5800/R120h-2E (Intel Xeon Silver 4114) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	92.4	98.0	--	--
NEC Corporation	Express5800/R120h-2M (Intel Xeon Gold 6148) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	203	217	--	--
NEC Corporation	Express5800/R120h-2M (Intel Xeon Platinum 8170M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	245	262	--	--
NEC Corporation	Express5800/D120h (Intel Xeon Gold 6140) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	36	18	1	2	95.5	102	--	--
NEC Corporation	Express5800/D120h (Intel Xeon Gold 6152) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	44	22	1	2	107	114	--	--
NEC Corporation	Express5800/D120h (Intel Xeon Silver 4114) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	20	10	1	2	48.1	50.7	--	--
NEC Corporation	Express5800/R120h-2E (Intel Xeon Gold 5122) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	55.4	58.6	--	--
NEC Corporation	Express5800/R120h-2E (Intel Xeon Gold 6126) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	132	140	--	--
NEC Corporation	Express5800/R120h-2E (Intel Xeon Gold 5118) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	118	125	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
NEC Corporation	Express5800/R120h-2M (Intel Xeon Gold 5120) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	134	143	--	--



Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak
NEC Corporation	Express5800/R120h-2M (Intel Xeon Gold 5122) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	56.3	59.4	--	--
NEC Corporation	Express5800/R120h-2M (Intel Xeon Gold 6126) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	139	148	--	--
NEC Corporation	Express5800/R120h-2M (Intel Xeon Gold 6130) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	159	170	--	--
NEC Corporation	Express5800/R120h-2E (Intel Xeon Silver 4108) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	64.8	68.4	--	--
NEC Corporation	Express5800/R120h-2M (Intel Xeon Silver 4110) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	72.8	77.0	--	--
NEC Corporation	Express5800/R120h-2M (Intel Xeon Silver 4112) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	44.1	46.6	--	--
NEC Corporation	Express5800/R120h-2M (Intel Xeon Gold 6152) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	88	44	2	2	208	222	--	--
NEC Corporation	Express5800/R120h-2M (Intel Xeon Gold 6134) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	107	113	--	--
NEC Corporation	Express5800/R120h-2E (Intel Xeon Gold 6152) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	88	44	2	2	194	206	--	--
NEC Corporation	Express5800/R120h-2E (Intel Xeon Gold 6130) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	152	162	--	--
NEC Corporation	Express5800/D120h (Intel Xeon Silver 4110) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	1	2	37.4	39.5	--	--
NEC Corporation	Express5800/D120h (Intel Xeon Silver 4108) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	1	2	33.6	35.3	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Enabled Threads/Core	Base	Peak	Base	Peak

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
NEC Corporation	Express5800/D120h (Intel Xeon Gold 6130) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	1	2	82.2	87.1	--	--
NEC Corporation	Express5800/D120h (Intel Xeon Gold 5122) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	28.5	30.0	--	--
NEC Corporation	Express5800/R120h-2E (Intel Xeon Bronze 3106) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	16	2	1	44.0	46.0	--	--
NEC Corporation	Express5800/D120h (Intel Xeon Bronze 3104) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	6	6	1	1	17.1	17.7	--	--
NEC Corporation	Express5800/D120h (Intel Xeon Bronze 3106) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	8	1	1	22.7	23.6	--	--
NEC Corporation	Express5800/D120h (Intel Xeon Platinum 8160) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	1	2	117	125	--	--
NEC Corporation	Express5800/D120h (Intel Xeon Platinum 8164) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	52	26	1	2	121	130	--	--
NEC Corporation	Express5800/R120h-2E (Intel Xeon Gold 5115) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	95.0	100	--	--
NEC Corporation	Express5800/R120h-2E (Intel Xeon Gold 5120) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	132	140	--	--
NEC Corporation	Express5800/R120h-2E (Intel Xeon Gold 6128) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	24	12	2	2	81.7	86.1	--	--
NEC Corporation	Express5800/R120h-2E (Intel Xeon Gold 6134) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	103	108	--	--
NEC Corporation	Express5800/R120h-2E (Intel Xeon Gold 6138) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	174	185	--	--
NEC Corporation	Express5800/R120h-2M (Intel Xeon Gold 6128) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	24	12	2	2	83.1	87.6	--	--

Test Sponsor

System Name

Base

Processor

Results

Energy

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
		Copies	Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
NEC Corporation	Express5800/R120h-2M (Intel Xeon Gold 6146) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	155	165	--	--
NEC Corporation	Express5800/R120h-2M (Intel Xeon Silver 4108) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	65.5	68.9	--	--
NEC Corporation	Express5800/R120h-2M (Intel Xeon Silver 4114) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	93.2	98.8	--	--
NEC Corporation	Express5800/R120h-2E (Intel Xeon Gold 6140) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	175	187	--	--
NEC Corporation	Express5800/R120h-2M (Intel Xeon Gold 6138) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	189	201	--	--
NEC Corporation	Express5800/D120h (Intel Xeon Gold 5120) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	28	14	1	2	68.3	72.3	--	--
NEC Corporation	Express5800/D120h (Intel Xeon Gold 5118) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	24	12	1	2	61.1	64.6	--	--
NEC Corporation	Express5800/D120h (Intel Xeon Gold 6142) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	1	2	91.5	97.2	--	--
NEC Corporation	Express5800/D120h (Intel Xeon Gold 6132) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	28	14	1	2	82.2	87.1	--	--
NEC Corporation	Express5800/D120h (Intel Xeon Silver 4116) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	24	12	1	2	55.5	58.6	--	--
NEC Corporation	Express5800/R120h-2E (Intel Xeon Gold 6132) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	151	161	--	--
NEC Corporation	Express5800/R120h-2E (Intel Xeon Silver 4116) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	106	113	--	--
NEC Corporation	Express5800/R120h-2E (Intel Xeon Gold 6142) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	166	177	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
NEC Corporation	Express5800/R120h-2M (Intel Xeon Gold 6132) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	161	171	--	--
NEC Corporation	Express5800/R120h-2E (Intel Xeon Gold 6148) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	188	201	--	--
NEC Corporation	Express5800/R120h-2M (Intel Xeon Gold 5115) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	102	108	--	--
NEC Corporation	Express5800/R120h-2M (Intel Xeon Gold 6136) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	151	160	--	--
NEC Corporation	Express5800/R120h-2M (Intel Xeon Gold 6140) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	186	198	--	--
NEC Corporation	Express5800/R120h-2M (Intel Xeon Platinum 8164) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	231	248	--	--
NEC Corporation	Express5800/D120h (Intel Xeon Platinum 8160M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	224	240	--	--
NEC Corporation	Express5800/R120h-2E (Intel Xeon Gold 6136) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	142	150	--	--
NEC Corporation	Express5800/R120h-2E (Intel Xeon Platinum 8160) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	212	227	--	--
NEC Corporation	Express5800/R120h-2E (Intel Xeon Platinum 8164) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	217	232	--	--
NEC Corporation	Express5800/R120h-2M (Intel Xeon Gold 6142) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	175	187	--	--
NEC Corporation	Express5800/R120h-2M (Intel Xeon Gold 6144) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	115	121	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
NEC Corporation	Express5800/R120h-2M (Intel Xeon Silver 4116) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	108	114	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
NEC Corporation	Express5800/A2040e (3.00 GHz, Intel Xeon Gold 6136) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	4	2	286	305	--	--
NEC Corporation	Express5800/A2040e (2.50 GHz, Intel Xeon Platinum 8180M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	551	594	--	--
NEC Corporation	Express5800/A2040e (2.10 GHz, Intel Xeon Platinum 8176) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	486	521	--	--
NEC Corporation	Express5800/A2040e (2.40 GHz, Intel Xeon Gold 5115) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	4	2	195	211	--	--
NEC Corporation	Express5800/D120h (Intel Xeon Platinum 8160M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	1	2	117	125	--	--
NEC Corporation	Express5800/R120h-2M (Intel Xeon Platinum 8156) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	55.6	58.7	--	--
NEC Corporation	Express5800/R120h-2M (Intel Xeon Gold 6154) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	213	228	--	--
NEC Corporation	Express5800/R120h-2M (Intel Xeon Platinum 8176) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	252	270	--	--
NEC Corporation	Express5800/R120h-2M (Intel Xeon Platinum 8153) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	140	148	--	--
NEC Corporation	Express5800/A2040e (2.10 GHz, Intel Xeon Platinum 8160) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	96	4	2	440	470	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
NEC Corporation	Express5800/A2040e (3.50 GHz, Intel Xeon Gold 6144) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	4	2	227	241	--	--
NEC Corporation	Express5800/R110i-1 (Intel Xeon E3-1225 v6) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	21.6	22.9	--	--
NEC Corporation	Express5800/R120h-2M (Intel Xeon Platinum 8158) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	150	159	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
NEC Corporation	Express5800/R120h-2M (Intel Xeon Platinum 8160) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	228	244	--	--
NEC Corporation	Express5800/R120h-2M (Intel Xeon Platinum 8170) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	104	52	2	2	244	261	--	--
NEC Corporation	Express5800/R110i-1 (Intel Xeon E3-1270 v6) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	29.0	31.0	--	--
NEC Corporation	Express5800/R110i-1 (Intel Xeon E3-1220 v6) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	20.6	21.8	--	--
NEC Corporation	Express5800/R110i-1 (Intel Xeon E3-1230 v6) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	27.4	29.2	--	--
NEC Corporation	Express5800/R110i-1 (Intel Xeon E3-1240L v5) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	21.4	22.7	--	--
NEC Corporation	Express5800/R110i-1 (Intel Xeon E3-1260L v5) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	26.2	27.9	--	--
NEC Corporation	Express5800/R120h-2M (Intel Xeon Bronze 3106) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	16	2	1	44.0	46.0	--	--
NEC Corporation	Express5800/R120h-2M (Intel Xeon Gold 6134M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	108	115	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
NEC Corporation	Express5800/R120h-2M (Intel Xeon Platinum 8180) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	276	297	--	--
NEC Corporation	Express5800/R120h-2M (Intel Xeon Gold 6150) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	199	211	--	--
NEC Corporation	Express5800/R120h-2M (Intel Xeon Platinum 8168) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	259	278	--	--
NEC Corporation	Express5800/R120h-2M (Intel Xeon Bronze 3104) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	12	2	1	33.0	34.5	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
NEC Corporation	Express5800/R120h-2M (Intel Xeon Platinum 8180M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	277	298	--	--
NEC Corporation	Express5800/R110i-1 (Intel Pentium G4560) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	2	1	2	11.6	12.4	--	--
NEC Corporation	Express5800/T110i-S (Intel Pentium G4560) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	2	1	2	11.6	12.4	--	--
NEC Corporation	Express5800/T110i-S (Intel Xeon E3-1220 v6) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	20.6	21.8	--	--
NEC Corporation	Express5800/T110i-S (Intel Xeon E3-1225 v6) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	21.6	22.9	--	--
NEC Corporation	Express5800/T110i-S (Intel Xeon E3-1230 v6) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	27.3	29.1	--	--
NEC Corporation	Express5800/T110i-S (Intel Xeon E3-1270 v6) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	28.9	30.9	--	--
NEC Corporation	Express5800/R120h-2M (Intel Xeon Bronze 3104) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	6	6	1	1	16.8	17.5	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
NEC Corporation	Express5800/R120h-2M (Intel Xeon Gold 5122) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	28.5	29.9	--	--
NEC Corporation	Express5800/T110i (Intel Core i3-7300) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	2	1	2	15.4	16.4	--	--
NEC Corporation	Express5800/T110i-S (Intel Core i3-7300) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	2	1	2	15.4	16.4	--	--
NEC Corporation	Express5800/T110i-S (Intel Xeon E3-1240L v5) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	21.2	22.5	--	--
NEC Corporation	Express5800/T110i-S (Intel Xeon E3-1260L v5) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	26.3	28.1	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
NEC Corporation	Express5800/T110i (Intel Xeon E3-1270 v6) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	28.9	30.9	--	--
NEC Corporation	Express5800/T110j-S (Intel Xeon E-2136) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	6	1	2	41.2	44.4	--	--
NEC Corporation	Express5800/T110j-S (Intel Xeon E-2174G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	30.7	32.9	--	--
NEC Corporation	Express5800/T110j-S (Intel Xeon E-2134) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	30.3	32.4	--	--
NEC Corporation	Express5800/T110j-S (Intel Xeon E-2126G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	6	6	1	1	35.5	37.8	--	--
NEC Corporation	Express5800/T110j-S (Intel Xeon E-2124) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	23.7	25.2	--	--
NEC Corporation	Express5800/T110i (Intel Xeon E3-1230 v6) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	27.3	29.1	--	--



Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
NEC Corporation	Express5800/T110i (Intel Xeon E3-1225 v6) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	21.6	22.9	--	--
NEC Corporation	Express5800/R120h-1E (Intel Xeon Gold 6128) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	24	12	2	2	81.7	86.2	--	--
NEC Corporation	Express5800/R120h-1E (Intel Xeon Gold 5122) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	55.5	58.6	--	--
NEC Corporation	Express5800/R120h-1E (Intel Xeon Gold 5120) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	132	140	--	--
NEC Corporation	Express5800/R120h-1E (Intel Xeon Gold 5118) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	118	125	--	--
NEC Corporation	Express5800/R120h-1E (Intel Xeon Gold 5115) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	96.4	102	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
NEC Corporation	Express5800/R110j-1 (Intel Xeon E-2186G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	6	1	2	41.7	44.8	--	--
NEC Corporation	Express5800/R110j-1 (Intel Xeon E-2174G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	30.7	32.9	--	--
NEC Corporation	Express5800/R110j-1 (Intel Xeon E-2144G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	30.3	32.3	--	--
NEC Corporation	Express5800/R110j-1 (Intel Xeon E-2136) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	6	1	2	41.2	44.2	--	--
NEC Corporation	Express5800/R110j-1 (Intel Xeon E-2134) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	29.9	32.0	--	--
NEC Corporation	Express5800/R110j-1 (Intel Xeon E-2126G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	6	6	1	1	35.2	37.6	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
NEC Corporation	Express5800/R110j-1 (Intel Xeon E-2124) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	23.7	25.2	--	--
NEC Corporation	Express5800/R110j-1 (Intel Pentium Gold G5400) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	2	1	2	12.4	13.3	--	--
NEC Corporation	Express5800/R110j-1 (Intel Core i3-8300) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	22.5	23.9	--	--
NEC Corporation	Express5800/R120h-1E (Intel Xeon Bronze 3106) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	16	2	1	44.0	45.9	--	--
NEC Corporation	Express5800/R120h-1E (Intel Xeon Bronze 3104) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	12	2	1	33.0	34.5	--	--
NEC Corporation	Express5800/R120h-1E (Intel Xeon Silver 4112) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	43.5	46.0	--	--
NEC Corporation	Express5800/R120h-1E (Intel Xeon Silver 4110) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	71.9	76.0	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
NEC Corporation	Express5800/T110j-S (Intel Core i3-8300) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	22.5	24.0	--	--
NEC Corporation	Express5800/T110j-S (Intel Xeon E-2124G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	24.7	26.3	--	--
NEC Corporation	Express5800/T110j-S (Intel Pentium Gold G5400) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	2	1	2	12.4	13.3	--	--
NEC Corporation	Express5800/T110j-S (Intel Xeon E-2146G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	6	1	2	41.2	44.3	--	--
NEC Corporation	Express5800/GT110i (Intel Pentium G4560) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	2	1	2	11.6	12.4	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
NEC Corporation	Express5800/T110i (Intel Pentium G4560) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	2	1	2	11.6	12.4	--	--
NEC Corporation	Express5800/R120h-1E (Intel Xeon Silver 4116) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	106	113	--	--
NEC Corporation	Express5800/R120h-1E (Intel Xeon Silver 4108) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	64.7	68.2	--	--
NEC Corporation	Express5800/R120h-1E (Intel Xeon Gold 6130) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	152	161	--	--
NEC Corporation	Express5800/R120h-1E (Intel Xeon Gold 6138) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	177	189	--	--
NEC Corporation	Express5800/R120h-1E (Intel Xeon Gold 6132) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	153	163	--	--
New H3C Technologies Co., Ltd.	H3C UniServer R6900 G3 (Intel Xeon Gold 6148) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	160	80	4	2	399	413	--	--
New H3C Technologies Co., Ltd.	H3C UniServer R6900 G3 (Intel Xeon Gold 6148) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	160	80	4	2	417	432	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
New H3C Technologies Co., Ltd.	H3C UniServer R6900 G3 (Intel Xeon Gold 6142) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	4	2	365	385	--	--
New H3C Technologies Co., Ltd.	H3C UniServer R6900 G3 (Intel Xeon Platinum 8160) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	192	96	4	2	426	Not Run	--	--
Oracle Corporation	Sun Fire V490 <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	1	8	4	1	1.00	Not Run	1.00	--
Oracle Corporation	1-Chip VM with SPARC M7 <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	256	32	1	8	114	123	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Sugon	Sugon A320-G30 (AMD EPYC 7351P) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	1	2	83.6	89.7	--	--
Sugon	Sugon A320-G30 (AMD EPYC 7401P) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	1	2	111	121	--	--
Sugon	Sugon A320-G30 (AMD EPYC 7551P) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	1	2	134	147	--	--
Sugon	Sugon A320-G30 (AMD EPYC 7601) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	1	2	135	148	--	--
Sugon	Sugon A620-G30 (AMD EPYC 7351) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	162	174	--	--
Sugon	Sugon A420-G30 (AMD EPYC 7401) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	201	219	--	--
Sugon	Sugon A420-G30 (AMD EPYC 7551) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	2	2	258	285	--	--
Sugon	Sugon A320-G30 (AMD EPYC 7401P) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	1	2	111	119	--	--
Sugon	Sugon A620-G30 (AMD EPYC 7451) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	226	249	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Sugon	Sugon A620-G30 (AMD EPYC 7601) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	2	2	275	304	--	--
Sugon	I620-G30 (Intel Xeon Platinum 8180) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	280	299	--	--
Sugon	I840-G30 (Intel Xeon Platinum 8180) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	550	591	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/ Core	Base	Peak	Base	Peak
Sugon	I980-G30 (Intel Xeon Platinum 8153) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	256	128	8	2	572	609	--	--
Supermicro	SuperServer 2028U-TR4T+ (X10DRU-i+, Intel Xeon E5-2699A v4) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	88	44	2	2	162	173	--	--
Supermicro	SuperServer 2029UZ-TN20R25M X11DPU-Z+ (Intel Xeon Platinum 8180) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	298	Not Run	--	--
Supermicro	SuperServer 1029U-TR4 (X11DPU , Intel Xeon Platinum 8180) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	298	318	--	--
Supermicro	SuperServer 2049U-TR4 (X11QPH+, Intel Xeon Platinum 8180) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	224	112	4	2	563	Not Run	--	--
Supermicro	A+ Server 2023US-TR4 (H11DSU-iN , AMD EPYC 7601) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	2	2	277	305	--	--
Supermicro	A+ Server 2023US-TR4 (H11DSU-iN , AMD EPYC 7451) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	235	256	--	--
Supermicro	SuperServer 7048R-C1R4+ <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	16	2	1	43.6	45.7	--	--
Supermicro	A+ Server 2123BT-HNC0R (H11DST-B , AMD EPYC 7401) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	227	247	--	--
Supermicro	A+ Server 2023US-TR4 (H11DSU-iN , AMD EPYC 7401) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	227	249	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/ Core	Base	Peak	Base	Peak

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Supermicro	A+ Server 2023US-TR4 (H11DSU-iN , AMD EPYC 7551) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	2	2	270	297	--	--
Supermicro	A+ Server 2023US-TR4 (H11DSU-iN , AMD EPYC 7501) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	2	2	273	294	--	--
Supermicro	A+ Server 2123BT-HNC0R (H11DST-B , AMD EPYC 7451) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	234	256	--	--
Supermicro	A+ Server 2123BT-HNC0R (H11DST-B , AMD EPYC 7501) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	2	2	273	300	--	--
Supermicro	A+ Server 2123BT-HNC0R (H11DST-B , AMD EPYC 7601) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	2	2	281	310	--	--
Supermicro	A+ Server 4023S-TRT (H11DSi-NT , AMD EPYC 7551) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	2	2	270	297	--	--
Supermicro	A+ Server 4023S-TRT (H11DSi-NT , AMD EPYC 7601) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	2	2	281	310	--	--
Supermicro	SuperServer 7049P-TR (X11DPi-N, Intel Xeon Silver 4110) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	72.9	Not Run	--	--
Supermicro	A+ Server 1013S-MTR (H11SSL-i , AMD EPYC 7601) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	1	2	141	156	--	--
Supermicro	A+ Server 4023S-TRT (H11DSi-NT , AMD EPYC 7401) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	228	248	--	--
Supermicro	A+ Server 4023S-TRT (H11DSi-NT , AMD EPYC 7451) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	231	250	--	--
Supermicro	A+ Server 2123BT-HNC0R (H11DST-B , AMD EPYC 7551)	128	64	2	2	271	297	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Supermicro	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	2	2	274	301	--	--
	A+ Server 4023S-TRT (H11DSi-NT , AMD EPYC 7501)								
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Supermicro	SuperServer 6019P-WT (X11DDW-L, Intel Xeon Gold 5118)	48	24	2	2	119	125	--	--
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								
Supermicro	SuperServer 2029TP-HTR (X11DPT-PS, Intel Xeon Gold 6132)	56	28	2	2	159	168	--	--
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								
Supermicro	SuperServer 7049P-TRT (X11DPi-NT, Intel Xeon Platinum 8180)	112	56	2	2	278	297	--	--
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								
Supermicro	SuperServer 7049P-TRT (X11DPi-NT, Intel Xeon Silver 4110)	32	16	2	2	72.9	76.8	--	--
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								
Supermicro	SuperServer 2049U-TR4 (X11QPH+, Intel Xeon Gold 6132)	112	56	4	2	318	339	--	--
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								
Supermicro	A+ Server 1013S-MTR (H11SSL-i , AMD EPYC 7451)	48	24	1	2	119	129	--	--
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								
Supermicro	A+ Server 1013S-MTR (H11SSL-i , AMD EPYC 7551)	64	32	1	2	136	149	--	--
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								
Supermicro	SuperServer 2029U-E1CRT (X11DPU , Intel Xeon Gold 5120)	56	28	2	2	135	142	--	--
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Supermicro	SuperServer 6029U-E1CRTP (X11DPU , Intel Xeon Gold 5115) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	102	107	--	--
Supermicro	SuperServer 6029U-E1CRTP (X11DPU , Intel Xeon Gold 6140) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	72	36	2	2	192	203	--	--
Supermicro	A+ Server 2023US-TR4 (H11DSU-iN , AMD EPYC 7601) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	64	2	2	281	310	--	--
Supermicro	SuperServer SYS-2049U-TR4 (X11QPH+, Intel Xeon Gold 6140) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	144	72	4	2	366	Not Run	--	--
Supermicro	SuperServer 2029U-E1CRT (X11DPU , Intel Xeon Gold 6132) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	163	172	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Supermicro	A+ Server 1013S-MTR (H11SSL-i , AMD EPYC 7401) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	1	2	115	126	--	--
Supermicro	A+ Server 1013S-MTR (H11SSL-i , AMD EPYC 7501) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	1	2	138	152	--	--
Supermicro	SuperServer SYS-1029GQ-TVRT (X11DGQ, Intel Xeon Gold 6152) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	88	44	2	2	204	217	--	--
Supermicro	SuperServer SYS-1029P-WTR (X11DDW-L, Intel Xeon Silver 4110) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	72.9	76.5	--	--
Supermicro	SuperServer SYS-6019P-WTR (X11DDW-L, Intel Xeon	32	16	2	2	72.7	76.7	--	--



Test Sponsor	System Name	Base Copies	Processor		Results		Energy		
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
	Silver 4110) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								
Supermicro	A+ Server 1013S-MTR (H11SSL-i , AMD EPYC 7261) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	1	2	45.1	47.6	--	--
Supermicro	A+ Server 1013S-MTR (H11SSL-i , AMD EPYC 7281) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	1	2	76.7	82.4	--	--
Supermicro	A+ Server 1013S-MTR (H11SSL-i , AMD EPYC 7351) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	1	2	84.3	89.9	--	--
Supermicro	A+ Server 2023US-TR4 (H11DSU-iN , AMD EPYC 7251) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	85.1	90.4	--	--
Supermicro	A+ Server 2023US-TR4 (H11DSU-iN , AMD EPYC 7261) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	88.8	94.0	--	--
Supermicro	A+ Server 2123BT-HNC0R (H11DST-B , AMD EPYC 7251) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	85.3	91.2	--	--
Supermicro	A+ Server 2023US-TR4 (H11DSU-iN , AMD EPYC 7351) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	167	178	--	--
Supermicro	A+ Server 2023US-TR4 (H11DSU-iN , AMD EPYC 7281) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	152	163	--	--
Test Sponsor	System Name	Base Copies	Processor		Results		Energy		
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Supermicro	A+ Server 4023S-TRT (H11DSi-NT , AMD EPYC 7251) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	85.4	91.1	--	--
Supermicro	A+ Server 4023S-TRT (H11DSi-NT , AMD EPYC 7351) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	167	179	--	--
Supermicro	A+ Server 2123BT-HNC0R (H11DST-B , AMD EPYC 7351)	64	32	2	2	167	178	--	--

Test Sponsor	System Name	Base Copies	Processor		Results		Energy		
			Enabled Cores	Enabled Chips	Enabled Threads/ Core	Base	Peak	Base	Peak
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								
Supermicro	A+ Server 2123BT-HNC0R (H11DST-B , AMD EPYC 7281)	64	32	2	2	152	163	--	--
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								
Supermicro	A+ Server 4023S-TRT (H11DSi-NT , AMD EPYC 7281)	64	32	2	2	152	164	--	--
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								
Supermicro	A+ Server 2123BT-HNC0R (H11DST-B , AMD EPYC 7261)	32	16	2	2	88.9	93.9	--	--
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								
Supermicro	A+ Server 2123BT-HNC0R (H11DST-B , AMD EPYC 7301)	64	32	2	2	158	168	--	--
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								
Supermicro	A+ Server 4023S-TRT (H11DSi-NT , AMD EPYC 7261)	32	16	2	2	89.6	96.6	--	--
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								
Supermicro	A+ Server 4023S-TRT (H11DSi-NT , AMD EPYC 7301)	64	32	2	2	158	169	--	--
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								
Supermicro	SuperServer 5019P-MT (X11SPi-TF , Intel Xeon Platinum 8180)	56	28	1	2	135	144	--	--
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								
Supermicro	SuperServer 6029U-TR4 (X11DPU , Intel Xeon Gold 5117)	56	28	2	2	120	126	--	--
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								
Supermicro	SuperServer 6029U-TR4 (X11DPU , Intel Xeon Gold 6140)	72	36	2	2	192	203	--	--
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								
Supermicro	SuperWorkstation 7049GP-TRT (X11DPG-QT , Intel Xeon Platinum 8180)	112	56	2	2	279	298	--	--
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								
Test Sponsor	System Name	Base	Processor		Results		Energy		

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
		Copies	Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Supermicro	A+ Server 1013S-MTR (H11SSL-i , AMD EPYC 7351P) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	1	2	84.4	92.1	--	--
Supermicro	SuperServer 6029U-TR4 (X11DPU , Intel Xeon Gold 5120) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	135	142	--	--
Supermicro	SuperServer 6029U-TR4 (X11DPU , Intel Xeon Gold 5120) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	2	2	137	146	--	--
Supermicro	SuperStorage 5049P-E1CR45H (X11SPL-F , Intel Xeon Gold 6140M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	36	18	1	2	90.8	96.8	--	--
Supermicro	SuperStorage 5049P-E1CR45H (X11SPL-F , Intel Xeon Gold 6126) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	24	12	1	2	67.8	72.0	--	--
Supermicro	SuperServer 5029P-WTR (X11SPW-TF , Intel Xeon Platinum 8176) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	1	2	122	130	--	--
Supermicro	SuperStorage 5029P-E1CTR12L (X11SPH-nCTF , Intel Xeon Silver 4114) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	20	10	1	2	46.2	49.3	--	--
Supermicro	SuperStorage 5029P-E1CTR12L (X11SPH-nCTF , Intel Xeon Platinum 8153) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	1	2	69.7	74.0	--	--
Supermicro	SuperServer 6029U-TR4 (X11DPU , Intel Xeon Silver 4110) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	74.1	78.8	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Supermicro	A+ Server 1013S-MTR (H11SSL-i , AMD EPYC 7401P) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	1	2	116	126	--	--
Supermicro	SuperStorage 5029P-E1CTR12L (X11SPH-nCTF , Intel Xeon Gold 6140M) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	36	18	1	2	90.0	96.0	--	--
Supermicro	SuperStorage 5029P-E1CTR12L (X11SPH-nCTF , Intel Xeon Gold 6130) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	1	2	77.0	81.9	--	--
Supermicro	SuperStorage 5049P-E1CR45H (X11SPL-F , Intel Xeon Gold 6130) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	1	2	77.2	82.1	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Supermicro	SuperStorage 5049P-E1CR45H (X11SPL-F , Intel Xeon Platinum 8176) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	1	2	121	130	--	--
Supermicro	SuperStorage 5049P-E1CR45H (X11SPL-F , Intel Xeon Platinum 8153) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	1	2	69.7	73.9	--	--
Supermicro	A+ Server 1013S-MTR (H11SSL-i , AMD EPYC 7251) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	1	2	43.0	46.7	--	--
Supermicro	SuperServer 6029U-TR4 (X11DPU , Intel Xeon Bronze 3106) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	16	2	1	45.0	46.1	--	--
Supermicro	SuperStorage 5029P-E1CTR12L (X11SPH-nCTF , Intel Xeon Platinum 8176) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	56	28	1	2	120	128	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Supermicro	A+ Server 1013S-MTR (H11SSL-i , AMD EPYC 7551P) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	1	2	135	149	--	--
Supermicro	SuperServer 6029U-TR4 (X11DPU , Intel Xeon Platinum 8176) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	271	292	--	--
Supermicro	A+ Server 1013S-MTR (H11SSL-i , AMD EPYC 7301) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	1	2	79.9	87.0	--	--
Supermicro	SuperServer 5019P-MT (X11SPi-TF , Intel Xeon Bronze 3106) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	8	1	1	22.2	22.4	--	--
Supermicro	SuperServer 6029U-TR4 (X11DPU , Intel Xeon Bronze 3104) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	12	2	1	33.4	34.7	--	--
Supermicro	A+ Server 2023US-TR4 (H11DSU-iN , AMD EPYC 7301) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	158	173	--	--
Supermicro	SuperServer 5019P-MT (X11SPi-TF , Intel Xeon Bronze 3104) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	6	6	1	1	16.8	17.5	--	--
Supermicro	SuperServer 5019P-MT (X11SPi-TF , Intel Xeon Silver 4109T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	1	2	35.2	37.4	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Supermicro	SuperServer 5019P-MT (X11SPi-TF , Intel Xeon Silver 4108) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	1	2	32.5	34.6	--	--
Supermicro	SuperServer 6029U-TR4 (X11DPU , Intel Xeon Silver	32	16	2	2	70.4	74.8	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
	4109T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								
Supermicro	SuperStorage 5049P-E1CR45H (X11SPL-F , Intel Xeon Silver 4108) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	1	2	32.5	34.6	--	--
Supermicro	SuperStorage 5049P-E1CR45H (X11SPL-F , Intel Xeon Silver 4109T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	1	2	35.2	37.4	--	--
Supermicro	SuperServer 6029U-TR4 (X11DPU , Intel Xeon Silver 4108) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	65.5	69.5	--	--
Supermicro	SuperWorkstation 5039A-i (X11SRA , Intel Xeon W-2123) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	27.4	28.8	--	--
Supermicro	SuperWorkstation 5039A-i (X11SRA , Intel Xeon W-2133) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	6	1	2	40.2	42.5	--	--
Supermicro	SuperWorkstation 5039A-i (X11SRA , Intel Xeon W-2155) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	20	10	1	2	65.1	69.8	--	--
Supermicro	SuperWorkstation 5039A-i (X11SRA , Intel Xeon W-2175) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	28	14	1	2	78.9	84.5	--	--
Supermicro	SuperWorkstation 5039A-i (X11SRA , Intel Xeon W-2195) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	36	18	1	2	92.7	99.9	--	--
Supermicro	SuperWorkstation 5039C-T (X11SCA , Intel Xeon E-2104G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	19.7	20.9	--	--
Supermicro	SuperServer 5019S-M (X11SSH-F , Intel Xeon E3-1275 v6) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	27.7	29.8	--	--
Supermicro	SuperServer 5019P-MT (X11SPi-TF , Intel Xeon Silver	8	4	1	2	21.9	23.1	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
	4112) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								
Test Sponsor	System Name	Base Copies	Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Supermicro	SuperServer 5019P-MT (X11SPi-TF , Intel Xeon Silver 4114) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	20	10	1	2	46.7	49.7	--	--
Supermicro	SuperServer 6029U-TR4 (X11DPU , Intel Xeon Silver 4112) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	2	2	43.5	46.2	--	--
Supermicro	SuperStorage 5049P-E1CR45H (X11SPL-F , Intel Xeon Silver 4114) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	20	10	1	2	46.7	49.7	--	--
Supermicro	SuperStorage 5049P-E1CR45H (X11SPL-F , Intel Xeon Silver 4112) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	21.8	23.2	--	--
Supermicro	SuperWorkstation 5039A-i (X11SRA , Intel Xeon W-2102) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	17.9	18.7	--	--
Supermicro	SuperWorkstation 5039A-i (X11SRA , Intel Xeon W-2104) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	19.3	20.2	--	--
Supermicro	SuperWorkstation 5039C-T (X11SCA , Intel Xeon E-2186G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	6	1	2	42.2	45.5	--	--
Supermicro	A+ Server 1113S-WN10RT (H11SSW-NT , AMD EPYC 7501) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	1	2	138	152	--	--
Supermicro	A+ Server 1113S-WN10RT (H11SSW-NT , AMD EPYC	64	32	1	2	141	156	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
	7601) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								
Supermicro	SuperServer 5019P-MT (X11SPi-TF , Intel Xeon Silver 4114T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	20	10	1	2	46.7	49.7	--	--
Supermicro	SuperServer 6029U-TR4 (X11DPU , Intel Xeon Silver 4114) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	40	20	2	2	93.3	99.5	--	--
Supermicro	SuperServer 6029U-TR4 (X11DPU , Intel Xeon Silver 4116) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	109	116	--	--
Supermicro	SuperStorage 5049P-E1CR45H (X11SPL-F , Intel Xeon Silver 4114T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	20	10	1	2	46.7	49.7	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Supermicro	SuperServer 6029U-TR4 (X11DPU , Intel Xeon Gold 5118) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	120	128	--	--
Supermicro	SuperWorkstation 5039C-T (X11SCA , Intel Xeon E-2144G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	30.1	32.3	--	--
Supermicro	SuperWorkstation 5039C-T (X11SCA , Intel Xeon E-2146G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	6	1	2	40.5	43.6	--	--
Supermicro	SuperWorkstation 5039C-T (X11SCA , Intel Xeon E-2176G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	6	1	2	41.1	44.4	--	--



Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Supermicro	SuperWorkstation 5039C-T (X11SCA , Intel Xeon E-2174G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	30.6	32.8	--	--
Supermicro	SuperServer 1019C-HTN2 (X11SCZ-F , Intel Xeon E-2176G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	6	1	2	40.3	43.5	--	--
Supermicro	A+ Server 1113S-WN10RT (H11SSW-NT , AMD EPYC 7251) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	1	2	43.0	45.9	--	--
Supermicro	A+ Server 1113S-WN10RT (H11SSW-NT , AMD EPYC 7301) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	1	2	79.5	85.2	--	--
Supermicro	A+ Server 1113S-WN10RT (H11SSW-NT , AMD EPYC 7401) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	1	2	115	125	--	--
Supermicro	A+ Server 1113S-WN10RT (H11SSW-NT , AMD EPYC 7451) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	1	2	118	129	--	--
Supermicro	A+ Server 1113S-WN10RT (H11SSW-NT , AMD EPYC 7551) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	1	2	136	150	--	--
Supermicro	SuperServer 5019C-L (X11SCL-IF , Intel Xeon E-2124G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	24.0	25.6	--	--
Supermicro	SuperServer 5019C-L (X11SCL-IF , Intel Xeon E-2104G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	19.7	20.9	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Supermicro	SuperServer 5019C-L (X11SCL-IF , Intel Xeon E-2174G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	29.3	31.5	--	--
Supermicro	SuperServer 5019C-L (X11SCL-IF , Intel Xeon E-2176G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	6	1	2	40.3	43.6	--	--
Supermicro	SuperServer 5019C-L (X11SCL-IF , Intel Xeon E-2186G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	6	1	2	40.5	43.7	--	--
Supermicro	SuperServer 5019C-L (X11SCL-IF , Intel Xeon E-2144G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	29.3	31.5	--	--
Supermicro	SuperServer 5019C-M (X11SCM-F , Intel Xeon E-2174G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	30.2	32.4	--	--
Supermicro	SuperServer 5019C-M (X11SCM-F , Intel Xeon E-2186G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	6	1	2	41.2	44.4	--	--
Supermicro	SuperServer 5019C-M (X11SCM-F , Intel Xeon E-2144G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	29.8	31.9	--	--
Supermicro	SuperServer 5019C-M4L (X11SCL-LN4F , Intel Xeon E-2126G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	6	6	1	1	35.2	37.6	--	--
Supermicro	SuperServer 5019C-M4L (X11SCL-LN4F , Intel Xeon E-2104G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	20.0	21.2	--	--
Supermicro	SuperServer 5019C-M4L (X11SCL-LN4F , Intel Xeon E-2144G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	30.1	32.2	--	--
Supermicro	SuperServer 5019C-M4L (X11SCL-LN4F , Intel Xeon E-2124G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	24.8	26.3	--	--
Supermicro	SuperServer 5019C-M4L (X11SCL-LN4F , Intel Xeon E-2146G)	12	6	1	2	40.0	43.1	--	--

Test Sponsor	System Name	Base Copies	Processor		Results		Energy		
			Enabled Cores	Enabled Chips	Threads/ Core	Base	Peak	Base	Peak
Supermicro	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	29.8	31.9	--	--
	SuperServer 5019C-M4L (X11SCL-LN4F , Intel Xeon E-2134)								
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								

Test Sponsor	System Name	Base Copies	Processor		Results		Energy		
			Enabled Cores	Enabled Chips	Threads/ Core	Base	Peak	Base	Peak
Supermicro	SuperServer 5019C-M4L (X11SCL-LN4F , Intel Xeon E-2176G)	12	6	1	2	39.9	43.0	--	--
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								
Supermicro	SuperServer 5019C-M4L (X11SCL-LN4F , Intel Xeon E-2174G)	8	4	1	2	30.5	32.6	--	--
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								
Supermicro	SuperServer 5019C-WR (X11SCW-F , Intel Xeon E-2174G)	8	4	1	2	30.4	32.6	--	--
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								
Supermicro	SuperServer 5019C-WR (X11SCW-F , Intel Xeon E-2176G)	12	6	1	2	40.1	43.2	--	--
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								
Supermicro	SuperServer 5019C-WR (X11SCW-F , Intel Xeon E-2186G)	12	6	1	2	41.6	44.9	--	--
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								
Supermicro	SuperServer 5019P-MT (X11SPi-TF , Intel Xeon Gold 5118)	24	12	1	2	61.1	64.8	--	--
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								
Supermicro	SuperServer 5019P-MT (X11SPi-TF , Intel Xeon Silver 4116)	24	12	1	2	55.4	58.5	--	--
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Supermicro	SuperServer 6029U-TR4 (X11DPU , Intel Xeon Platinum 8160) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	96	48	2	2	241	258	--	--
Supermicro	SuperStorage 5049P-E1CR45H (X11SPL-F , Intel Xeon Gold 5118) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	24	12	1	2	61.0	64.6	--	--
Supermicro	SuperStorage 5049P-E1CR45H (X11SPL-F , Intel Xeon Silver 4116) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	24	12	1	2	55.6	58.6	--	--
Supermicro	SuperWorkstation 5039C-I (X11SCL-F , Intel Xeon E-2174G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	30.7	32.9	--	--
Supermicro	SuperWorkstation 5039C-T (X11SCA , Intel Xeon E-2136) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	12	6	1	2	41.1	44.3	--	--
Supermicro	A+ Server 1113S-WN10RT (H11SSW-NT , AMD EPYC 7281) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	1	2	73.6	79.3	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Supermicro	A+ Server 1113S-WN10RT (H11SSW-NT , AMD EPYC 7351P) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	1	2	84.1	90.4	--	--
Supermicro	A+ Server 1113S-WN10RT (H11SSW-NT , AMD EPYC 7401P) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	1	2	115	126	--	--
Supermicro	A+ Server 1113S-WN10RT (H11SSW-NT , AMD EPYC 7551P) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	1	2	135	149	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Supermicro	A+ Server 2023US-TR4 (H11DSU-iN , AMD EPYC 7371) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	196	212	--	--
Supermicro	SuperServer 5019C-L (X11SCL-IF , Intel Core i3-8100) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	21.1	22.5	--	--
Supermicro	SuperServer 5019C-L (X11SCL-IF , Intel Core i3-8300) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	22.1	23.5	--	--
Supermicro	SuperServer 5019P-MT (X11SPi-TF , Intel Xeon Gold 5120) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	28	14	1	2	68.5	72.6	--	--
Supermicro	SuperServer 6029U-TR4 (X11DPU , Intel Xeon Gold 6126) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	48	24	2	2	143	152	--	--
Supermicro	SuperServer E300-9C (X11SCV-Q , Intel Core i5-8600T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	6	6	1	1	29.1	31.1	--	--
Supermicro	SuperStorage 5049P-E1CR45H (X11SPL-F , Intel Xeon Gold 5120) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	28	14	1	2	68.5	72.7	--	--
Supermicro	SuperWorkstation 5039C-T (X11SCA , Intel Xeon E-2126G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	6	6	1	1	35.2	37.6	--	--
Supermicro	SuperWorkstation 5039C-T (X11SCA , Intel Xeon E-2134) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	4	1	2	30.0	32.1	--	--
Supermicro	SuperServer E300-9C (X11SCV-Q , Intel Core i3-8100) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	21.2	22.6	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Supermicro	SuperWorkstation 5039C-T (X11SCA , Intel Xeon E-2124G) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	24.7	26.2	--	--
Supermicro	A+ Server 1113S-WN10RT (H11SSW-NT , AMD EPYC 7261) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	1	2	45.2	48.2	--	--
Supermicro	SuperWorkstation 5039C-T (X11SCA , Intel Xeon E-2124) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	23.4	24.9	--	--
Supermicro	A+ Server 4023S-TRT (H11DSi-NT , AMD EPYC 7371) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	64	32	2	2	196	212	--	--
Supermicro	A+ Server 1113S-WN10RT (H11SSW-NT , AMD EPYC 7351) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	1	2	84.1	90.0	--	--
Supermicro	SuperWorkstation 5039C-T (X11SCA , Intel Core i7-9700K) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	8	8	1	1	44.8	48.0	--	--
Supermicro	SuperWorkstation 5039C-T (X11SCA , Intel Core i9-9900K) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	16	8	1	2	51.0	55.3	--	--
Supermicro	SuperWorkstation 5039C-T (X11SCA , Intel Core i3-8100) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	21.6	23.0	--	--
Supermicro	SuperWorkstation 5039C-T (X11SCA , Intel Core i3-8300) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	22.6	24.0	--	--
Supermicro	SuperWorkstation 5039C-T (X11SCA , Intel Core i5-9600K) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	6	6	1	1	35.8	38.3	--	--
Supermicro	SuperWorkstation 5039C-T (X11SCA , Intel Core i3-8350K) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	24.0	25.5	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Supermicro	SuperWorkstation 5039C-T (X11SCA , Intel Core i3-8300T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	20.1	21.3	--	--
Supermicro	SuperWorkstation 5039C-T (X11SCA , Intel Core i3-8100T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	4	1	1	19.2	20.4	--	--
Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Supermicro	SuperWorkstation 5039C-T (X11SCA , Intel Pentium Gold G5600) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	2	1	2	13.2	14.3	--	--
Supermicro	SuperServer 2029BT-DNC0R (X11DPT-B, Intel Xeon Platinum 8280) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	344	361	--	--
Supermicro	SuperServer 7089P-TR4T (X11OPi, Intel Xeon Platinum 8280) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	448	224	8	2	1270	Not Run	--	--
Supermicro	SuperServer 2029UZ-TR4+ (X11DPU-Z+, Intel Xeon Platinum 8280) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	112	56	2	2	344	360	--	--
Supermicro	SuperWorkstation 5039C-T (X11SCA , Intel Pentium Gold G5500) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	2	1	2	13.0	14.0	--	--
Supermicro	SuperWorkstation 5039C-T (X11SCA , Intel Pentium Gold G5500T) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	4	2	1	2	11.3	12.1	--	--
Supermicro	SuperWorkstation 5039C-T (X11SCA , Intel Pentium Gold G5400T)	4	2	1	2	11.0	11.8	--	--

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								
Supermicro	SuperWorkstation 5039C-T (X11SCA , Intel Pentium Gold G5400)	4	2	1	2	12.7	13.7	--	--
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								
Supermicro	SuperServer 6029U-TR4 (X11DPU , Intel Xeon Platinum 8280)	112	56	2	2	345	362	--	--
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								
Supermicro	SuperServer 5019P-MT (X11SPi-TF , Intel Xeon Platinum 8280L)	56	28	1	2	171	180	--	--
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								
Supermicro	SuperServer 4029GP-TRT (X11DPG-OT , Intel Xeon Platinum 8280)	112	56	2	2	351	Not Run	--	--
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								
Supermicro	SuperServer 2049U-TR4 (X11QPH+, Intel Xeon Gold 6230)	160	80	4	2	448	Not Run	--	--
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								
Supermicro	SuperServer 2049U-TR4 (X11QPH+, Intel Xeon Platinum 8280L)	224	112	4	2	682	Not Run	--	--
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								

Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								
Supermicro	SuperServer SYS-2049U-TR4 (X11QPH+, Intel Xeon Gold 6248)	160	80	4	2	479	Not Run	--	--
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								
Supermicro	SuperServer 2029TP-HTR (X11DPT-PS, Intel Xeon Gold 6238T)	88	44	2	2	219	Not Run	--	--
	<a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>								



Test Sponsor	System Name	Base Copies	Processor			Results		Energy	
			Enabled Cores	Enabled Chips	Threads/Core	Base	Peak	Base	Peak
Supermicro	SuperServer 2029TP-HTR (X11DPT-PS, Intel Xeon Gold 6244) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	32	16	2	2	133	Not Run	--	--
Supermicro	SuperServer 2029TP-HTR (X11DPT-PS, Intel Xeon Gold 6230) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	215	Not Run	--	--
Supermicro	SuperServer 2029TP-HTR (X11DPT-PS, Intel Xeon Gold 6248) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	234	Not Run	--	--
Supermicro	SuperServer SYS-7049P-TRT (X11DPi-NT, Intel Xeon Gold 6248) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	231	Not Run	--	--
Supermicro	SuperServer SYS-7049P-TRT (X11DPi-NT, Intel Xeon Gold 6230) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	80	40	2	2	211	220	--	--
Yadro	Yadro Vesnin (3.32 GHz, 32 cores, RHEL 7.2) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	128	32	4	4	166	Not Run	--	--
Yadro	Yadro Vesnin (2.92 GHz, 40 cores, RHEL 7.4) <a href="#">HTML</a>   <a href="#">CSV</a>   <a href="#">Text</a>   <a href="#">PDF</a>   <a href="#">PS</a>   <a href="#">Config</a>	160	40	4	4	187	Not Run	--	--

Last update: 2019-04-08t11:19

[Back to [CPU2017](#)]